

The following catalog
has gaps in its page
numbers, or doesn't
have any numbers.
We have chosen to
leave the page
numbering in the
order that Acrobat
assigns it.

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
134-1375	1	Plate, Exhaust Outlet Cover			
416-0021	2	Cable, Battery			
220-2285	1	Stator, Wound			
321-0174	1	Fuse, 5 Amp			
321-0175	1	Holder, Fuse			

WIRING DIAGRAM NO. _____

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
416-0021	2	Cable, Battery			
134-1375	1	Plate, Exhaust Outlet Cover			

(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5557-02

Duct Air Outlet
Low Oil Pressure Cut Off
High Air Temperature Cut Off (Normally Closed)

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3CR SPEC 2701AC
FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5557-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			

WIRING DIAGRAM NO. (ENG)612-5557-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			

SPECIAL PARTS LIST FOR MODEL 12.0D1C-18R50 SPEC 270.AC
FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-5557-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
<p>Note: Pennsylvania Approved Duct Air Outlet Low Oil Pressure Cut Off High Air Temperature Cut Off (Normally Closed)</p>					

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housing					
Low Oil Pressure Cut Off					
220-0600	1	Stator Assembly Wound			
508-0001	1	Grommet, Control Box			
508-0117	1	Grommet, Output Box			

SPECIAL PARTS LIST FOR MODEL 12.0DJIC-3CR **SPEC** 2823AA
FOR STANDARD PARTS REFER TO CATALOG 967-0222 **KEY NO.** -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-4792-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Duct Air Outlet			
		Low Oil Pressure Cut Off			

WIRING DIAGRAM NO. (ENG) 612-5557-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Low Oil Pressure Cut Off			

WIRING DIAGRAM NO. 612-4791-01 (ENG)

WIRING DIAGRAM NO. 612-4792-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut-Off					
High Temperature Cut-Off					
Air Duct					
416-0021	2	Cable, Battery			
134-1375	1	Plate, Exhaust Outlet Cover			
102-0549	1	Base, Oil			

WIRING DIAGRAM NO. (ENG) 612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Modified For Oil Bath Air Cleaner			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
		Duct Air Outlet			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-3CR **SPEC** 3121AA
FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.**
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4792-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
		Oil Bath Air Cleaner			
416-0021	2	Cables, Battery			
134-1375	1	Plate, Exhaust Outlet Cover			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 3615AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO.
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4976-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Duct Air Outlet					
Low Oil Pressure Cut-Off					
High Temperature Cut-Off					
134-1375	1	Plate, Exhaust Outlet Cover			
416-0021	2	Cables, Battery			
309-0206	1	Swith, Thermostat			
320-0221	1	Limiter, Cranking			
307-0655	1	Relay, Latching (High Temp)			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-18R **SPEC** 3615AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.**
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4976-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Duct Air Outlet					
Low Oil Pressure Cut Off					
High Temperature Cut Off					
134-1375	1	Plate, Exhaust Outlet Cover			
309-0206	1	Switch, High Temperature			
416-0021	2	Cable, Battery			
320-0221	1	Limiter Cranking Low Oil Pressure			
307-0655	1	Relay, Latching - High Temperature			

WIRING DIAGRAM NO. (ENG)612-5572-02

Amel 1 1000

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-3R **SPEC** 3618AA
FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.**
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1786-04 (ENG) 612-4853-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Meter Panel					
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
338-0917	1	Wiring Harness, Stator Exciter to Control			
307-0655	1	Relay, Latching - Overspeed			
517-0012	1	Plug, Button Control Box			
301-1554	1	Panel, Instrument - Meter			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-4R SPEC 3618AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO.
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1486-04 (ENG) 612-4853-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Overspeed Cut-Off Low Oil Pressure Cut-Off High Temperature Cut-Off Meter Panel					
301-2088	1	Panel, Control - Upper			
338-0917	1	Wiring Harness Exciter Stator to Control			
307-0655	1	Relay, Latching - Overspeed			
517-0012	1	Plug, Button Control Box			

SPECIAL PARTS LIST FOR MODEL 12 0 DJC-3R SPEC 3631AA
FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO.
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTICNAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO.(AC) 612-1786-04 (ENG) 612-4792-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housing			
		Mounted Fuel Tank			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
		Meter Panel			
301-1554	1	Panel, Instrument			

SPECIAL PARTS LIST FOR **MODEL** 9.0DJC-518R **SPEC** 4037AA
FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.**
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. 612-4792-02 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut-Off			
		Duct And Shutter			
		Oil Bath Air Cleaner			
416-0021	2	Cables, Battery			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-5DR SPEC 4540T
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO.
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2662-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Contractor Type Air Cleaner					
Low Oil Pressure Cut Off					
503-0365	4	Clamp, Hose Air Cleaner			
503-0571	1	Hose, Air Cleaner			
220-0652	1	Stator, Assembly Wound			
508-0001	1	Grommet, Control Box			
508-0117	1	Grommet, Output Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 4540AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO.
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4792-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut-Off					
416-0021	2	Cables, Battery			
140-0723	1	Pre-Cleaner, Air Cleaner			
140-1271	1	Bracket, Air Cleaner			
503-0419	1	Elbow, Air Cleaner			
503-0274	4	Clamp, Hose			
140-0722	2	Band, Air Cleaner Mounting			
140-0721	1	Air Cleaner Includes Element			
140-0765	1	Element Air Cleaner			
140-0740	1	Tube, Air Induction			
503-0330	1	Hose, Air Cleaner Connector			

WIRING DIAGRAM NO. _____ (ENG) 612-4792-02

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3CR **SPEC** 4540AC
FOR STANDARD PARTS REFER TO CATALOG 967-0222 **KEY NO.** -
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5557-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Contractor Type Air Cleaner			
		Low Oil Pressure Cut Off			

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed			
		Mounted Fuel Tank			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			

WIRING DIAGRAM NO. (ENG)612-5557-02

Dated Anri1 1 1080 **Revised** **Page** 1 **of** 1

SPECIAL PARTS LIST FOR MODEL 12.0DJC-18R SPEC 5120AC
FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5576-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut Off					
High Air Temperature Cut Off (Normally Closed)					
338-0917	1	Harness, Wiring - Overspeed			
307-0655	1	Relay, Emergency Latch - Overspeed			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-5DR **SPEC** 5304AA
FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.**
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1870-04 (ENG) 612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Oil Bath Air Cleaner			
		Housed			
		Meter Panel			
		Low Oil Pressure Cut-Off			
		High Air Temperature Cut-Off			
308-0407	1	Switch, Voltmeter Selector			
301-2088	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-3CR **SPEC** 5322AA
FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.**
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4792-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut-Off					
High Temperature Cut-Off					
416-0021	2	Cables, Battery			
140-0723	1	Pre-Cleaner, Air Cleaner			
140-1271	1	Bracket, Air Cleaner			
503-0419	1	Elbow, Air Cleaner			
503-0274	4	Clamp, Hose			
140-0722	2	Band, Air Cleaner Mounting			
140-0765	1	Element Air Cleaner			
140-0740	1	Tube, Air Induction			
503-0330	1	Hose, Air Cleaner Connector			

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Contractor Type Air Cleaner			
		Low Oil Pressure Cut-Off			
		High Air Temperature Cut-Off			
416-0021	2	Cable, Battery			

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
416-0021	2	Cable, Battery			
508-0001	1	Grommet, Output Box			
508-0117	1	Grommet, Output Box			
220-0792	1	Stator Assembly, Wound			

WIRING DIAGRAM NO. 612-4976-01 (ENG)

Noted May 1 1978 Revised 1 1

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-18R **SPEC** 5393AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.**
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4976-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Temperature Cut Off					
309-0206	1	Switch, High Temperature			
416-0021	2	Cable, Battery			
320-0221	1	Limiter Cranking Low Oil Pressure			
307-0655	1	Relay, Latching - High Temperature			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-4XR SPEC 5652AA
FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4791-02 (AC) 612-1859-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Meter Panel			
		Mounted Fuel Tank			
		Muffler Mounted On Housing			
		Duct Air Outlet			
301-2373	1	Panel, Meter - Instrument			

SPECIAL PARTS LIST FOR **MODEL** 9.0 DJC-57R **SPEC** 5663T
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.**
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. 612-2856-02 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut-Off High Temperature Cut-Off Over Speed Cut-Off					
307-0655	1	Relay, Latching (Overspeed)			
508-0001	1	Grommet, Control Box			
508-0117	1	Grommet, Output Box			
211-0152	1	Bell, End-Generator			
220-1230	1	Stator Assembly, Wound			

FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4853-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off (Normally Closed)					
338-0917	1	Harness, Wiring - Overspeed			
307-0655	1	Relay, Emergency Latch - Overspeed			
517-0012	1	Button, Dot (5/8")			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-3CR **SPEC** 5663AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.**
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. 612-4853-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut-Off					
Low Oil Pressure Cut-Off					
High Temperature Cut-Off					
416-0021	2	Cables, Battery			
338-0917	1	Wiring Harness, Exciter Stator to Control			
307-0655	1	Relay, Latching-Overspeed			
517-0012	1	Plug, Button			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-18R **SPEC** 5663AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.**
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4853-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut-Off					
High Temperature Cut-Off					
Low Oil Pressure Cut-Off					
416-0021	2	Cable, Battery			
338-0917	1	Wiring Harness, Exciter			
		Stator to Control			
307-0655	1	Relay, Latching Overspeed			
517-0012	1	Plug, Button - Control Box			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-3CR **SPEC** 5663AC
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-5567-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off (Normally Closed)					
338-0917	1	Harness, Wiring - Overspeed			
307-0655	1	Relay, Emergency Latch - Overspeed			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-18R **SPEC** 5663AC
FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5567-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	3	Relay, Emergency Latch - High			
		Temperature, Overspeed &			
		Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-3R **SPEC** 5776AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.**
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (AC) 612-1786-04 (ENG) 612-4792-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housing Low Oil Pressure Cut Off High Temperature Cut Off Meter Panel					
301-1554	1	Panel, Instrument			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3R SPEC 5776AC
FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5557-01 (AC)612-1786-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Meter Panel			
		Duct Air Outlet			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
301-1554	1	Panel, Meter - Instrument			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-4R SPEC 5776AC
FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5557-02 (AC) 612-1486-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Meter Panel			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
		Duct Air Outlet			
301-2088	1	Panel, Meter - Instrument			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-5DR **SPEC** 5776AC
FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5557-02 (AC)612-1870-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Meter Panel			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off - Normally Closed			
301-2088	1	Panel, Meter - Instrument			

FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4792-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
405-1674	1	Shield, Rain-Exhaust Pipe			

(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4792-01

Housed Unit
Duct Air Outlet
Low Oil Pressure Cut Off
High Air Temperature Cut Off (Normally Closed)

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3CR **SPEC** 5811AC
FOR STANDARD PARTS REFER TO CATALOG 967-0222 **KEY NO.** -
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5557-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Duct Air Outlet			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-18R **SPEC** 5813AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.**
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4847-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
416-0021	2	Cable, Battery			
309-0206	1	Switch, High Temperature			
134-1375	1	Plate, Exhaust Outlet Cover			
338-0917	1	Wiring Harness Exciter			
		Stator to Control			
320-0221	1	Limiter, Cranking - Low Oil			
		Pressure			
307-0655	2	Relay, Latching Overspeed			
		and High Temperature			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 6004AA
FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO.
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4847-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut-Off					
Low Oil Pressure Cut-Off					
High Temperature Cut-Off					
416-0021	2	Cables, Battery			
309-0206	1	Switch, Thermostat			
338-0917	1	Wiring Harness, Exciter			
		Stator to Control			
320-0221	1	Limiter, Cranking			
307-0655	1	Relay, Latching			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 6127AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO.
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4976-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Air Duct And Shutter					
Low Oil Pressure Cut Off					
High Temperature Cut Off					
309-0206	1	Switch, High Temperature			
416-0021	2	Cable, Battery			
320-0221	1	Limiter Cranking Low Oil Pressure			
307-0655	1	Relay, Latching - High Temperature			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-3CR **SPEC** 6153AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.**
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. 612-4792-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Air Duct and Shutter			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
416-0021	2	Cables, Battery			

(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5071-01

416-0021	2	Cable, Battery
220-2285	1	Stator Wound
321-0174	1	Fuse, 5 Amp
321-0175	1	Holder, Fuse

WIRING DIAGRAM NO. (ENG) 612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Air Duct and Shutter			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
416-0021	2	Cable, Battery			

WIRING DIAGRAM NO. (ENG) 612-5557-02

Dated May 1, 1980 **Revised** **Page** 1 **of** 1

WIRING DIAGRAM NC ENG) 612-5557-01 _____

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Air Duct And Shutter			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-9XR SPEC 6153AC
FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5728-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Air Duct And Shutter			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
220-2285	1	Stator, Wound			

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Air Duct and Shutter			
		Overspeed Cut-Off			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
416-0021	2	Cable, Battery			
338-0917	1	Wiring Harness, Exciter			
		Stator to Control			
307-0655	1	Relay, Latching - Overspeed			
517-0012	1	Plug, Button Control Box			

SPECIAL PARTS LIST FOR **MODEL** 9.0 DJC-57R **SPEC** 6340AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.**
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. 612-5001-08 (AC) 612-4792-02 (ENG

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Mounted Fuel Tank Housed High Temperatures Cut-Off Low Oil Pressure Cut-Off Air Duct and Shutter Meter Panel					
504-0007	1	Valve, Fuel Tank (Return)			
504-0013	1	Valve, Fuel Tank (Outlet)			
405-1674	1	Shield, Rain-Exhaust Pipe			
301-2373	1	Panel, Instrument			

PARTS LIST FOR **MODEL** 9.0 DJC-57XR **SPEC** 6340AA
FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-5025-07 (AC) 612-4792-02 (ENC)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Mounted Fuel Tank			
		Housed			
		Air Duct and Shutter			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
		Meter Panel			
320-0485	1	Circuit Breaker (15A)			
301-2373	1	Panel, Instrument			

FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-2662-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Mounted Fuel Tank			
		Housed			
		Duct And Shutter			
		Low Oil Pressure Cut-Off			
		High Air Temperature--Cut Off			
220-0602	1	Stator Assembly, Wound			
508-0001	1	Grommet, Control Box			
508-0117	1	Grommet, Output Box			

SPECIAL PARTS LIST FOR MODEL 9.0DJC-57R **SPEC** 6401AC
FOR STANDARD PARTS REFER TO CATALOG 967-0222 **KEY NO.** -
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5557-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Mounted Fuel Tank			
		Air Duct And Shutter			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
		Meter Panel			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-3CR **SPEC** 6485AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.**
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4791-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Mounted Fuel Tank Housing					
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible Exhaust			
338-0305	1	Wiring Harness, Start-Stop			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3CR SPEC 6598AA
FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO.
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4791-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust			
155-0360	1	Muffler, Exhaust			
338-0305	1	Wiring Harness Assembly, Stop-Start			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-18R **SPEC** 6598AA
FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.**
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4791-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housing					
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible Exhaust			
338-0305	1	Wiring Harness, Start-Stop			

WIRING DIAGRAM NO. (ENG) 612-5556-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Muffler Mounted On Housing			
		Duct Air Outlet			

PART NO.	CTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Duct Air Outlet			
		Muffler Mounted On Housing			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-3CR **SPEC** 6702AA
FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.**
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4791-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed			
		High Temperature Cut-Off			
		Air Duct and Shutter			
338-0725	1	Wiring Harness, Switch Plate to Control			
338-0394	1	Wiring Harness, Starter Motor to Control			

WIRING DIAGRAM NO. (ENG) 612-5747-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
		Modified For Oil Bath Air Cleaner			
320-0540	2	Breaker, Circuit - 15 AMP			
323-1105	1	Receptacle, 15 AMP -240V			
301-5446	1	Panel, Control - Lower			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-3CR **SPEC** 6893AA
FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.**
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. 612-4792-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Air Duct and Shutter Housed Low Oil Pressure Cut-Off High Temperature Cut-Off			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-18R **SPEC** 6893AA
FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.**
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Air Duct and Shutter Housed Low Oil Pressure Cut-Off High Temperature Cut-Off			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-18R **SPEC** 6921AA
 FOR STANDARD PARTS REFER TO **CATALOG** **KEY NO.**
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
Mounted Fuel Tank					
Low Oil Pressure Cut Off					
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible Exhaust			
538-0305	1	Wiring Harness, Start-Stop			

PARTS LIST FOR **MODEL** 12.0 DJC-3CR **SPEC** 7105AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4791-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
416-0021	2	Cables, Battery			
140-0723	1	Pre-Cleaner			
140-0721	1	Air Cleaner, Includes Element			
140-0765	1	Element, Air Cleaner			
140-0722	2	Bands, Air Cleaner Mounting			
503-0274	4	Clamp, Hose			
503-0419	1	Elbow, Air Cleaner			
140-1271	1	Bracket, Air Cleaner			
140-0740	1	Tube, Air Induction			
503-0330	1	Hose, Air Cleaner Connector			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-18R **SPEC** 7105AA
FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4791-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Contractor Type Air Cleaner			

WIRING DIAGRAM NO. 612-4792-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Air Duct and Shutter			
		Low Oil Pressure Cut-Off			
416-0021	2	Cables, Battery			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-3CR **SPEC** 7161AC
FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5557-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Air Duct And Shutter			
		Low Oil Pressure Cut Off			

PARTS LIST FOR **MODEL** 12.0DJC-3CR **SPEC** 7304AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4792-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed			
		Air Duct and Shutter			
		Low Oil Pressure Cut-Off			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-3CR **SPEC** 7328AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.**
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. 612-4853-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
		Overspeed Cut-Off			
134-1375	1	Plate, Exhaust Outlet Cover			
416-0021	2	Cables, Battery			
338-0917	1	Wiring Harness, Exciter			
		Stator to Control			
307-0655	1	Relay, Latching Overspeed			
517-0012	1	Plug, Button			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-18R **SPEC** 7328AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.**
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO.

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Duct Air Outlet					
Overspeed Cut-Off					
Low Oil Pressure Cut-Off					
High Temperature Cut-Off					
134-1375	1	Plate, Exhaust Outlet Cover			
416-0022	2	Cable, Battery			
338-0917	1	Wiring Harness, Exciter Stator to Control			
307-0655	1	Relay, Latching - Overspeed			
517-0012	1	Plug, Button Control Box			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-3CR **SPEC** 7328AC
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5567-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	1	Relay, Emergency Latch - Overspeed			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-18R **SPEC** 7328AC
FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTICNAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5567-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off - Normally Closed			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	1	Relay, Emergency Latch - Overspeed			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DFC-4R50 **SPEC** 7598T
FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2661-02

PART NO	QTY.	DESCRIPTION	PART NO	QTY.	DESCRIPTION
Duct And Shutter					
220-0602	1	Stator Assembly Wound			
508-0001	1	Grommet, Control Box			
508-0117	1	Grommet, Output Box			

Dated Mar 1, 1978

Desired

100

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-3CR **SPEC** 7398AA
FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. 612-4791-01 (ENG)