

The following catalog
has gaps in its page
numbers, or doesn't
have any numbers.
We have chosen to
leave the page
numbering in the
order that Acrobat
assigns it.

FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Low Oil Pressure Cut Off					
102-0549	1	Base, Oil			
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			

SPECIAL PARTS LIST FOR MODEL 12.5JC-4R SPEC 11911AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4793-06 (SWBD) 15-0371-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Skid and Battery Rack (See Housing Option)					
Switchboard Control					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
416-0522	1	Plate, Battery Mounting			
301-2099	1	Panel , Instrument			
301-0500	1	Box Assembly, Meter - Includes Box, Cover and Grommet			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR **SPEC** 11914AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-4883-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
112-0106	4	Piston And Pin			
154-1224	1	Manifold, Intake			
148-0367	1	Switch, Vacuum			
502-0053	1	Elbow, Vacuum Switch			
505-0098	1	Nipple, Vacuum Switch			

SPECIAL PARTS LIST FOR MODEL 15.0JC-18R SPEC 11914AB
FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5558-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
112-0106	4	Piston And Pin			
154-1224	1	Manifold, Intake			
148-0367	1	Switch, Vacuum			
502-0053	1	Elbow, Vacuum Switch			
505-0098	1	Nipple, Vacuum Switch			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR131 **SPEC** 11917AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5558-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved LPG Fuel System					
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0287	2	Cushion, Vibration - Generator End			
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-18R **SPEC** 11917AB
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5558-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-18R131 **SPEC** 11917AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-5558-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved LPG Fuel System					
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0287	2	Cushion, Vibration - Generator End			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3CR131 SPEC 11917AB
FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5558-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
NOTE: Pennsylvania Approved LPG Vapor Carburetor					
503-0446	1	Clamp-Gas Hose (13/16")			
508-0004	1	Grommet, Gas Hose (1" ID)			
508-0015	2	Washer, Fiber (#8)			
149-0558	1	Strainer, Natural Gas			
307-0829	1	Replacement Coil Kit, Valve- Magnetic			
416-0325	1	Hydrometer, 3 Color Scale- Battery Tester			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R131 **SPEC** 11917AB
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5558-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved LPG Fuel System					
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0287	2	Cushion, Vibration - Generator End			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4R SPEC 11931AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4860-06 (SWBD) 615-0371

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Switchboard Control					
Gas Fuel System					
Vacu - Flo Cooling (See Air Housing)					
112-0106	4	Piston and Pin			
309-0171	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
134-3081	1	Guard, Scroll Outlet			
302-0458	3	Ammeter, AC			
301-2099	1	Panel, Instrument			
301-0500	1	Box Assembly, Meter - Includes Box, Cover And Grommet			
321-0146	1	Fuse -10 Amp.			
321-0175	1	Holder, Fuse			
322-0004	2	Lamp, Indicator - High Air Temperature (1) Low Oil Pressure (1)			
322-0069	2	Holder, Indicator Lamp			
320-0221	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Latching - High Air Temperature			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
301-2376	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 11941AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Low Oil Pressure Cut Off					
531-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3CR131 **SPEC** 11941AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng)612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Low Oil Pressure Cut Off					
NOTE: Pennsylvania Approved					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0287	2	Cushion, Vibration - Generator End			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Low Oil Pressure Cut Off					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R131 **SPEC** 11941AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
LPG Fuel System					
NOTE: Pennsylvania Approved					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0287	2	Cushion, Vibration - Generator End			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Low Oil Pressure Cut Off					
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 11948AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas Fuel System					
Housed					
102-0549	1	Base, Oil			
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 11948AB
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
102-0549	1	Base, Oil			
112-0106	4	Piston And Pin			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3CR **SPEC** 11950AA
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Gas Fuel System			
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 11950AB
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Gas Fuel System			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
112-0106	1	Piston And Pin			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR **SPEC** 11971AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Vacu - Flo Cooling (See Air Housing)					
508-0109	1	Grommet, Rubber - 1" Hole			
134-3081	1	Guard, Scroll Outlet			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR131 **SPEC** 11971AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4793-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Vacu - Flo Cooling (See Air Housing)					
NOTE: Pennsylvania Approved					
508-0109	1	Grommet, Rubber - 1" Hole			
134-3081	1	Guard, Scroll Outlet			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0287	2	Cushion, Vibration -			
		Generator End			
220-2017	1	Stator, Wound - Generator			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 11971AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4793-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Vacu - Flo Cooling (See Air Housing)					
134-3081	1	Guard, Scroll Outlet			
508-0109	1	Grommet, Rubber - 1" Hole			

FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5558-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		LPG Fuel System			
		Vacu-Flo Cooling			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR131 **SPEC** 11971AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5558-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved LPG Fuel System Vacu-Flo Cooling					
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0287	2	Cushion, Vibration - Generator			
		End			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R131 **SPEC** 11971AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5558-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved LPG Fuel System Vacu-Flo Cooling					
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0287	2	Cushion, Vibration - Generator End			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 11991AA
FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng) 612-4793-01 (AC) 612-1559-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Housed					
Meter Panel					
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2288	1	Panel, Meter			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 11996AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Low Oil Pressure Cut Off					
Vacu - Flo Cooling (See Air Housing)					
112-0106	4	Piston and Pin			
134-3081	1	Guard, Scroll Outlet			
508-0109	1	Grommet, Rubber - 1" Hole			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 11996AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Vacu-Flo Cooling					
Low Oil Pressure Cut Off					
112-0106	4	Piston And Pin			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3R **SPEC** 11998AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng) 612-4794-01 (AC) 612-1559-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Fuel Tank					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Housed					
Air Shutter					
Meter Panel					
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2288	1	Panel, Meter			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 12.5JC-53CR SPEC 12000AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4852-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY	DESCRIPTION
Vacu - Flo Cooling (See Air Housing) Low Oil Pressure Cut Off NOTE: Mobile Unit					
231-0171	1	Adapter, Generator			
505-0098	1	Nipple, Close - Fuel Pump to Fuel Solenoid Valve			
502-0020	1	Elbow, Street - Fuel Pump to Fuel Solenoid Valve			
307-1279	1	Valve, Fuel Solenoid			
502-0003	1	Connector, Inverted Male - Fuel Solenoid Valve Inlet			
134-3081	1	Guard, Scroll Outlet			
508-0109	1	Grommet, Rubber - 1" Hole			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
301-2467	1	Box, Output			
301-2466	1	Cover, Output Box			
234-0492	1	Cover, Generator Air Outlet			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR **SPEC** 12000AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5749-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Mobile Unit Vacu-Flo Cooling Low Oil Pressure Cut Off					
231-0171	1	Adapter, Generator			
505-0098	1	Nipple, Close - Fuel Pump To Fuel Solenoid Valve			
502-0020	1	Elbow, Street - Fuel Pump To Fuel Solenoid Valve			
307-1279	1	Valve, Fuel Solenoid			
502-0003	1	Connector, Inverted Male - Fuel Solenoid Valve Inlet			
234-0492	1	Cover, Generator Air Outlet			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
301-2467	1	Box, Output			
301-2466	1	Cover, Output Box			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-18R **SPEC** 12000AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5749-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Mobile Unit Vacu-Flo Cooling Low Oil Pressure Cut Off					
231-0171	1	Adapter, Generator			
505-0098	1	Nipple, Close - Fuel Pump To Fuel Solenoid Valve			
502-0020	1	Elbow, Street - Fuel Pump To Fuel Solenoid Valve			
307-1279	1	Valve, Fuel Solenoid			
502-0003	1	Connector, Inverted Male - Fuel Solenoid Valve Inlet			
234-0492	1	Cover, Generator Air Outlet			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
301-2467	1	Box, Output			
301-2466	1	Cover, Output Box			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 12025AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas Fuel System					
Air Shutter					
102-0549	1	Base, Oil			
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR **SPEC** 12032AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Housed					
Low Oil Pressure Cut Off					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ **(ENG) 612-4794-02**

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Housed					
Low Oil Pressure Cut Off					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

WIRING DIAGRAM NO. (ENG) 612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved Vacu-Flo Cooling Low Oil Pressure Cut Off High Air Temperature Cut Off					
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0287	2	Cushion, Vibration - Generator			
		End			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 12037AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
LPG Fuel System					
Vacu - Flo Cooling (See Air Housing)					
134-3081	1	Guard, Scroll Outlet			
309-0162	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air			
		Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air			
		Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R131 SPEC 12037AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling (See Air Housing) Low Oil Pressure Cut Off High Air Temperature Cut Off LPG Fuel System NOTE: Pennsylvania Approved					
134-3081	1	Guard, Scroll Outlet			
309-0162	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0287	2	Cushion, Vibration - Generator End			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR **SPEC** 12037AB
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5559-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		LPG Fuel System			
		Vacu-Flo Cooling			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3CR **SPEC** 12037AB
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5559-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		LPG Fuel System			
		Vacu-Flo Cooling			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-18R **SPEC** 12042AB
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Vacu-Flo Cooling					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
112-0106	4	Piston And Pin			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 12042AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Vacu-Flo Cooling					
112-0106	4	Piston And Pin			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R **SPEC** 12050AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4794-06 (SWBD) 615-0371-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Switchboard Control					
112-0106	4	Piston And Pin			
301-2099	1	Panel, Instrument			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R **SPEC** 12050AB
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5559-06 (SWBD) 615-0371-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Gas Fuel System			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Switchboard Control			
112-0106	4	Piston And Pin			
301-2099	1	Panel, Meter			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-18R **SPEC** 12064AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4793-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Housed					
Air Shutter					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R131 **SPEC** 12064AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. _____ **(ENG)** 612-4793-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System Housed Air Shutter NOTE: Pennsylvania Approved					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3CR **SPEC** 12070AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4848-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Overspeed Cut Off			
		LPG Fuel System			
		Air Shutter			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-5DR **SPEC** 12092AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4793-06 (SWBD) 615-0376-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Switchboard Control					
102-0549	1	Base, Oil			
112-0106	4	Piston And Pin			
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
301-2099	1	Panel, Instrument			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-5DR **SPEC** 12098AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO.(ENG) 612-4793-02 (AC) 612-1556-C

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Meter Panel					
102-0549	1	Base, Oil			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2204	1	Panel, Meter			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3R **SPEC** 12098AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4793-01 (AC) 612-1559-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Meter Panel					
102-0549	1	Base, Oil			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2288	1	Panel, Meter			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4R SPEC 12098AA
FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO(ENG) 612-4793-02 (AC) 612-1469-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Meter Panel					
102-0549	1	Base, Oil			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2204	1	Panel, Meter			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3R **SPEC** 12126AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-01 (AC) 612-1559-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System Housed Low Oil Pressure Cut Off High Air Temperature Cut Off Meter Panel					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
301-2288	1	Panel, Meter			

SPECIAL PARTS LIST FOR **MODEL** 12.5 JC-3CR **SPEC** 12110AB
 FOR STANDARD PARTS REFER TO **CATALOG** 612-5558-01 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
SPECIAL 15.0 KW GENERATOR					
220-2020	1	Stator			
201-2160	1	Rotor			
520-0800	1	Stud Rotor Through			
520-0792	4	Stud Generator Through			

Dated June 1, 1984

Revised

Page 1 of 1

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-4R **SPEC** 12126AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-4794-02 (AC)612-1469-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
AC Meter Panel					
155-0360	1	Muffler, Critical			
301-2204	1	Panel, Meter			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-4XR **SPEC** 12126AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-5559-02 (AC)612-1851-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
AC Meter Panel					
155-0360	1	Muffler, Critical			
301-2308	1	Panel, Meter			
304-0305	1	Resistor, Fixed - Meter Panel			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R **SPEC** 12126AB
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5559-02 (AC)612-1469-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		LPG Fuel System			
		Housed			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		AC Meter Panel			
155-0360	1	Muffler, Critical			
301-2204	1	Panel, Meter			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 12154AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng) 612-4848-01 (AC) 612-1559-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Gas-Gasoline Fuel System					
Housed					
Meter Panel					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2288	1	Panel, Meter			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3R SPEC 12156AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-05 (SWBD) 615-037

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Vacu - Flo Cooling (See Air Housing)					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Switchboard Control					
309-0162	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
134-3081	1	Guard, Scroll Outlet			
302-0458	2	Ammeter, AC			
301-2086	1	Panel, Instrument			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3R **SPEC** 12156AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng)612-4794-05 (SWBD)615-0373-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
LPG Fuel System					
Vacu-Flo Cooling (See Air Housing)					
Switchboard Control					
134-3081	1	Guard, Scroll Outlet			
309-0162	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air			
		Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air			
		Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
302-0458	2	Ammeter, AC			
301-2086	1	Panel, Instrument			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4XR SPEC 12156AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO(ENG) 612-4794-06 (SWBD) 615-0381-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Vacu - Flo Cooling (See Air Housing)					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Switchboard Control					
134-3081	1	Guard, Scroll Outlet			
309-0162	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air			
		Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air			
		Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
301-2116	1	Panel, Instrument			
301-0994	1	Box Assembly, Meter -			
		Includes Box, Cover and			
		Grommet			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3R **SPEC** 12164AA
FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-05 (SWBD) 615-0372-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Vacu-Flo Cooling			
		Switchboard Control			
		LPG Fuel System			
102-0549	1	Base, Oil			
301-2085	1	Panel, Instrument			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR **SPEC** 12165AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4793-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Skid And Battery Rack (See Housing Option)					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
505-0002	2	Nipple, Oil Drain			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3CR131 **SPEC** 12165AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (Eng)612-4793-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Skid and Battery Rack (See Housing Option)					
NOTE: Pennsylvania Approved					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0287	2	Cushion, Vibration - Generator End			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R131 **SPEC** 12165AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4793-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option)					
LPG Fuel System					
NOTE: Pennsylvania Approved					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 12167AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set for Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

Dated Sept 1, 1978

Revised

Page 1 of 1

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR **SPEC** 12174AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Housed					
Air Shutter					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3CR **SPEC** 12174AA
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		LPG Fuel System			
		Housed			
		Air Duct And Shutter			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			

FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-479

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		LPG Fuel System			
		Housed			
		Air Shutter			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 12174AB
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		LPG Fuel System			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Housed			
		Air Duct And Shutter			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3CR **SPEC** 12184AA
FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
102-0549	1	Base, Oil			
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 12194AB
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5564-05 (SWBD)615-0373-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Switchboard Control			
		Gas Fuel System			
		Vacu-Flo Cooling			
112-0106	4	Piston And Pin			
301-2086	1	Panel, Instrument			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
307-1129	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
517-0012	1	Plug, Dot Button - 5/8"			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3CR SPEC 12204AA
FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option)					
Gas Fuel System					
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Skid And Battery Rack					
112-0106	4	Piston And Pin			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3CR SPEC 12212AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Skid and Battery Rack (See Housing Option)					
Gas Fuel System					
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 967-0220 **KEY NO.** 2
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option)					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas Fuel System					
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-9XR **SPEC** 12214AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5789-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas Fuel System					
112-0106	4	Piston And Pin			
309-0206	1	Switch, High Air Temperature			
322-0004	2	Lamp, Indicator			
322-0069	2	Holder, Indicator Lamp			
320-0221	1	Limiter, Cranking - Low Oil Pressure			
307-1129	1	Relay, High Air Temperature			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
301-2376	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3R **SPEC** 12224AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4794-01 (AC) 612-1786-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Meter Panel					
102-0549	1	Base, Oil			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
301-1554	1	Panel, Meter			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 12228AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4850-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Low Oil Pressure Cut Off					
Vacu - Flo Cooling (See Air Housing)					
134-3081	1	Guard, Scroll Outlet			
508-0109	1	Grommet, Rubber - 1" Hole			
322-0004	1	Lamp, Indicator - Low Oil Pressure			
322-0069	1	Holder, Indicator Lamp			
320-0221	1	Relay, Low Oil Pressure			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-4R **SPEC** 12236AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO.(ENG) 612-4793-06 (SWBD) 615-0371-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Switchboard Control					
Vacu - Flo Cooling (See Air Housing)					
520-0626	2	Stud, Lifting Eye			
134-3081	1	Guard, Scroll Outlet			
508-0109	1	Grommet, Rubber - 1" Hole			
301-2099	1	Panel, Instrument			
301-0500	1	Box Assembly, Meter - Includes Box, Cover and Grommet			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 12250AA
FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System Housed					
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3CR SPEC 12250AA
FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System Housed					
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-5DR **SPEC** 12264AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-5559-02 (AC)612-1556-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
AC Meter Panel					
102-0549	1	Base, Oil			
112-0106	4	Piston And Pin			
155-0360	1	Muffler, Critical			
301-2204	1	Panel, Meter			

SPECIAL PARTS LIST FOR MODEL 12.5JC-53CR SPEC 12276AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4852-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
----------	------	-------------	----------	------	-------------

High Air Temperature Cut Off
 Vacu - Flo Cooling (See Air Housing)
 Low Oil Pressure Cut Off
 NOTE: Mobile Unit

231-0171	1	Adapter, Generator
505-0098	1	Nipple, Close - Fuel Pump to Fuel Solenoid Valve
502-0020	1	Elbow, Street - Fuel Pump to Fuel Solenoid Valve
307-1279	1	Valve, Fuel Solenoid
502-0003	1	Connector, Inverted Male - Fuel Solenoid Valve Inlet
134-3081	1	Guard, Scroll Outlet
309-0162	1	Switch, High Air Temperature
508-0002	1	Grommet, Rubber - High Air Temp. Switch Harness
338-0337	1	Harness, Wiring - High Air Temperature Switch
508-0109	1	Grommet, Rubber - 1" Hole
321-0146	1	Fuse - 10 Amp.
321-0175	1	Holder, Fuse
320-0104	1	Relay, Low Oil Pressure
332-0604	1	Block, Terminal - 5 Place
332-0616	1	Strip, Marker - 5 Place
301-2467	1	Box, Output
301-2466	1	Cover, Output Box