

The following catalog
has gaps in its page
numbers, or doesn't
have any numbers.
We have chosen to
leave the page
numbering in the
order that Acrobat
assigns it.

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR **SPEC** 13795AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--|------|--|----------|------|-------------|
| LPG Fuel System Housed Air Shutter | | | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator To Carburetor) | | | |
| 402-0364 | 1 | Hardware Set, Generator Set Mounting (Set of Four) | | | |
| 405-1674 | 1 | Shield, Rain (Top Panel) | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 13795AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4793-02

| PART NO | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--|------|--|----------|------|-------------|
| LPG Fuel System Housed Air Shutter | | | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 402-0364 | 1 | Hardware Set, Generator Set Mounting (Set of Four) | | | |
| 405-1674 | 1 | Shield, Rain (Top Panel) | | | |

SPECIAL PARTS LIST FOR MODEL 15.0JC-3CR SPEC 13800AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|-------------|------|-----------------------------|----------|------|-------------|
| Fuel Tank | | | | | |
| Housed | | | | | |
| Air Shutter | | | | | |
| 102-0549 | 1 | Base, Oil | | | |
| 155-0360 | 1 | Muffler | | | |
| 140-0078 | 2 | Band, Muffler Mounting | | | |
| 155-0949 | 1 | Tube, Exhaust - Flexible | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 402-0364 | 1 | Hardware Set, Generator Set | | | |
| | | Mounting (Set of Four) | | | |
| 405-1674 | 1 | Shield, Rain (Top Panel) | | | |

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR **SPEC** 13861AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4794-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|---|----------|------|-------------|
| LPG Fuel System | | | | | |
| Air Shutter | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| 102-0549 | 1 | Base, Oil | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 320-0104 | 1 | Relay, Low Oil Pressure | | | |

SPECIAL PARTS LIST FOR MODEL 15.0JC-3CR SPEC 13888AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--|------|------------------------------|----------|------|-------------|
| LPG Fuel System | | | | | |
| Vacu - Flo Cooling (See Air Housing) | | | | | |
| Skid and Battery Rack (See Housing Option) | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| 112-0106 | 4 | Piston And Pin | | | |
| 134-3081 | 1 | Guard, Scroll Outlet | | | |
| 309-0162 | 1 | Switch, High Air Temperature | | | |
| 508-0002 | 1 | Grommet, Rubber - High Air | | | |
| | | Temp. Switch Harness | | | |
| 338-0337 | 1 | Harness, Wiring - High Air | | | |
| | | Temperature Switch | | | |
| 508-0109 | 1 | Grommet, Rubber - 1" Hole | | | |
| 505-0002 | 2 | Nipple, Oil Drain | | | |
| 402-0364 | 1 | Hardware Set, Generator Set | | | |
| | | Mounting (Set of Four) | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 320-0104 | 1 | Relay, Low Oil Pressure | | | |

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 13904AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4848-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|---|----------|------|-------------|
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Overspeed Cut Off | | | | | |
| Gas Fuel System | | | | | |
| 112-0106 | 4 | Piston and Pin | | | |
| 102-0549 | 1 | Base, Oil | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 338-0917 | 1 | Harness, Wiring - Voltage Regulator to Exciter Stator | | | |
| 322-0004 | 1 | Lamp, Indicator - Overspeed | | | |
| 322-0069 | 1 | Holder, Indicator Lamp | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 320-0104 | 1 | Relay, Low Oil Pressure | | | |
| 307-0655 | 1 | Relay, Overspeed | | | |
| 332-0604 | 1 | Block, Terminal - 5 Place | | | |
| 332-0616 | 1 | Strip, Marker - 5 Place | | | |

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3R **SPEC** 13905AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO.(ENG) 612-4860-05 (SWBD) 615-0372-

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------------|------|------------------------------|----------|------|-------------|
| Vacu-Flo Cooling (See Air Housing) | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Switchboard Control | | | | | |
| 309-0162 | 1 | Switch, High Air Temperature | | | |
| 508-0002 | 1 | Grommet, Rubber - High Air | | | |
| | | Temp. Switch Harness | | | |
| 338-0337 | 1 | Harness, Wiring - High Air | | | |
| | | Temperature Switch | | | |
| 508-0109 | 1 | Grommet, Rubber - 1" Hole | | | |
| 134-3081 | 1 | Guard, Scroll Outlet | | | |
| 302-0458 | 2 | Ammeter, AC | | | |
| 301-2085 | 1 | Panel, Instrument | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 322-0004 | 2 | Lamp, Indicator - High Air | | | |
| | | Temperature (1) Low Oil | | | |
| | | Pressure (1) | | | |
| 322-0069 | 2 | Holder, Indicator Lamp | | | |
| 320-0221 | 1 | Relay, Low Oil Pressure | | | |
| 307-0655 | 1 | Relay, Latching - High Air | | | |
| | | Temperature | | | |
| 332-0604 | 1 | Block, Terminal - 5 Place | | | |
| 332-0616 | 1 | Strip, Marker - 5 Place | | | |
| 301-2376 | 1 | Panel, Control | | | |

SPECIAL PARTS LIST FOR MODEL 12.5JC-3R SPEC 13922AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-01 (AC) 612-1559-

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------------------------|------|--|----------|------|-------------|
| Gas - Gasoline Fuel System | | | | | |
| Housed | | | | | |
| Meter Panel | | | | | |
| 102-0549 | 1 | Base, Oil | | | |
| 33i-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 402-0364 | 1 | Hardware Set, Generator Set Mounting (Set of Four) | | | |
| 405-1674 | 1 | Shield, Rain (Top Panel) | | | |
| 301-2288 | 1 | Panel, Meter | | | |

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3R **SPEC** 13924AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-4794-05 (SWBD)615-0373-

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|-------------------|----------|------|-------------|
| Gas Fuel System | | | | | |
| Vacu-Flo Cooling | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Switchboard Control | | | | | |
| 112-0106 | 4 | Piston And Pin | | | |
| 301-2086 | 1 | Panel, Instrument | | | |

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 13924AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng)612-4794-05 (SWBD)615-0373-0

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--|------|--|----------|------|-------------|
| Vacu-Flo Cooling (See Air Housing) Low Oil Pressure Cut Off High Air Temperature Cut Off Gas Fuel System Switchboard Control | | | | | |
| 112-0106 | 4 | Piston and Pin | | | |
| 134-3081 | 1 | Guard, Scroll Outlet | | | |
| 309-0162 | 1 | Switch, High Air Temperature | | | |
| 508-0002 | 1 | Grommet, Rubber - High Air Temp. Switch Harness | | | |
| 338-0337 | 1 | Harness, Wiring - High Air Temperature Switch | | | |
| 508-0109 | 1 | Grommet, Rubber - 1" Hole | | | |
| 302-0458 | 2 | Ammeter, AC | | | |
| 301-2086 | 1 | Panel, Instrument | | | |
| 321-0146 | 1 | Fuse - 10 Amp | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 320-0104 | 1 | Relay, Low Oil Pressure | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R **SPEC** 13924AB
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5559-06 (SWBD) 615-0371-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|------------------------------|----------|------|-------------|
| | | Gas Fuel System | | | |
| | | Vacu-Flo Cooling | | | |
| | | Low Oil Pressure Cut Off | | | |
| | | High Air Temperature Cut Off | | | |
| | | Switchboard Control | | | |
| 112-0106 | 4 | Piston And Pin | | | |
| 301-2099 | 1 | Panel, Instrument | | | |

SPECIAL PARTS LIST FOR MODEL 12.5JC-3CR SPEC 13927AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4794-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------------------------|------|--|----------|------|-------------|
| Gas - Gasoline Fuel System | | | | | |
| Housed | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| 102-0549 | 1 | Base, Oil | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 402-0364 | 1 | Hardware Set, Generator Set Mounting (Set of Four) | | | |
| 405-1674 | 1 | Shield, Rain (Top Panel) | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 320-0104 | 1 | Relay, Low Oil Pressure | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3CR **SPEC** 13931AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4794-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------------------|------|---------------------------|----------|------|-------------|
| LPG Fuel System | | | | | |
| Vacu - Flo Cooling (See Air Housing) | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| 102-0549 | 1 | Base, Oil | | | |
| 134-3081 | 1 | Guard, Scroll Outlet | | | |
| 508-0109 | 1 | Grommet, Rubber - 1" Hole | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 320-0104 | 1 | Relay, Low Oil Pressure | | | |

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR **SPEC** 13931AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5559-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------|------|-------------|----------|------|-------------|
| LPG Fuel System | | | | | |
| Vacu-Flo Cooling | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| 102-0549 | 1 | Base, Oil | | | |

SPECIAL PARTS LIST FOR MODEL 15.0JC-3CR SPEC 13937AA
FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|---------------------------|------|--|----------|------|-------------|
| Gas- Gasoline Fuel System | | | | | |
| Housed | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| 102-0549 | 1 | Base, Oil | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 402-0364 | 1 | Hardware Set, Generator Set Mounting (Set of Four) | | | |
| 405-1674 | 1 | Shield, Rain (Top Panel) | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 320-0104 | 1 | Relay, Low Oil Pressure | | | |

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR **SPEC** 13938AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4794-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|---|----------|------|-------------|
| LPG Fuel System | | | | | |
| Air Shutter | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| 102-0622 | 1 | Base, Oil | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator To Carburetor) | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 320-0104 | 1 | Relay, Low Oil Pressure | | | |

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-4R **SPEC** 13941AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-4794-06 (SWBD) 615-0370

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|-------------------|----------|------|-------------|
| LPG Fuel System | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Switchboard Control | | | | | |
| 301-2077 | 1 | Panel, Instrument | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4XR **SPEC** 13941AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO(ENG) 612-4794-06 (SWBD) 615-0377

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|---|----------|------|-------------|
| Switchboard Control | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| LPG Fuel System | | | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 302-0458 | 3 | Ammeter, AC | | | |
| 301-2099 | 1 | Panel, Instrument | | | |
| 301-0500 | 1 | Box Assembly, Meter - Includes Box, Cover And Grommet | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 320-0104 | 1 | Relay, Low Oil Pressure | | | |

FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5559-05 (SWBD) 615-0372-(

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|---|------|-------------------|----------|------|-------------|
| Note: Pennsylvania Approved LPG Fuel System Low Oil Pressure Cut Off High Air Temperature Cut Off Switchboard Control | | | | | |
| 301-2085 | 1 | Panel, Instrument | | | |

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3R **SPEC** 13955AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-05 (SWBD) 615-03

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------------------|------|------------------------------|----------|------|-------------|
| Gas Fuel System | | | | | |
| Vacu - Flo Cooling (See Air Housing) | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Switchboard Control | | | | | |
| 309-0162 | 1 | Switch, High Air Temperature | | | |
| 508-0002 | 1 | Grommet, Rubber - High Air | | | |
| | | Temp. Switch Harness | | | |
| 338-0337 | 1 | Harness, Wiring - High Air | | | |
| | | Temperature Switch | | | |
| 508-0109 | 1 | Grommet, Rubber - 1" Hole | | | |
| 134-3081 | 1 | Guard, Scroll Outlet | | | |
| 302-0458 | 2 | Ammeter, AC | | | |
| 301-2086 | 1 | Panel, Instrument | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 320-0104 | 1 | Relay, Low Oil Pressure | | | |

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-4R **SPEC** 13961AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO.(ENG) 612-4793-02 (AC) 612-1469-0

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--|------|--|----------|------|-------------|
| LPG Fuel System Housed Meter Panel | | | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 155-0360 | 1 | Muffler | | | |
| 140-0078 | 2 | Band, Muffler Mounting | | | |
| 155-0949 | 1 | Tube, Exhaust - Flexible | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 402-0364 | 1 | Hardware Set, Generator Set Mounting (Set of Four) | | | |
| 405-1674 | 1 | Shield, Rain (Top Panel) | | | |
| 301-2204 | 1 | Panel, Meter | | | |

SPECIAL PARTS LIST FOR MODEL 15.0JC-4xr SPEC 13961AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO(ENG) 612-4793-02 (AC) 612-1851-03

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--|------|--|----------|------|-------------|
| LPG Fuel System Housed Meter Panel | | | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 155-0360 | 1 | Muffler | | | |
| 140-0078 | 2 | Band, Muffler Mounting | | | |
| 155-0949 | 1 | Tube, Exhaust - Flexible | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 402-0364 | 1 | Hardware Set, Generator Set Mounting (Set of Four) | | | |
| 405-1674 | 1 | Shield, Rain (Top Panel) | | | |
| 301-2308 | 1 | Panel, Meter | | | |
| 304-0305 | 1 | Resistor, Fixed-Meter Panel | | | |

Dated

Sept 1, 1978

Revised

1

1

SPECIAL PARTS LIST FOR MODEL 12.5JC-4R SPEC 14019AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4858-02 (AC) 612-1469-0

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|---|----------|------|-------------|
| | | Low Oil Pressure Cut Off | | | |
| | | High Air Temperature Cut Off | | | |
| | | Overspeed Cut Off | | | |
| | | Housed | | | |
| | | Meter Panel | | | |
| | | Fuel Tank | | | |
| 102-0549 | 1 | Base, Oil | | | |
| 309-0206 | 1 | Switch, High Air Temperature | | | |
| 155-0360 | 1 | Muffler | | | |
| 140-0078 | 2 | Band, Muffler Mounting | | | |
| 155-0949 | 1 | Tube, Exhaust - Flexible | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 402-0364 | 1 | Hardware Set, Generator Set Mounting (Set of Four) | | | |
| 405-1674 | 1 | Shield, Rain (Top Panel) | | | |
| 301-2204 | 1 | Panel, Meter | | | |
| 338-0917 | 1 | Harness, Wiring - Voltage Regulator to Exciter Stator | | | |
| 322-0004 | 5 | Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1) | | | |
| 322-0069 | 3 | Holder, Indicator Lamp | | | |
| 320-0259 | 1 | Limiter, Cranking - Low Oil Pressure | | | |
| 307-0655 | 2 | Relay, Latching - High Air Temp. (1) Overspeed (1) | | | |
| 307-1143 | 1 | Relay, Generating | | | |
| 323-0760 | 1 | Socket, Generating Relay | | | |
| 332-0943 | 2 | Spacer, Generating Relay | | | |
| 307-1157 | 1 | Spring, Generating Relay | | | |
| 309-0270 | 1 | Thermostat - Low Engine Temp. | | | |
| 332-0706 | 2 | Block, Terminal - 8 Place | | | |
| 332-0707 | 1 | Strip, Marker (Blank) | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 301-3567 | 1 | Panel, Control | | | |

SPECIAL PARTS LIST FOR MODEL 15.0JC-4R SPEC 14019AB
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5568-02 (AC)612-1469-05

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|---|----------|------|-------------|
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Overspeed Cut Off | | | | | |
| AC Meter Panel | | | | | |
| Fuel Tank | | | | | |
| Housed | | | | | |
| 102-0549 | 1 | Base, Oil | | | |
| 309-0206 | 1 | Switch, High Air Temperature | | | |
| 155-0360 | 1 | Muffler, Critical | | | |
| 301-2204 | 1 | Panel, Meter | | | |
| 322-0004 | 3 | Lamp, Indicator | | | |
| 322-0069 | 3 | Holder, Indicator Lamp | | | |
| 320-0259 | 1 | Limiter, Cranking - Low Oil Pressure | | | |
| 307-1143 | 1 | Relay, Generating | | | |
| 323-0760 | 1 | Socket, Generating Relay | | | |
| 332-0943 | 2 | Spacer, Generating Relay | | | |
| 307-1157 | 1 | Spring, Generating Relay | | | |
| 307-1519 | 1 | Relay - High Air Temperature And Overspeed | | | |
| 309-0270 | 1 | Thermostat, Low Engine Temperature | | | |
| 332-0706 | 2 | Block, Terminal - 8 Place | | | |
| 332-0707 | 1 | Strip, Marker - Blank | | | |
| 301-3567 | 1 | Panel, Control | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4XR **SPEC** 14056AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO(ENG) 612-4794-06 (SWBD) 615-0377-

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|---|----------|------|-------------|
| Gas Fuel System | | | | | |
| Switchboard Control | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| 112-0106 | 4 | Piston and Pin | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 301-2116 | 1 | Panel, Instrument | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 320-0104 | 1 | Relay, Low Oil Pressure | | | |

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-4R **SPEC** 14067AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-06 (SWBD) 615-03

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|--|----------|------|-------------|
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| LPG Fuel System | | | | | |
| Switchboard Control | | | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 134-1805 | 1 | Duct, Air | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 301-2099 | 1 | Panel, Instrument | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 320-0104 | 1 | Relay, Low Oil Pressure | | | |
| 301-0500 | 1 | Box Assembly, Meter - Includes Box, Cover and Grommet | | | |

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 14067AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng) 612-4794-05 (SWBD) 615-0373-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|---|----------|------|-------------|
| LPG Fuel System | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Switchboard Control | | | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 134-1805 | 1 | Duct, Air | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 302-0458 | 2 | Ammeter, AC | | | |
| 301-2086 | 1 | Panel, Instrument | | | |
| 321-0146 | 1 | Fuse - 10 Amp | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 320-0104 | 1 | Relay, Low Oil Pressure | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4XR **SPEC** 14067AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO(ENG) 612-4794-06 (SWBD) 615-0381

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|---|----------|------|-------------|
| Switchboard Control | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| LPG Fuel System | | | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 134-1805 | 1 | Duct, Air | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 301-2116 | 1 | Panel, Instrument | | | |
| 301-0994 | 1 | Box Assembly, Meter - Includes Box, Cover and Grommet | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 320-0104 | 1 | Relay, Low Oil Pressure | | | |

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 14067AB
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-5559-05 (SWBD) 615-0373-(

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|-----------------------------|----------|------|-------------|
| LPG Fuel System | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Switchboard Control | | | | | |
| 134-3756 | 1 | Duct, Air | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 301-2086 | 1 | Panel, Instrument | | | |

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-18R **SPEC** 14079AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4793-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|---|------|---|----------|------|-------------|
| Fuel Tank Housed Gas - Gasoline Fuel System | | | | | |
| 102-0549 | 1 | Base, Oil | | | |
| 331-0103 | 1 | Grommet, Hose (regulator to Carburetor) | | | |
| 155-0360 | 1 | Muffler | | | |
| 140-0078 | 2 | Band, Muffler Mounting | | | |
| 155-0949 | 1 | Tube, Exhaust - Flexible | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 402-0364 | 1 | Hardware Set, Generator Set Mounting (Set of Four) | | | |
| 405-1674 | 1 | Shield, Rain (Top Panel) | | | |

SPECIAL PARTS LIST FOR MODEL 15.0JC-3CR SPEC 14079AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------------------------|------|--|----------|------|-------------|
| Gas - Gasoline Fuel System | | | | | |
| Fuel Tank | | | | | |
| Housed | | | | | |
| 102-0549 | 1 | Base, Oil | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 155-0360 | 1 | Muffler | | | |
| 140-0078 | 2 | Band, Muffler Mounting | | | |
| 155-0949 | 1 | Tube, Exhaust - Flexible | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 402-0364 | 1 | Hardware Set, Generator Set Mounting (Set of Four) | | | |
| 405-1674 | 1 | Shield, Rain (Top Panel) | | | |

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-18R **SPEC** 14081AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4794-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|--|----------|------|-------------|
| Housed | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Gas - Gasoline Fuel System | | | | | |
| 102-0549 | 1 | Base, Oil | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 155-0360 | 1 | Muffler | | | |
| 140-0078 | 2 | Band, Muffler Mounting | | | |
| 155-0949 | 1 | Tube, Exhaust - Flexible | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 402-0364 | 1 | Hardware Set, Generator Set Mounting (Set of Four) | | | |
| 405-1674 | 1 | Shield, Rain (Top Panel) | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 320-0104 | 1 | Relay, Low Oil Pressure | | | |

SPECIAL PARTS LIST FOR MODEL 15.0JC-3CR SPEC 14081AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|---|----------|------|-------------|
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Gas - Gasoline Fuel System | | | | | |
| Housed | | | | | |
| 102-0549 | 1 | Base, Oil | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 155-0360 | 1 | Muffler | | | |
| 140-0078 | 2 | Band, Muffler Mounting | | | |
| 155-0949 | 1 | Tube, Exhaust - Flexible | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 402-0364 | 1 | Hardware Set, Generating Set Mounting (Set of Four) | | | |
| 405-1674 | 1 | Shield, Rain (Top Panel) | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 320-0104 | 1 | Relay, Low Oil Pressure | | | |

SPECIAL PARTS LIST FOR MODEL 15.0JC-3CR SPEC 14097AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4793-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|-----------------|------|--|----------|------|-------------|
| Gas Fuel System | | | | | |
| Housed | | | | | |
| Air Shutter | | | | | |
| 102-0549 | 1 | Base, Oil | | | |
| 112-0106 | 4 | Piston and Pin | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 402-0364 | 1 | Hardware Set, Generator Set Mounting (Set of Four) | | | |
| 405-1674 | 1 | Shield, Rain (Top Panel) | | | |

Dated Sept 1, 1978

Revised

Page 1 of 1

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR **SPEC** 14109AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|--|----------|------|-------------|
| Gas - Gasoline Fuel System | | | | | |
| Housed | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 402-0364 | 1 | Hardware Set, Generator Set Mounting (Set of Four) | | | |
| 405-1674 | 1 | Shield, Rain (Top Panel) | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 320-0104 | 1 | Relay, Low Oil Pressure | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R **SPEC** 14148AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4848-02 (AC) 612-1469-1

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|---|------|---|----------|------|-------------|
| Low Oil Pressure Cut Off High Air Temperature Cut Off Overspeed Cut Off LPG Fuel System Housed Meter Panel | | | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 402-0364 | 1 | Hardware Set, Generator Set Mounting (Set of Four) | | | |
| 405-1674 | 1 | Shield, Rain (Top Panel) | | | |
| 301-2204 | 1 | Panel, Meter | | | |
| 338-0917 | 1 | Harness, Wiring - Voltage Regulator to Exciter Stator | | | |
| 322-0004 | 1 | Lamp, Indicator - Overspeed | | | |
| 322-0069 | 1 | Holder, Indicator Lamp | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 320-0104 | 1 | Relay, Low Oil Pressure | | | |
| 307-0655 | 1 | Relay, Overspeed | | | |
| 332-0604 | 1 | Block, Terminal - 5 Place | | | |
| 332-0616 | 1 | Strip, Marker - 5 Place | | | |

SPECIAL PARTS LIST FOR MODEL 15.0JC-9XR SPEC 14180AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5074-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|---|------|--|----------|------|-------------|
| Vacu - Flo Cooling (See Air Housing) Low Oil Pressure Cut Off High Air Temperature Cut Off Gas Fuel System | | | | | |
| 112-0106 | 4 | Piston and Pin | | | |
| 154-1224 | 1 | Manifold, Intake | | | |
| 148-0367 | 1 | Switch, Vacuum | | | |
| 502-0053 | 1 | Elbow, Vacuum Switch | | | |
| 505-0098 | 1 | Nipple, Vacuum Switch | | | |
| 134-3081 | 1 | Guard, Scroll Outlet | | | |
| 309-0162 | 1 | Switch, High Air Temperature | | | |
| 508-0002 | 1 | Grommet, Rubber - High Air Temp. Switch Harness | | | |
| 338-0337 | 1 | Harness, Wiring - High Air Temperature Switch | | | |
| 508-0109 | 1 | Grommet, Rubber - 1" Hole | | | |
| 320-0104 | 1 | Relay, Low Oil Pressure | | | |
| 332-0604 | 1 | Block, Terminal - 5 Place | | | |
| 332-0616 | 1 | Strip, Marker - 5 Place | | | |

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 14203AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW
 WIRING DIAGRAM NO. (ENG) 612-4794-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|--|----------|------|-------------|
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Gas Fuel System | | | | | |
| Housed | | | | | |
| Air Shutter | | | | | |
| 102-0549 | 1 | Base, Oil | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 155-0360 | 1 | Muffler | | | |
| 140-0078 | 2 | Band, Muffler Mounting | | | |
| 155-0949 | 1 | Tube, Exhaust - Flexible | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 402-0364 | 1 | Hardware Set, Generator Set Mounting (Set of Four) | | | |
| 405-1674 | 1 | Shield, Rain (Top Panel) | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 320-0104 | 1 | Relay, Low Oil Pressure | | | |

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-4R **SPEC** 14229AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-02 (AC) 612-1469-0

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------------------|------|--------------|----------|------|-------------|
| Fuel Tank | | | | | |
| Housed | | | | | |
| Air Duct And Shutter | | | | | |
| AC Meter Panel | | | | | |
| 102-0549 | 1 | Base, Oil | | | |
| 301-2204 | 1 | Panel, Meter | | | |

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------------|------|-------------------|----------|------|-------------|
| Housed | | | | | |
| AC Meter Panel | | | | | |
| 102-0549 | 1 | Base, Oil | | | |
| 155-0360 | 1 | Muffler, Critical | | | |
| 301-2204 | 1 | Panel, Meter | | | |

FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5558-01 (AC)612-1556-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------------|------|-------------------|----------|------|-------------|
| Housed | | | | | |
| AC Meter Panel | | | | | |
| 102-0549 | 1 | Base, Oil | | | |
| 155-0360 | 1 | Muffler, Critical | | | |
| 301-2204 | 1 | Panel, Meter | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R **SPEC** 14242AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5568-06 (SWBD) 615-0371-

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|--|----------|------|-------------|
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Overspeed Cut Off | | | | | |
| Gas Fuel System | | | | | |
| Switchboard Control | | | | | |
| 154-1224 | 1 | Manifold, Intake | | | |
| 148-0367 | 1 | Switch, Vacuum | | | |
| 502-0053 | 1 | Elbow, Vacuum Switch | | | |
| 505-0098 | 1 | Nipple, Vacuum Switch | | | |
| 301-2099 | 1 | Panel, Instrument | | | |
| 309-0206 | 1 | Switch, High Air Temperature | | | |
| 322-0004 | 3 | Lamp, Indicator | | | |
| 322-0069 | 3 | Holder, Indicator Lamp | | | |
| 320-0259 | 1 | Limiter, Cranking - Low Oil Pressure | | | |
| 307-1143 | 1 | Relay, Generating | | | |
| 323-0760 | 1 | Socket, Generating Relay | | | |
| 332-0943 | 2 | Spacer, Generating Relay | | | |
| 307-1157 | 1 | Spring, Generating Relay | | | |
| 307-1519 | 1 | Relay - High Air Temperature And Overspeed | | | |
| 309-0270 | 1 | Thermostat, Low Engine Temperature | | | |
| 332-0706 | 2 | Block, Terminal - 8 Place | | | |
| 332-0707 | 1 | Strip, Marker - Blank | | | |
| 301-3567 | 1 | Panel, Control | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 14248AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4883-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|-----------------|------|--|----------|------|-------------|
| LPG Fuel System | | | | | |
| 154-1224 | 1 | Manifold, Intake | | | |
| 148-0367 | 1 | Switch, Vacuum | | | |
| 502-0053 | 1 | Elbow, Vacuum Switch | | | |
| 505-0098 | 1 | Nipple, Vacuum Switch | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 134-1805 | 1 | Duct, Air | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 332-0604 | 1 | Block, Terminal - 5 Place | | | |
| 332-0616 | 1 | Strip, Marker - 5 Place | | | |

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3R **SPEC** 14287AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-4848-01 (AC)612-1559-04

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|-----------------------------|----------|------|-------------|
| Overspeed Cut Off | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| LPG Fuel System | | | | | |
| Housed | | | | | |
| AC Meter Panel | | | | | |
| 155-0360 | 1 | Muffler, Critical | | | |
| 301-2288 | 1 | Panel, Meter | | | |
| 322-0004 | 1 | Lamp, Indicator - Overspeed | | | |
| 322-0069 | 1 | Holder, Indicator Lamp | | | |
| 307-1129 | 1 | Relay, Overspeed | | | |
| 332-0604 | 1 | Block, Terminal - 5 Place | | | |
| 332-0616 | 1 | Strip, Marker - 5 Place | | | |
| 517-0012 | 1 | Plug, Dot Button - 5/8" | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4XR **SPEC** 14287AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4848-02 (AC)612-1851-05

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|-------------------------------|----------|------|-------------|
| LPG Fuel System | | | | | |
| Overspeed Cut Off | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Housed | | | | | |
| AC Meter Panel | | | | | |
| 155-0360 | 1 | Muffler, Critical | | | |
| 301-2308 | 1 | Panel, Meter | | | |
| 304-0305 | 1 | Resistor, Fixed - Meter Panel | | | |
| 322-0004 | 1 | Lamp, Indicator - Overspeed | | | |
| 322-0069 | 1 | Holder, Indicator Lamp | | | |
| 307-1129 | 1 | Relay, Overspeed | | | |
| 332-0604 | 1 | Block, Terminal - 5 Place | | | |
| 332-0616 | 1 | Strip, Marker - 5 Place | | | |
| 517-0012 | 1 | Plug, Dot Button - 5/8" | | | |

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 14302AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|-----------------|------|--|----------|------|-------------|
| LPG Fuel System | | | | | |
| Housed | | | | | |
| Air Shutter | | | | | |
| 102-0549 | 1 | Base, Oil | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 155-0360 | 1 | Muffler | | | |
| 140-0078 | 2 | Band, Muffler Mounting | | | |
| 155-0949 | 1 | Tube, Exhaust - Flexible | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 402-0364 | 1 | Hardware Set, Generator Set Mounting (Set of Four) | | | |
| 405-1674 | 1 | Shield, Rain (Top Panel) | | | |

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3R **SPEC** 14346AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-05 (SWBD) 615-0373-

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------------------|------|---------------------------|----------|------|-------------|
| LPG Fuel System | | | | | |
| Vacu - Flo Cocling (See Air Housing) | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| Switchboard Control | | | | | |
| 102-0549 | 1 | Base, Oil | | | |
| 134-3081 | 1 | Guard, Scroll Outlet | | | |
| 508-0109 | 1 | Grommet, Rubber - 1" Hole | | | |
| 302-0458 | 2 | Ammeter, AC | | | |
| 301-2086 | 1 | Panel, Instrument | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 320-0104 | 1 | Relay, Low Oil Pressure | | | |

SPECIAL PARTS LIST FOR MODEL 12.5JC-3CR SPEC 14366AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4858-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|---|----------|------|-------------|
| Gas - Gasoline Fuel System | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Overspeed Cut Off | | | | | |
| 102-0549 | 1 | Base, Oil | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 309-0206 | 1 | Switch, High Air Temperature | | | |
| 134-1805 | 1 | Duct, Air | | | |
| 338-0917 | 1 | Harness, Wiring - Voltage Regulator to Exciter Stator | | | |
| 322-0004 | 3 | Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1) | | | |
| 322-0069 | 3 | Holder, Indicator Lamp | | | |
| 320-0259 | 1 | Limiter, Cranking - Low Oil Pressure | | | |
| 307-0655 | 2 | Relay, Latching - High Air Temp. (1) Overspeed (1) | | | |
| 307-1143 | 1 | Relay, Generating | | | |
| 323-0760 | 1 | Socket, Generating Relay | | | |
| 332-0943 | 2 | Spacer, Generating Relay | | | |
| 307-1157 | 1 | Spring, Generating Relay | | | |
| 309-0270 | 1 | Thermostat - Low Engine Temperature | | | |
| 332-0706 | 2 | Block, Terminal - 8 Place | | | |
| 332-0707 | 1 | Strip, Marker (Blank) | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 301-3567 | 1 | Panel, Control | | | |

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR **SPEC** 14366AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-5568-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|---|----------|------|-------------|
| Gas - Gasoline Fuel System | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Overspeed Cut Off | | | | | |
| 102-0549 | 1 | Base, Oil | | | |
| 309-0206 | 1 | Switch, High Air Temperature | | | |
| 134-3756 | 1 | Duct, Air | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 322-0004 | 3 | Lamp, Indicator | | | |
| 322-0069 | 3 | Holder, Indicator Lamp | | | |
| 320-0259 | 1 | Limiter, Cranking - Low Oil Pressure | | | |
| 307-1143 | 1 | Relay, Generating | | | |
| 323-0760 | 1 | Socket, Generating Relay | | | |
| 332-0943 | 2 | Spacer, Generating Relay | | | |
| 307-1157 | 1 | Spring, Generating Relay | | | |
| 307-1519 | 1 | Relay - High Air Temperature And Overspeed | | | |
| 309-0270 | 1 | Thermostat, Low Engine Temperature | | | |
| 532-0706 | 2 | Block, Terminal - 8 Place | | | |
| 332-0707 | 1 | Strip, Marker - Blank | | | |
| 301-3567 | 1 | Panel, Control | | | |

SPECIAL PARTS LIST FOR MODEL 12.5JC-3R31 SPEC 14392AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4848-05 (SWBD) 615-0373

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|-----------------------------|------|---|----------|------|-------------|
| Overspeed Cut Off | | | | | |
| Gas - Gasoline Fuel System | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| Switchboard Control | | | | | |
| NOTE: Pennsylvania Approved | | | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 134-1805 | 1 | Duct, Air | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 149-0558 | 1 | Strainer | | | |
| 307-0312 | 1 | Valve, Fuel | | | |
| 416-0325 | 1 | Hydrometer | | | |
| 402-0287 | 2 | Cushion, Vibration - Generator End | | | |
| 302-0458 | 2 | Ammeter, AC | | | |
| 301-2086 | 1 | Panel, Instrument | | | |
| 338-0917 | 1 | Harness, Wiring - Voltage Regulator to Exciter Stator | | | |
| 322-0004 | 1 | Lamp, Indicator - Overspeed | | | |
| 322-0069 | 1 | Holder, Indicator Lamp | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 320-0104 | 1 | Relay, Low Oil Pressure | | | |
| 307-0655 | 1 | Relay, Overspeed | | | |
| 332-0604 | 1 | Block, Terminal - 5 Place | | | |
| 332-0616 | 1 | Strip, Marker - 5 Place | | | |

SPECIAL PARTS LIST FOR MODEL 15.0JC-4XR SPEC 14393AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4858-02 (AC) 612-1851-0

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|---|----------|------|-------------|
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Overspeed Cut Off | | | | | |
| Gas Fuel System | | | | | |
| Housed | | | | | |
| Meter Panel | | | | | |
| 112-0106 | 4 | Piston and Pin | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 309-0206 | 1 | Switch, High Air Temperature | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 402-0364 | 1 | Hardware Set, Generator Set Mounting (Set of Four) | | | |
| 405-1674 | 1 | Shield, Rain (Top Panel) | | | |
| 301-2308 | 1 | Panel, Meter | | | |
| 304-0305 | 1 | Resistor, Fixed-Meter Panel | | | |
| 338-0917 | 1 | Harness, Wiring - Voltage Regulator to Exciter Stator | | | |
| 322-0004 | 3 | Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1) | | | |
| 322-0069 | 3 | Holder, Indicator Lamp | | | |
| 320-0259 | 1 | Limiter, Cranking - Low Oil Pressure | | | |
| 307-0655 | 2 | Relay, Latching - High Air Temp. (1) Overspeed (1) | | | |
| 307-1143 | 1 | Relay, Generating | | | |
| 323-0760 | 1 | Socket, Generating Relay | | | |
| 332-0943 | 2 | Spacer, Generating Relay | | | |
| 307-1157 | 1 | Spring, Generating Relay | | | |
| 309-0270 | 1 | Thermostat - Low Engine Temp. | | | |
| 332-0706 | 2 | Block, Terminal - 8 Place | | | |
| 332-0707 | 1 | Strip, Marker (Blank) | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 301-3567 | 1 | Panel, Control | | | |

Sept 1, 1978

Dated _____

Revised _____

Page _____

of _____

1

1

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3R **SPEC** 14395AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4793-05 (SWBD) 615-0373

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|---|------|---------------------------|----------|------|-------------|
| Vacu - Flo Cooling (See Air Housing) Gas - Gasoline Fuel System Switchboard Control | | | | | |
| 102-0549 | 1 | Base, Oil | | | |
| 134-3081 | 1 | Guard, Scroll Outlet | | | |
| 508-0109 | 1 | Grommet, Rubber - 1" Hole | | | |
| 302-0458 | 2 | Ammeter, AC | | | |
| 301-2086 | 1 | Panel, Instrument | | | |

SPECIAL PARTS LIST FOR MODEL 15.0JC-5DR SPEC 14395AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO(ENG) 612-4793-06 (SWBD) 615-0376-

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------------------|------|---------------------------|----------|------|-------------|
| Vacu - Flo Cooling (See Air Housing) | | | | | |
| Gas - Gasoline Fuel System | | | | | |
| Switchboard Control | | | | | |
| 102-0549 | 1 | Base, Oil | | | |
| 508-0109 | 1 | Grommet, Rubber - 1" Hole | | | |
| 134-3081 | 1 | Guard, Scroll Outlet | | | |
| 301-2099 | 1 | Panel, Instrument | | | |
| 301-0500 | 1 | Box Assembly, Meter - | | | |
| | | Includes Box, Cover and | | | |
| | | Grommet | | | |

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 14401AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng) 612-4848-01 (AC) 612-1559-05

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|---|----------|------|-------------|
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Overspeed Cut Off | | | | | |
| Gas Fuel System | | | | | |
| Housed | | | | | |
| Meter Panel | | | | | |
| 102-0549 | 1 | Base, Oil | | | |
| 112-0106 | 4 | Piston and Pin | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 155-0360 | 1 | Muffler | | | |
| 140-0078 | 2 | Band, Muffler Mounting | | | |
| 155-0949 | 1 | Tube, Exhaust - Flexible | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 402-0364 | 1 | Hardware Set, Generator Set Mounting (Set of Four) | | | |
| 405-1674 | 1 | Shield, Rain (Top Panel) | | | |
| 301-2288 | 1 | Panel, Meter | | | |
| 338-0917 | 1 | Harness, Wiring - Voltage Regulator to Exciter Stator | | | |
| 322-0004 | 1 | Lamp, Indicator - Overspeed | | | |
| 322-0069 | 1 | Holder, Indicator Lamp | | | |
| 321-0146 | 1 | Fuse - 10 Amp | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 320-0104 | 1 | Relay, Low Oil Pressure | | | |
| 307-0655 | 1 | Relay, Overspeed | | | |
| 332-0604 | 1 | Block, Terminal - 5 Place | | | |
| 332-0616 | 1 | Strip, Marker - 5 Place | | | |

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 14401AB
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG)612-5564-01 (AC)612-1559-(

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|------------------------------|----------|------|-------------|
| | | Overspeed Cut Off | | | |
| | | Gas Fuel System | | | |
| | | Low Oil Pressure Cut Off | | | |
| | | High Air Temperature Cut Off | | | |
| | | Housed | | | |
| | | AC Meter Panel | | | |
| 102-0549 | 1 | Base, Oil | | | |
| 112-0106 | 4 | Piston And Pin | | | |
| 155-0360 | 1 | Muffler, Critical | | | |
| 301-2288 | 1 | Panel, Meter | | | |
| 322-0004 | 1 | Lamp, Indicator - Overspeed | | | |
| 322-0069 | 1 | Holder, Indicator Lamp | | | |
| 307-1129 | 1 | Relay, Overspeed | | | |
| 332-0604 | 1 | Block, Terminal - 5 Place | | | |
| 332-0616 | 1 | Strip, Marker - 5 Place | | | |
| 517-0012 | 1 | Plug, Dot Button - 5/8" | | | |

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-18R **SPEC** 14436AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--|------|---|----------|------|-------------|
| Skid and Battery Rack (See Housing Option) | | | | | |
| 102-0549 | 1 | Base, Oil | | | |
| 505-0002 | 2 | Nipple, Oil Drain | | | |
| 402-0364 | 1 | Hardware Set, Generator Set Mounting (Set of Four) | | | |
| 220-2043 | 1 | Stator, Wound - Generator | | | |
| 201-2158 | 1 | Rotor Assembly, Wound - Generator | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R31 SPEC 14446AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO (ENG) 612-4909-05 (SWBD) 615-0372

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|---|----------|------|-------------|
| Overspeed Cut Off | | | | | |
| Gas Fuel System | | | | | |
| Switchboard Control | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| NOTE: Pennsylvania Approved | | | | | |
| 112-0106 | 4 | Piston and Pin | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 309-0206 | 1 | Switch, High Air Temperature | | | |
| 149-0558 | 1 | Strainer | | | |
| 307-0312 | 1 | Valve, Fuel | | | |
| 416-0325 | 1 | Hydrometer | | | |
| 402-0287 | 2 | Cushion, Vibration - Generator End | | | |
| 302-0458 | 2 | Ammeter, AC | | | |
| 301-2085 | 1 | Panel, Meter | | | |
| 338-0917 | 1 | Harness, Wiring - Voltage Regulator to Exciter Stator | | | |
| 322-0004 | 3 | Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1) | | | |
| 322-0069 | 3 | Holder, Indicator Lamp | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 307-0655 | 1 | Relay, Overspeed | | | |
| 332-0604 | 1 | Block, Terminal - 5 Place | | | |
| 332-0616 | 1 | Strip, Marker - 5 Place | | | |

Sept 1, 1978

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-18R **SPEC** 14509AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4794-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------------------------|------|---------------------------|----------|------|-------------|
| Gas - Gasoline Fuel System | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| Housed | | | | | |
| 220-2043 | 1 | Stator, Generator | | | |
| 201-2158 | 1 | Rotor Assembly, Generator | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-18R **SPEC** 14509AB
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5559-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|----------------------------|----------|------|-------------|
| | | Gas - Gasoline Fuel System | | | |
| | | Housed | | | |
| | | Low Oil Pressure Cut Off | | | |
| 220-2043 | 1 | Stator, Generator | | | |
| 201-2158 | 1 | Rotor Assembly, Generator | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|-----------------------------------|----------|------|-------------|
| 220-2044 | 1 | Stator, Wound - Generator | | | |
| 201-2159 | 1 | Rotor Assembly, Wound - Generator | | | |
| 520-0799 | 4 | Stud, Generator Through | | | |
| 520-0791 | 1 | Stud, Rotor Through | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 14527AB

FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2

(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5558-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|---------------------------|----------|------|-------------|
| 220-2044 | 1 | Stator, Generator | | | |
| 201-2159 | 1 | Rotor Assembly, Generator | | | |
| 520-0799 | 4 | Stud, Generator Through | | | |
| 520-0791 | 1 | Stud, Rotor Through | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 14531AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. _____ **(ENG)** 612-4848-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|---|----------|------|-------------|
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Overspeed Cut Off | | | | | |
| Gas Fuel System | | | | | |
| 112-0106 | 4 | Piston and Pin | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 134-1805 | 1 | Duct, Air | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 338-0917 | 1 | Harness, Wiring - Voltage Regulator to Exciter Stator | | | |
| 322-0004 | 1 | Lamp, Indicator - Overspeed | | | |
| 322-0069 | 1 | Holder, Indicator Lamp | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 320-0104 | 1 | Relay, Low Oil Pressure | | | |
| 307-0655 | 1 | Relay, Overspeed | | | |
| 332-0604 | 1 | Block, Terminal - 5 Place | | | |
| 332-0616 | 1 | Strip, Marker - 5 Place | | | |

SPECIAL PARTS LIST FOR MODEL 15.0JC-3CR SPEC 14534AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--|------|---|----------|------|-------------|
| Vacu - Flo Cooling (See Air Housing) Skid and Battery Rack (See Housing Option) Low Oil Pressure Cut Off | | | | | |
| 134-3081 | 1 | Guard, Scroll Outlet | | | |
| 508-0109 | 1 | Grommet, Rubber - 1" Hole | | | |
| 505-0002 | 2 | Nipple, Oil Drain | | | |
| 402-0364 | 1 | Hardware Set, Generator Set Mounting (Set of Four) | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 320-0104 | 1 | Relay, Low Oil Pressure | | | |

SPECIAL PARTS LIST FOR MODEL 15.0JC-4XR SPEC 14537AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO(ENG) 612-4794-02 (AC) 612-1851-05

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|--|----------|------|-------------|
| Gas - Gasoline Fuel System | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Fuel Tank | | | | | |
| Housed | | | | | |
| Air Shutter | | | | | |
| Meter Panel | | | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 402-0364 | 1 | Hardware Set, Generator Set Mounting (Set of Four) | | | |
| 405-1674 | 1 | Shield, Rain (Top Panel) | | | |
| 301-2308 | 1 | Panel, Meter | | | |
| 304-0305 | 1 | Resistor, Fixed-Meter Panel | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 320-0104 | 1 | Relay, Low Oil Pressure | | | |

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR **SPEC** 14597AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-5559-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|-------------------|----------|------|-------------|
| LPG Fuel System | | | | | |
| Housed | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| 102-0549 | 1 | Base, Oil | | | |
| 155-0360 | 1 | Muffler, Critical | | | |

SPECIAL PARTS LIST FOR MODEL 15.0JC-4XR SPEC 14620AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4997-06 (SWBD) 615-0381

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|---|----------|------|-------------|
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Overspeed Cut Off | | | | | |
| Gas Fuel System | | | | | |
| Switchboard Control | | | | | |
| 112-0106 | 4 | Piston and Pin | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 309-0206 | 1 | Switch, High Air Temperature | | | |
| 301-2116 | 1 | Panel, Instrument | | | |
| 301-0994 | 1 | Box Assembly, Meter - Includes Box, Cover and Grommet | | | |
| 338-0917 | 1 | Harness, Wiring - Voltage Regulator to Exciter Stator | | | |
| 322-0004 | 3 | Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1) | | | |
| 322-0069 | 3 | Holder, Indicator Lamp | | | |
| 320-0259 | 1 | Limiter, Cranking - Low Oil Pressure | | | |
| 307-0655 | 2 | Relay, Latching - High Air Temp. (1) Overspeed (1) | | | |
| 332-0706 | 2 | Block, Terminal - 8 Place | | | |
| 332-0707 | 1 | Strip, Marker (Blank) | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 301-3567 | 1 | Panel, Control | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R **SPEC** 14620AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5573-06 (SWBD)615-0371-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|--|----------|------|-------------|
| | | Overspeed Cut Off | | | |
| | | Low Oil Pressure Cut Off | | | |
| | | High Air Temperature Cut Off | | | |
| | | Switchboard Control | | | |
| | | Gas Fuel System | | | |
| 112-0106 | 4 | Piston And Pin | | | |
| 309-0206 | 1 | Switch, High Air Temperature | | | |
| 301-2099 | 1 | Panel, Instrument | | | |
| 322-0904 | 3 | Lamp, Indicator | | | |
| 322-0069 | 3 | Holder, Indicator Lamp | | | |
| 320-0259 | 1 | Limiter, Cranking - Low Oil Pressure | | | |
| 307-1519 | 1 | Relay - High Air Temperature And Overspeed | | | |
| 332-0706 | 2 | Block, Terminal - 8 Place | | | |
| 332-0707 | 1 | Strip, Marker - Blank | | | |
| 301-3567 | 1 | Panel, Control | | | |

SPECIAL PARTS LIST FOR MODEL 12.5JC-4R SPEC 14657AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4858-06 (SWBD) 615-037

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|---|----------|------|-------------|
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Overspeed Cut Off | | | | | |
| Gas Fuel System | | | | | |
| Switchboard Control | | | | | |
| 112-0106 | 4 | Piston and Pin | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 309-0206 | 1 | Switch, High Air Temperature | | | |
| 301-2099 | 1 | Panel, Instrument | | | |
| 338-0917 | 1 | Harness, Wiring - Voltage Regulator to Exciter Stator | | | |
| 322-0004 | 3 | Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1) | | | |
| 322-0069 | 3 | Holder, Indicator Lamp | | | |
| 320-0259 | 1 | Limiter, Cranking - Low Oil Pressure | | | |
| 307-0655 | 2 | Relay, Latching - High Air Temp. (1) Overspeed (1) | | | |
| 307-1143 | 1 | Relay, Generating | | | |
| 323-0760 | 1 | Socket, Generating Relay | | | |
| 332-0943 | 2 | Spacer, Generating Relay | | | |
| 307-1157 | 1 | Spring, Generating Relay | | | |
| 309-0270 | 1 | Thermostat - Low Engine Temperature | | | |
| 332-0706 | 2 | Block, Terminal - 8 Place | | | |
| 332-0707 | 1 | Strip, Marker (Blank) | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 301-3567 | 1 | Panel, Control | | | |
| 301-0500 | 1 | Box Assembly, Meter - Includes Box, Cover and Grommet | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R **SPEC** 14657AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5568-06 (SWBD)615-0371-0

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|--|----------|------|-------------|
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Overspeed Cut Off | | | | | |
| Gas Fuel System | | | | | |
| Switchboard Control | | | | | |
| 112-0106 | 4 | Piston And Pin | | | |
| 309-0206 | 1 | Switch, High Air Temperature | | | |
| 301-2099 | 1 | Panel, Instrument | | | |
| 322-0004 | 3 | Lamp, Indicator | | | |
| 322-0069 | 3 | Holder, Indicator Lamp | | | |
| 320-0259 | 1 | Limiter, Cranking - Low Oil Pressure | | | |
| 307-1143 | 1 | Relay, Generating | | | |
| 323-0760 | 1 | Socket, Generating Relay | | | |
| 332-0943 | 2 | Spacer, Generating Relay | | | |
| 307-1157 | 1 | Spring, Generating Relay | | | |
| 307-1519 | 1 | Relay - High Air Temperature And Overspeed | | | |
| 309-0270 | 1 | Thermostat, Low Engine Temperature | | | |
| 332-0706 | 2 | Block, Terminal - 8 Place | | | |
| 332-0707 | 1 | Strip, Marker - Blank | | | |
| 301-3567 | 1 | Panel, Control | | | |

SPECIAL PARTS LIST FOR MODEL 15.0JC-18R31 SPEC 14668AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4793-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|-----------------------------|------|---|----------|------|-------------|
| Gas - Gasoline Fuel System | | | | | |
| NOTE: Pennsylvania Approved | | | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 149-0558 | 1 | Strainer | | | |
| 307-0312 | 1 | Valve, Fuel | | | |
| 416-0325 | 1 | Hydrometer | | | |
| 402-0287 | 2 | Cushion, Vibration - Generator End | | | |
| 220-2044 | 1 | Stator, Wound - Generator | | | |
| 201-2159 | 1 | Rotor Assembly, Wound - Generator | | | |
| 520-0799 | 4 | Stud, Generator Through | | | |
| 520-0791 | 1 | Stud, Rotor Through | | | |

FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

Gas - Gasoline Fuel System

FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5558-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------------------------|------|---------------------------|----------|------|-------------|
| Gas - Gasoline Fuel System | | | | | |
| 220-2044 | 1 | Stator, Generator | | | |
| 201-2159 | 1 | Rotor Assembly, Generator | | | |
| 520-0799 | 4 | Stud, Generator Through | | | |
| 520-0791 | 1 | Stud, Rotor Through | | | |

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------------------------|------|---------------------------|----------|------|-------------|
| Gas - Gasoline Fuel System | | | | | |
| Vacu-Flo Cooling | | | | | |
| 220-2044 | 1 | Stator, Generator | | | |
| 201-2159 | 1 | Rotor Assembly, Generator | | | |
| 520-0799 | 4 | Stud, Generator Through | | | |
| 520-0791 | 1 | Stud, Rotor Through | | | |

FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

Gas - Gasoline Fuel System
Vacu-Flo Cooling
Low Oil Pressure Cut Off
High Air Temperature Cut Off
Switchboard Control

| | | |
|----------|---|---------------------------|
| 102-0549 | 1 | Base, Oil |
| 220-2044 | 1 | Stator, Generator |
| 201-2159 | 1 | Rotor Assembly, Generator |
| 520-0799 | 4 | Stud, Generator Through |
| 520-0791 | 1 | Stud, Rotor Through |
| 301-2116 | 1 | Panel, Instrument |

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 14757AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4794-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|---|----------|------|-------------|
| Gas - Gasoline Fuel System | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 134-1805 | 1 | Duct, Air | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 220-2043 | 1 | Stator, Wound - Generator | | | |
| 201-2158 | 1 | Rotor Assembly, Wound - Generator | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 320-0104 | 1 | Relay, Low Oil Pressure | | | |

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-18R **SPEC** 14757AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-5559-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|-----------------------------|----------|------|-------------|
| Gas - Gasoline Fuel System | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| 134-3756 | 1 | Duct, Air | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 220-2043 | 1 | Stator, Generator | | | |
| 201-2158 | 1 | Rotor Assembly, Generator | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 14757AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5559-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|-----------------------------|----------|------|-------------|
| Gas - Gasoline Fuel System | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| 134-3756 | 1 | Duct, Air | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 220-2044 | 1 | Stator, Generator | | | |
| 201-2159 | 1 | Rotor Assembly, Generator | | | |
| 520-0799 | 4 | Stud, Generator Through | | | |
| 520-0791 | 1 | Stud, Rotor Through | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 14758AB
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5558-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------------------------|------|-----------------------------|----------|------|-------------|
| Gas - Gasoline Fuel System | | | | | |
| 134-3756 | 1 | Duct, Air | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 220-2044 | 1 | Stator, Generator | | | |
| 201-2159 | 1 | Rotor Assembly, Generator | | | |
| 520-0799 | 4 | Stud, Generator Through | | | |
| 520-0791 | 1 | Stud, Rotor Through | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3R **SPEC** 14786AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-4997-03 (AC)612-1559-05

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|--|----------|------|-------------|
| | | Low Oil Pressure Cut Off | | | |
| | | High Air Temperature Cut Off | | | |
| | | Adjustable Voltage Regulator | | | |
| | | Overspeed Cut Off | | | |
| | | LPG Fuel System | | | |
| | | Housed | | | |
| | | Air Duct And Shutter | | | |
| | | AC Meter Panel | | | |
| 102-0549 | 1 | Base, Oil | | | |
| 309-0206 | 1 | Switch, High Air Temperature | | | |
| 301-2288 | 1 | Panel, Meter | | | |
| 322-0004 | 3 | Lamp, Indicator | | | |
| 322-0069 | 3 | Holder, Indicator Lamp | | | |
| 320-0259 | 1 | Limiter, Cranking - Low Oil Pressure | | | |
| 307-1519 | 1 | Relay - High Air Temperature And Overspeed | | | |
| 332-0706 | 2 | Block, Terminal - 8 Place | | | |
| 332-0707 | 1 | Strip, Marker - Blank | | | |
| 301-3567 | 1 | Panel, Control | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-5DR **SPEC** 14786AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO(ENG) 612-4997-04 (AC) 612-1556-03

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--|------|---|----------|------|-------------|
| Low Oil Pressure Cut Off High Air Temperature Cut Off Overspeed Cut Off Housed Air Shutter Meter Panel LGP Fuel System Adjustable Voltage Regulator | | | | | |
| 102-0549 | 1 | Base, Oil | | | |
| 331-0103 | 1 | Grommet, Hose (Regulator to Carburetor) | | | |
| 309-0206 | 1 | Switch, High Air Temperature | | | |
| 402-0364 | 1 | Hardware Set, Generator Set Mounting (Set of Four) | | | |
| 405-1674 | 1 | Shield, Rain (Top Panel) | | | |
| 301-2204 | 1 | Panel, Meter | | | |
| 338-0917 | 1 | Harness, Wiring - Voltage Regulator to Exciter Stator | | | |
| 322-0004 | 3 | Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1) | | | |
| 322-0069 | 3 | Holder, Indicator Lamp | | | |
| 320-0259 | 1 | Limiter, Cranking - Low Oil Pressure | | | |
| 307-0655 | 2 | Relay, Latching - High Air Temp. (1) Overspeed (1) | | | |
| 332-0706 | 2 | Block, Terminal - 8 Place | | | |
| 332-0707 | 1 | Strip, Marker (Blank) | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 301-3567 | 1 | Panel, Control | | | |

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-18R **SPEC** 14858AB
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5558-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------------------------|------|---------------------------|----------|------|-------------|
| Gas - Gasoline Fuel System | | | | | |
| 102-0549 | 1 | Base, Oil | | | |
| 220-2043 | 1 | Stator, Generator | | | |
| 201-2158 | 1 | Rotor Assembly, Generator | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |

FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5558-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------------------------|------|---------------------------|----------|------|-------------|
| Gas - Gasoline Fuel System | | | | | |
| 102-0549 | 1 | Base, Oil | | | |
| 220-2044 | 1 | Stator, Generator | | | |
| 201-2159 | 1 | Rotor Assembly, Generator | | | |
| 520-0799 | 4 | Stud, Generator Through | | | |
| 520-0791 | 1 | Stud, Rotor Through | | | |

SPECIAL PARTS LIST FOR MODEL 12.5JC-3R SPEC 14889AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4860-01 (AC) 612-1559-04

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--|------|---|----------|------|-------------|
| Fuel Tank Housed Low Oil Pressure Cut Off High Air Temperature Cut Off Meter Panel | | | | | |
| 102-0549 | 1 | Base, Oil | | | |
| 309-0206 | 1 | Switch, High Air Temperature | | | |
| 155-0360 | 1 | Muffler | | | |
| 140-0078 | 2 | Band, Muffler Mounting | | | |
| 155-0949 | 1 | Tube, Exhaust - Flexible | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 402-0364 | 1 | Hardware Set, Generator Set Mounting (Set of Four) | | | |
| 405-1674 | 1 | Shield, Rain (Top Panel) | | | |
| 301-2288 | 1 | Panel, Meter | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 322-0004 | 2 | Lamp, Indicator - High Air Temperature (1) Low Oil Pressure (1) | | | |
| 322-0069 | 2 | Holder, Indicator Lamp | | | |
| 320-0221 | 1 | Relay, Low Oil Pressure | | | |
| 307-0655 | 1 | Relay, Latching - High Air Temperature | | | |
| 332-0604 | 1 | Block, Terminal - 5 Place | | | |
| 332-0616 | 1 | Strip, Marker - 5 Place | | | |
| 301-2376 | 1 | Panel, Control | | | |

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 14901AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (Eng) 612-4794-01 (AC) 612-1559-05

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|---|----------|------|-------------|
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Housed | | | | | |
| Air Shutter | | | | | |
| Meter Panel | | | | | |
| 155-0360 | 1 | Muffler | | | |
| 140-0078 | 2 | Band, Muffler Mounting | | | |
| 155-0949 | 1 | Tube, Exhaust - Flexible | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 402-0364 | 1 | Hardware Set, Generator Set Mounting (Set of Four) | | | |
| 405-1674 | 1 | Shield, Rain (Top Panel) | | | |
| 301-2288 | 1 | Panel, Meter | | | |
| 321-0146 | 1 | Fuse - 10 Amp | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 320-0104 | 1 | Relay, Low Oil Pressure | | | |

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-57R **SPEC** 14910AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO.(ENG) 612-4848-02 (AC) 612-4310-0

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|---|----------|------|-------------|
| Housed | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Meter Panel | | | | | |
| Overspeed Cut Off | | | | | |
| Fuel Tank | | | | | |
| 155-0360 | 1 | Muffler | | | |
| 140-0078 | 2 | Band, Muffler Mounting | | | |
| 155-0949 | 1 | Tube, Exhaust - Flexible | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 402-0364 | 1 | Hardware Set, Generator Set Mounting (Set of Four) | | | |
| 405-1674 | 1 | Shield, Rain (Top Panel) | | | |
| 320-0487 | 1 | Breaker, Circuit | | | |
| 302-0469 | 1 | Meter, Running Time | | | |
| 301-2308 | 1 | Panel, Meter | | | |
| 338-0917 | 1 | Harness, Wiring - Voltage Regulator to Exciter Stator | | | |
| 322-0004 | 1 | Lamp, Indicator - Overspeed | | | |
| 322-0069 | 1 | Holder, Indicator Lamp | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 320-0104 | 1 | Relay, Low Oil Pressure | | | |
| 307-0655 | 1 | Relay, Overspeed | | | |
| 332-0604 | 1 | Block, Terminal - 5 Place | | | |
| 332-0616 | 1 | Strip, Marker - 5 Place | | | |

SPECIAL PARTS LIST FOR MODEL 15.00C-4K SPEC 14910AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4848-02 (AC) 612-1469-0

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|-----------------------------|----------|------|-------------|
| Overspeed Cut Off | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Fuel Tank | | | | | |
| Housed | | | | | |
| Meter Panel | | | | | |
| 155-0360 | 1 | Muffler | | | |
| 140-0078 | 2 | Band, Muffler Mounting | | | |
| 155-0949 | 1 | Tube, Exhaust - Flexible | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 402-0364 | 1 | Hardware Set, Generator Set | | | |
| | | Mounting (Set of Four) | | | |
| 405-1674 | 1 | Shield, Rain (Top Panel) | | | |
| 301-2204 | 1 | Panel, Meter | | | |
| 338-0917 | 1 | Harness, Wiring - Voltage | | | |
| | | Regulator to Exciter | | | |
| | | Stator | | | |
| 322-0004 | 1 | Lamp, Indicator - Overspeed | | | |
| 322-0069 | 1 | Holder, Indicator Lamp | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 320-0104 | 1 | Relay, Low Oil Pressure | | | |
| 307-0655 | 1 | Relay, Overspeed | | | |
| 332-0604 | 1 | Block, Terminal - 5 Place | | | |
| 332-0616 | 1 | Strip, Marker - 5 Place | | | |

SPECIAL PARTS LIST FOR MODEL 15.0JC-4XR SPEC 14910AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4848-02 (AC) 612-1851-C

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|-------------------------------|----------|------|-------------|
| Fuel Tank | | | | | |
| Housed | | | | | |
| Meter Panel | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Overspeed Cut Off | | | | | |
| 155-0360 | 1 | Muffler | | | |
| 140-0078 | 2 | Band, Muffler Mounting | | | |
| 155-0949 | 1 | Tube, Exhaust - Flexible | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 402-0364 | 1 | Hardware Set, Generator Set | | | |
| | | Mounting (Set of Four) | | | |
| 405-1674 | 1 | Shield, Rain (Top Panel) | | | |
| 301-2308 | 1 | Panel, Meter | | | |
| 304-0305 | 1 | Resistor, Fixed - Meter Panel | | | |
| 338-0917 | 1 | Harness, Wiring - Voltage | | | |
| | | Regulator to Exciter | | | |
| | | Stator | | | |
| 322-0004 | 1 | Lamp, Indicator - Overspeed | | | |
| 322-0069 | 1 | Holder, Indicator Lamp | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 320-0104 | 1 | Relay, Low Oil Pressure | | | |
| 307-0655 | 1 | Relay, Overspeed | | | |
| 332-0604 | 1 | Block, Terminal - 5 Place | | | |
| 332-0616 | 1 | Strip, Marker - 5 Place | | | |

SPECIAL PARTS LIST FOR MODEL 15.0JC-5DR SPEC 14910AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO(ENG) 612-4848-02 (AC) 612-1556-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|---|----------|------|-------------|
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Overspeed Cut Off | | | | | |
| Fuel Tank | | | | | |
| Housed | | | | | |
| Meter Panel | | | | | |
| 155-0360 | 1 | Muffler | | | |
| 140-0078 | 2 | Band, Muffler Mounting | | | |
| 155-0949 | 1 | Tube, Exhaust - Flexible | | | |
| 134-1375 | 1 | Plate, Exhaust Outlet Cover | | | |
| 402-0364 | 1 | Hardware Set, Generator Set Mounting (Set of Four) | | | |
| 405-1674 | 1 | Shield, Rain (Top Panel) | | | |
| 301-2204 | 1 | Panel, Meter | | | |
| 338-0917 | 1 | Harness, Wiring - Voltage Regulator to Exciter Stator | | | |
| 322-0004 | 1 | Lamp, Indicator - Overspeed | | | |
| 322-0069 | 1 | Holder, Indicator Lamp | | | |
| 321-0146 | 1 | Fuse - 10 Amp. | | | |
| 321-0175 | 1 | Holder, Fuse | | | |
| 320-0104 | 1 | Relay, Low Oil Pressure | | | |
| 307-0655 | 1 | Relay, Overspeed | | | |
| 332-0604 | 1 | Block, Terminal - 5 Place | | | |
| 332-0616 | 1 | Strip, Marker - 5 Place | | | |