

The following catalog
has gaps in its page
numbers, or doesn't
have any numbers.
We have chosen to
leave the page
numbering in the
order that Acrobat
assigns it.

SPECIAL PARTS LIST FOR MODEL 12.5JC-4R31 SPEC 14925AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4997-06 (SWBD) 615-937

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off High Air Temperature Cut Off Overspeed Cut Off Gas Fuel System Switchboard Control NOTE: Pennsylvania Approved					
309-0206	1	Switch, High Air Temperature			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0287	2	Cushion, Vibration Generator End			
301-2099	1	Panel, Instrument			
301-0500	1	Box Assembly, Meter - Includes Box, Cover and Grommet			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R31 **SPEC** 14925AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELO

WIRING DIAGRAM NO(ENG) 612-4997-06 (SWBD) 615-037

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut Off					
Gas Fuel System					
Switchboard Control					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
NOTE: Pennsylvania Approved					
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0287	2	Cushion,Vibration - Generator End			
302-0458	3	Ammeter, AC			
301-2099	1	Panel, Instrument			
301-0500	1	Box Assembly, Meter - Includes Box, Cover and Grommet			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4XR31 **SPEC** 14925AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO(ENG) 612-4844-06 (SWBD) 615-0381-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas Fuel System					
Switchboard Control					
NOTE: Pennsylvania Approved					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0287	2	Cushion, Vibration - Generator End			
301-2116	1	Panel, Instrument			
301-0994	1	Box Assembly, Meter - Includes Box, Cover and Grommet			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	2	Lamp, Indicator - High Air Temperature (1) Low Oil Pressure (1)			
322-0069	2	Holder, Indicator Lamp			
320-0221	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Latching - High Air Temperature			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR MODEL 12.5JC-4R SPEC 14939AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4793-06 (SWBD) 615-0371-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Vacu - Flo Cooling (See Air Housing)					
Switchboard Control					
134-3081	1	Guard, Scroll Outlet			
508-0109	1	Grommet, Rubber - 1" Hole			
301-2099	1	Panel, Instrument			
301-0500	1	Box Assembly, Meter -			
		Includes Box, Cover and			
		Grommet			

June 1. 1978

SPECIAL PARTS LIST FOR MODEL 12.5JC-3CR SPEC 14940AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling (See Air Housing)					
Low Oil Pressure Cut Off					
134-3081	1	Guard, Scroll Outlet			
231-0171	1	Adapter, Generator			
508-0109	1	Grommet, Rubber - 1" Hole			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R31 **SPEC** 14959AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO.(ENG) 612-4793-02 (AC) 612-1469-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Housed					
Air Shutter					
Meter Panel					
NOTE: Pennsylvania Approved					
102-0549	1	Base, Oil			
112-0106	4	Piston And Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2204	1	Panel, Meter			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 14974AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng) 612-4794-05 (SWBD) 615-0373-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off High Air Temperature Cut Off LPG Fuel System Vacu-Flo Cooling (See Air Housing) Switchboard Control					
102-0549	1	Base, Oil			
134-3081	1	Guard, Scroll Outlet			
309-0162	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
302-0458	2	Ammeter, AC			
301-2086	1	Panel, Instrument			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R **SPEC** 14974AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO.(ENG) 612-4794-06 (SWBD) 615-0371

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Vacu - Flo Cooling (See Air Housing)					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Switchboard Control					
102-0549	1	Base, Oil			
134-3081	1	Guard, Scroll Outlet			
309-0162	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
302-0458	3	Ammeter, AC			
301-2099	1	Panel, Instrument			
301-0500	1	Box Assembly, Meter - Includes Box, Cover and Grommet			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R **SPEC** 15019AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-5559-02 (AC) 612-1469-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
Fuel Tank					
AC Meter Panel					
Low Oil Pressure Cut Off					
155-0360	1	Muffler, Critical			
301-2204	1	Panel, Meter			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 15024AB
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
220-2044	1	Stator, Generator			
201-2159	1	Rotor Assembly, Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-18R **SPEC** 15026AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Low Oil Pressure Cut Off					
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
220-2043	1	Stator, Generator			
201-2158	1	Rotor Assembly, Generator			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 15026AB
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Low Oil Pressure Cut Off					
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
220-2044	1	Stator, Generator			
201-2159	1	Rotor Assembly, Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3R **SPEC** 15070AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4794-01 (AC) 612-1559-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
AC Meter Panel					
Fuel Tank					
102-0549	1	Base, Oil			
155-0360	1	Muffler, Critical			
301-2288	1	Panel, Meter			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3R **SPEC** 15102AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4997-01 (AC) 612-1559-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		LPG Fuel System			
		Housed			
		AC Meter Panel			
102-0549	1	Base, Oil			
309-0206	1	Switch, High Air Temperature			
155-0360	1	Muffler, Critical			
301-2288	1	Panel, Meter			
322-0004	3	Lamp, Indicator			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-1519	1	Relay - High Air Temperature And Overspeed			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker - Blank			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3R **SPEC** 15102AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5573-01 (AC) 612-1559-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		LPG Fuel System			
		Housed			
		AC Meter Panel			
102-0549	1	Base, Oil			
309-0206	1	Switch, High Air Temperature			
155-0360	1	Muffler, Critical			
301-2288	1	Panel, Meter			
322-0004	3	Lamp, Indicator			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-1519	1	Relay - High Air Temperature And Overspeed			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker - Blank			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4XR131 SPEC 15111AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO(ENG) 612-4843-06 (SWBD) 615-0381-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut Off Low Oil Pressure Cut Off LPG Fuel System Switchboard Control NOTE: Pennsylvania Approved					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0287	2	Cushion, Vibration - Generator End			
301-2116	1	Panel, Instrument			
301-0994	1	Box Assembly, Meter - Includes Box, Cover and Grommet			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	2	Lamp, Indicator - Low Oil Pressure (1) Overspeed (1)			
322-0069	2	Holder, Indicator Lamp			
320-0221	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Latching - Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 15144AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
Low Oil Pressure Cut Off					
LPG Fuel System					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 15144AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System Housed Low Oil Pressure Cut Off					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 15183AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) NONE

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Low Oil Pressure Cut Off			505-0102	2	Nipple, Close - 3/4" - Magnetic Gas Valve Inl And Outlet
High Air Temperature Cut Off			307-0312	1	Valve, Magnetic Gas
154-0695	2	Manifold, Exhaust	307-0829	1	Kit, Coil - Magnetic Gas Valve
154-0133	2	Gasket, Exhaust Manifold	148-0034	1	Regulator, Primary Gas
155-0170	2	Flange, Exhaust Manifold	502-0237	1	Elbow, Brass Hose - 1/2" x (Gas Regulator)
526-0127	4	Spacer, Exhaust Manifold Flange Mounting	148-0750	1	Bracket, Regulator Mount
140-0645	1	Adapter, Oil Bath Air Cleaner Type	Parts Not Furnished By Onan Pre - Cleaner AC Control		
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
140-0721	1	Cleaner, Air - Includes Element and Baffle			
140-0765	1	Element, Air Cleaner			
140-1267	1	Baffle, Air Cleaner			
140-0722	2	Band, Air Cleaner Mounting			
503-0274	3	Clamp, Hose - Air Cleaner			
140-1271	1	Bracket, Air Cleaner Mtg.			
140-0740	1	Tube, Intake - Air Cleaner			
503-0571	1	Hose, Air Cleaner Connecting 2 3/8" O.D. x 4"			
503-0755	1	Hose, Air Tube - 1 7/8 I.D. X 6"			
134-1882	1	Duct, Air			
301-3968	1	Saddle, Control Box			
305-0536	1	Regulator, Voltage - Non - Adjustable (For Component Parts Use Parts Listed For 305-0532 Voltage Regulator Except Parts Marked #)			
301-3726	1	#Panel, Mounting - Voltage Regulator			
300-1405	1	#Printed Circuit Board Assembly (For Component Parts Use Parts Listed For 300-1404 Printed Circuit Board)			
331-0107	1	#Connector, Cord - Voltage Regulator Mounting Panel			
331-0041	1	#Locknut, Cord Connector - (1/2" Conduit) Voltage Regulator Mounting Panel)			
332-1658	1	#Strip, Terminal (4 Terminals)			
402-0354	4	#Mount, Shock - Rubber			
301-3753	1	#Cover, Voltage Regulator			
338-0961	1	Harness, Wiring - Voltage Regulator to Exciter Stator			

Dated Sept 1, 1978

Revised

Page

1

1

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 15183AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)NONE

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System			502-0237	1	Elbow, Brass Hose - 1/2"
Low Oil Pressure Cut Off					3/8" (Gas Regulator)
High Air Temperature Cut Off			148-0750	1	Bracket, Regulator Mount
154-0695	2	Manifold, Exhaust	Parts Not Furnished By Onan Pre-Cleaner Engine Control		
154-0133	2	Gasket, Exhaust Manifold			
155-0170	2	Flange, Exhaust Manifold			
526-0127	4	Spacer, Exhaust Manifold Flange Mounting			
140-0645	1	Adapter, Air Cleaner Hose			
140-0721	1	Cleaner, Air - Includes Element And Baffle			
140-0765	1	Element, Air Cleaner			
140-1267	1	Baffle, Air Cleaner			
140-0722	2	Band, Air Cleaner Mounting			
503-0274	3	Clamp, Hose - Air Cleaner			
140-1271	1	Bracket, Air Cleaner Mtg.			
503-0571	1	Hose, Air Cleaner Connecting- 2-3/8" O.D. X 4"			
503-0755	1	Hose, Air Tube - 1-7/8 I.D. X 6"			
134-1882	1	Duct, Air			
301-3968	1	Saddle, Control Box			
140-0740	1	Tube, Intake - Air Cleaner			
305-0588	1	Regulator, Voltage - Non- adjustable (For Component Parts Use Parts Listed For 305-0589 Voltage Regulator Except Parts Marked *)			
301-3726	1	*Panel, Mounting - Voltage Regulator			
300-1654	1	*Board, Voltage Regulator (For Component Parts Use Parts Listed For 300-1540 Voltage Regulator Board)			
331-0107	1	*Connector, Cord - Voltage Regulator Mounting Panel			
332-1658	1	*Strip, Terminal - 4 Place			
402-0354	4	*Mount, Shock - Rubber			
301-3753	1	*Cover, Voltage Regulator			
331-0041	1	*Locknut, Cord Connector - (1/2" Conduit) Voltage Regulator Mounting Panel			
338-0961	1	Harness, Wiring - Voltage Regulator To Exciter Stator			
505-0102	2	Nipple, Close (3/4") Magnetic Gas Valve Inlet And Outlet			
307-0312	1	Valve, Magnetic Gas			
307-0829	1	Kit, Coil - Magnetic Gas Valve			
148-0034	1	Regulator, Primary Gas			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-18R **SPEC** 15186AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Vacu-Flo Cooling					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
102-0549	1	Base, Oil			
220-2043	1	Stator, Generator			
201-2158	1	Rotor Assembly, Generator			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-18R **SPEC** 15186AB
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Vacu-Flo Cooling					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
102-0549	1	Base, Oil			
220-2043	1	Stator, Generator			
201-2158	1	Rotor Assembly, Generator			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 15186AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Vacu-Flo Cooling					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
102-0549	1	Base, Oil			
220-2044	1	Stator, Generator			
201-2159	1	Rotor Assembly, Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3R **SPEC** 15212AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4794-01 (SWBD) 615-03

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Vacu - Flo Cooling (See Air Housing)					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Switchboard Control					
102-0549	1	Base, Oil			
112-0106	4	Piston and Pin			
309-0162	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air			
		Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air			
		Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
134-3081	1	Guard, Scroll Outlet			
302-0458	2	Ammeter, AC			
301-2086	1	Panel, Instrument			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4R SPEC 15212AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO(ENG) 612-4794-06 (SWBD) 615-0371

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Vacu - Flo Cooling (See Air Housing)					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Switchboard Control					
102-0549	1	Base, Oil			
112-0106	4	Piston and Pin			
134-3081	1	Guard, Scroll Outlet			
309-0162	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air			
		Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air			
		Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
302-0458	3	Ammeter, AC			
301-2099	1	Panel, Instrument			
301-0500	1	Box Assembly, Meter -			
		Includes Box, Cover and			
		Grommet			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4XR **SPEC** 15212AB
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5559-06 (SWBD) 615-0381-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Low Oil Pressure Cut Off					
Switchboard Control					
Vacu-Flo Cooling					
High Air Temperature Cut Off					
112-0106	4	Piston And Pin			
301-2116	1	Panel, Instrument			

WIRING DIAGRAM NO. (ENG) 612-5559-02

112-0106	4	Piston And Pin
220-2044	1	Stator, Generator
201-2159	1	Rotor Assembly, Generator
520-0799	4	Stud, Generator Through
520-0791	1	Stud, Rotor Through

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 15220AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4848-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Housed					
LPG Fuel System					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
309-0270	1	Thermostat - Low Engine Temp.			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 15.0JC-18R SPEC 15220AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4848-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
LPG Fuel System					
Housed					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3R **SPEC** 15272AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO.(ENG) 612-4794-05 (SWBD) 615-037

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid And Battery Rack (See Housing Option)					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Switchboard Control					
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
416-0522	1	Plate, Battery Mounting			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
302-0458	2	Ammeter, AC			
301-2086	1	Panel, Instrument			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

WIRING DIAGRAM NO. (ENG) 612-4794-02

1000

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 15276AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Vacu-Flo Cooling					
Low Oil Pressure Cut Off					
220-2044	1	Stator, Generator			
201-2159	1	Rotor Assembly, Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R **SPEC** 15289AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-5559-06 (SWBD) 615-0371-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Switchboard Control					
Skid And Battery Rack					
112-0106	4	Piston And Pin			
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
416-0522	1	Plate, Battery Mounting			
301-2099	1	Panel, Instrument			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3CE SPEC 15346AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5030-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
140-0645	1	Adapter, Oil Bath Air Cleaner Type			
140-0721	1	Cleaner, Air - Includes Element and Baffle			
140-0765	1	Element, Air Cleaner			
140-1267	1	Baffle, Air Cleaner			
140-0722	2	Band, Air Cleaner Mounting			
503-0274	4	Clamp, Hose - Air Cleaner			
503-0419	1	Elbow, Rubber - Air Cleaner			
140-1271	1	Bracket, Air Cleaner Mtg.			
140-0740	1	Tube, Intake - Air Cleaner			
140-0723	1	Pre-Cleaner - Air Cleaner			
503-0330	1	Hose, Air Cleaner Connector			
338-0486	1	Harness, Wiring - Starter to Control			
320-0104	1	Relay, Low Oil Pressure			
308-0069	1	Switch, Toggle - Ignition			
323-0856	2	Receptacle, Twistlock			
323-0383	2	Receptacle, Duplex			
332-1695	2	Tab, Terminal - Output Box			
301-2092	1	Panel, Control			
301-1170	1	Cover, Output Box			
Parts not furnished by Onan twistlock receptacle caps (2 each 323-0857)					

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-4XR **SPEC** 15357AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4997-06 (SWBD) 615-0381-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
LPG Fuel System					
Switchboard Control					
309-0206	1	Switch, High Air Temperature			
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
301-2116	1	Panel, Instrument			
322-0004	3	Lamp, Indicator			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-1519	1	Relay - High Air Temperature And Overspeed			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker - Blank			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 12.5JC-4XR131 SPEC 15357AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4844-06 (SWBD) 615-0381-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off High Air Temperature Cut Off Overspeed Cut Off LPG Fuel System Switchboard Control NOTE: Pennsylvania Approved					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0287	2	Cushion, Vibration - Generator End			
301-2116	1	Panel, Instrument			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	2	Lamp, Indicator - High Air Temperature (1) Low Oil Pressure (1)			
322-0069	2	Holder, Indicator Lamp			
320-0221	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Latching - High Air Temperature			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
301-0994	1	Box Assembly, Meter - Includes Box, Cover and Grommet			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4XR131 **SPEC** 15357AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4844-06 (SWBD) 615-0381

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off High Air Temperature Cut Off Overspeed Cut Off Switchboard Control LPG Fuel System NOTE: Pennsylvania Approved					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0287	2	Cushion, Vibration - Generator End			
301-2116	1	Panel, Instrument			
301-0994	1	Box Assembly, Meter - Includes Box, Cover and Grommet			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter - Stator			
322-0004	2	Lamp, Indicator - High Air Temperature (1) Low Oil Pressure (1)			
322-0069	2	Holder, Indicator Lamp			
320-0221	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Latching - High Air Temperature			
332-9604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 15400AA

FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2

(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
220-2044	1	Stator, Generator			
201-2159	1	Rotor Assembly, Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR **SPEC** 15427AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Fuel Tank					
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
102-0549	1	Base, Oil			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3CR **SPEC** 15427AA
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Fuel Tank					
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
102-0549	1	Base, Oil			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 15427AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Fuel Tank					
Housed					
102-0549	1	Base, Oil			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5559-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Fuel Tank			
		Housed			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
102-0549	1	Base, Oil			

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Gas - Gasoline Fuel System			
		Vacu-Flo Cooling			
		Low Oil Pressure Cut Off			
		Skid And Battery Rack			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R **SPEC** 15438AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO(ENG) 612-4848-06 (SWBD) 615-0371-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Gas - Gasoline Fuel System			
		Low Oil Pressure Cut Off			
		Switchboard Control			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
302-0458	3	Ammeter, AC			
301-2099	1	Panel, Instrument			
301-0500	1	Box Assembly, Meter - Includes Box, Cover and Grommet			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3R **SPEC** 15439AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng)612-4793-01 (AC)612-1559-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Housed					
Air Shutter					
Meter Panel					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2288	1	Panel, Meter			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R **SPEC** 15439AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO(ENG) 612-4793-02 (AC) 612-1469-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Housed					
Air Shutter					
Meter Panel					
231-0111	1	Adapter, Generator			
502-0394	2	Connector, Inverted Male -			
		Cylinder Head			
331-0103	1	Grommet, Hose (Regulator to			
		Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2204	1	Panel, Meter			

SPECIAL PARTS LIST FOR MODEL 15.0JC-5DR SPEC 15439AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4793-02 (AC) 612-1556-03

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Housed					
Air Shutter					
Meter Panel					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2204	1	Panel, Meter			

SPECIAL PARTS LIST FOR MODEL 12.5JC-1R131 SPEC 15449AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4848-05 (SWBD) 615-0381

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut Off					
LPG Fuel System					
Low Oil Pressure Cut Off					
Switchboard Control					
NOTE: Pennsylvania Approved					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0287	2	Cushion, Vibration - Generator End			
220-2017	1	Stator, Wound - Generator			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
302-0079	1	Transformer, Current			
302-0235	1	Clamp, Current Transformer Mounting - Upper			
302-0236	1	Clamp, Current Transformer Mounting - Lower			
301-3522	1	Panel, Instrument (Switchboard)			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3R **SPEC** 15453AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-5559-05 (SWBD) 615-0375-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Skid And Battery Rack					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Switchboard Control					
112-0106	4	Piston And Pin			
301-2086	1	Panel, Instrument			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-18R **SPEC** 15478AB
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
102-0549	1	Base, Oil			
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
220-2043	1	Stator, Generator			
201-2158	1	Rotor Assembly, Generator			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 15478AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
102-0549	1	Base, Oil			
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
220-2044	1	Stator, Generator			
201-2159	1	Rotor Assembly, Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3CR **SPEC** 15482AB
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-5558-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Gas - Gasoline Fuel System Housed Voltage Regulator Filter			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4R SPEC 15489AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4858-06 (SWBD) 615-0371.

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Vacu - Flo Cooling (See Air Housing)					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Switchboard Control					
112-0106	4	Piston and Pin			
309-0171	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air			
		Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air			
		Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
134-3081	1	Guard, Scroll Outlet			
302-0458	3	Ammeter, AC			
301-2099	1	Panel, Instrument			
301-0500	1	Box Assembly, Meter -			
		Includes Box, Cover And			
		Grommet			
338-0917	1	Harness, Wiring - Voltage			
		Regulator to Exciter			
		Stator			
322-0004	3	Lamp, Indicator - Low Oil			
		Pressure (1) High Air			
		Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil			
		Pressure			
307-0655	2	Relay, Latching - High Air			
		Temp. (1) Overspeed (1)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
309-0270	1	Thermostat - Low Engine Temp			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 15.0JC-18R SPEC 15500AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4997-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
LPG Fuel System					
309-0206	1	Switch, High Air Temperature			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3R **SPEC** 15545AA
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-01 (AC) 612-1559-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Housed					
AC Meter Panel					
102-0549	1	Base, Oil			
155-0360	1	Muffler, Critical			
301-2288	1	Panel, Meter			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3CR SPEC 15552AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4858-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling (See Air Housing) LPG Fuel System Low Oil Pressure Cut Off High Air Temperature Cut Off Overspeed Cut Off					
309-0171	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air Temp. Switch Harness			
338-0537	1	Harness, Wiring - High Air Temp. Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
134-3081	1	Guard, Scroll Outlet			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
309-0270	1	Thermostat - Low Engine Temperature			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 15.0JC-18R SPEC 15552AB
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5568-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Vacu-Flo Cooling					
322-0004	3	Lamp, Indicator			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
307-1519	1	Relay - High Air Temperature And Overspeed			
309-0270	1	Thermostat, Low Engine Temperature			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker - Blank			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R **SPEC** 15566AA
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-06 (SNBD) 615-0371-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Gas - Gasoline Fuel System			
		Vacu-Flo Cooling			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Switchboard Control			
102-0549	1	Base, Oil			
301-2099	1	Panel, Instrument			

SPECIAL PARTS LIST FOR MODEL 15.0JC-5DR SPEC 15566AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-06 (SWBD) 615-0371

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling (See Air Housing) Gas - Gasoline Fuel System Low Oil Pressure Cut Off High Air Temperature Cut Off Switchboard Control					
102-0549	1	Base, Oil			
134-3081	1	Guard, Scroll Outlet			
309-0162	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
301-2099	1	Panel, Instrument			
301-0500	1	Box Assembly, Meter - Includes Box, Cover And Grommet			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

Sept 1, 1978

1

1

Dated

Revised

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 15567AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4858-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
LPG Fuel System					
102-0549	1	Base, Oil			
309-0206	1	Switch, High Air Temperature			
322-0004	3	Lamp, Indicator			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-1519	1	Relay - High Air Temperature And Overspeed			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
309-0270	1	Thermostat, Low Engine Temperature			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker - Blank			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 15.0JC-18R SPEC 15567AB
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5568-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
102-0549	1	Base, Oil			
309-0206	1	Switch, High Air Temperature			
322-0004	3	Lamp, Indicator			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
307-1519	1	Relay - High Air Temperature And Overspeed			
309-0270	1	Thermostat, Low Engine Temperature			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker - Blank			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3CR **SPEC** 15569AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
112-0106	4	Piston and Pin			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 15569AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
102-0549	1	Base, Oil			
112-0106	4	Piston And Pin			
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-18R **SPEC** 15571AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Vacu-Flo Cooling					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
220-2043	1	Stator, Generator			
201-2158	1	Rotor Assembly, Generator			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 15571AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Vacu-Flo Cooling					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
220-2044	1	Stator, Generator			
201-2159	1	Rotor Assembly, Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR **MODEL** 15, 0JC-18R **SPEC** 15593AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Low Oil Pressure Cut Off					
112-0106	4	Piston And Pin			
220-2044	1	Stator, Generator			
201-2159	1	Rotor Assembly, Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 15615AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4858-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Gas Fuel System					
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
309-0206	1	Switch, High Air Temperature			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
309-0270	1	Thermostat - Low Engine Temp.			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-18R **SPEC** 15635AB
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Mounted Fuel Tank			
220-2043	1	Stator, Generator			
201-2158	1	Rotor Assembly, Generator			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 15635AB
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Fuel Tank			
		Housed			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
220-2044	1	Stator, Generator			
201-2159	1	Rotor Assembly, Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR MODEL 15.0JC-18R SPEC 15706AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4997-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
309-0206	1	Switch, High Air Temperature			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-4XR **SPEC** 15707AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4997-02 (AC) 612-1851-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		LPG Fuel System			
		Housed			
		AC Meter Panel			
102-0549	1	Base, Oil			
309-0206	1	Switch, High Air Temperature			
301-2308	1	Panel, Meter			
304-0305	1	Resistor, Fixed - Meter Panel			
322-0004	3	Lamp, Indicator			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-1519	1	Relay - High Air Temperature And Overspeed			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker - Blank			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-5DR **SPEC** 15707AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4997-01 (AC) 612-1556-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
LPG Fuel System					
Housed					
Meter Panel					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2204	1	Panel, Meter			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3R **SPEC** 15707AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-5573-01 (AC) 612-1559-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
LPG Fuel System					
Housed					
AC Meter Panel					
102-0549	1	Base, Oil			
309-0206	1	Switch, High Air Temperature			
301-2288	1	Panel, Meter			
322-0004	3	Lamp, Indicator			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-1519	1	Relay - High Air Temperature And Overspeed			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker - Blank			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R **SPEC** 15729AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-5569-02 (AC) 612-1469-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System Housed Low Oil Pressure Cut Off High Air Temperature Cut Off AC Meter Panel					
112-0106	4	Piston And Pin			
309-0206	1	Switch, High Air Temperature			
301-2204	1	Panel, Meter			
322-0004	2	Lamp, Indicator			
322-0069	2	Holder, Indicator Lamp			
320-0221	1	Limiter, Cranking - Low Oil Pressure			
307-1129	1	Relay, High Air Temperature			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
301-2376	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-518R **SPEC** 15730AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-02 (AC) NONE

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Fuel Tank Housed AC Meter Panel (Blank)			
155-0360	1	Muffler, Critical			
301-1195	1	Panel, Meter (Blank)			
		Parts Not Furnished By Onan Associated Meter Panel Parts (Meters, Breakers, Etc.)			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 15746AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4997-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Skid And Battery Rack (See Housing Option)					
LPG Fuel System					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
309-0206	1	Switch, High Air Temperature			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3CR SPEC 15746AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4997-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Skid and Battery Rack (See Housing Option)					
LPG Fuel System					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
309-0206	1	Switch, High Air Temperature			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 12.5JC-4R SPEC 15767AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4793-06 (SWBD) 615-037

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Vacu - Flo Cooling (See Air Housing)					
Skid and Battery Rack (See Housing Option)					
High Air Temperature Cut Off					
Switchboard Control					
309-0162	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air			
		Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air			
		Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
134-3081	1	Guard, Scroll Outlet			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
416-0522	1	Plate, Battery Mounting			
301-2099	1	Panel, Instrument			
301-0500	1	Box Assembly, Meter -			
		Includes Box, Cover and			
		Grommet			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 15776AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4997-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Gas Fuel System					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
309-0206	1	Switch, High Air Temperature			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R31 SPEC 15776AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4997-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off High Air Temperature Cut Off Overspeed Cut Off Gas Fuel System NOTE: Pennsylvania Approved					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
338-0768	1	Harness, Wiring - Overspeed			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0287	2	Cushion, Vibration - Generator End			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3CR **SPEC** 15777AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling (See Air Housing)					
Gas - Gasoline Fuel System					
Low Oil Pressure Cut Off					
140-0645	1	Adapter, Oil Bath Air Cleaner Type			
140-0721	1	Cleaner, Air - Includes Element and Baffle			
140-0765	1	Element, Air Cleaner			
140-1267	1	Baffle, Air Cleaner			
140-0722	2	Band, Air Cleaner Mounting			
503-0274	4	Clamp, Hose - Air Cleaner			
503-0419	1	Elbow, Rubber - Air Cleaner			
140-1271	1	Bracket, Air Cleaner Mtg.			
140-0740	1	Tube, Intake - Air Cleaner			
140-0723	1	Pre-Cleaner - Air Cleaner			
503-0330	1	Hose, Air Cleaner Connector			
134-3081	1	Guard, Scroll Outlet			
508-0109	1	Grommet, Rubber - 1" Hole			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-4R **SPEC** 15780AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4848-08 (SWBD) 615-0371

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Gas Fuel System			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Switchboard Control			
		Adjustable Voltage Regulator			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
301-2099	1	Panel, Instrument			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
301-0500	1	Box Assembly, Meter - Includes Box, Cover and Grommet			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3CR SPEC 15798AB
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5559-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu-Flo Cooling					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
505-0098	1	Nipple Close - Fuel Pump To Fuel Solenoid Valve			
502-0020	1	Elbow, Street - Fuel Pump To Fuel Solenoid Valve			
307-1279	1	Valve, Fuel Solenoid			
502-0003	1	Connector, Inverted Male - Fuel Solenoid Valve Inlet			

SPECIAL PARTS LIST FOR MODEL 12.5JC-5DR SPEC 15803AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4793-06 (SWBD) 615-037

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option)					
Switchboard Control					
Gas - Gasoline Fuel System					
Day Tank (One Quart)					
502-0020	1	Elbow, Street - Fuel Pump Inlet			
504-0007	1	Valve, Fuel Pump Inlet			
502-0002	2	Elbow, Inverted Flare - Day Tank Fuel Line to Fuel Pump Inlet Valve (1) And Day Tank Fuel Line to Carburetor Inlet (1)			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
416-0522	1	Plate, Battery Mounting			
301-2116	1	Panel, Instrument			
301-0994	1	Box Assembly, Meter - Includes Box, Cover and Grommet			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3CR SPEC 15808AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Gas Fuel System			
		Housed			
		Air Shutter			
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 15808AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas Fuel System					
Air Shutter					
Housed					
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-4R **SPEC** 15809AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-06 (SWBD) 615-0371

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Day Tank (One Quart)					
Vacu - Flo Cooling (See Air Housing)					
Skid and Battery Rack (See Housing Option)					
Switchboard Control					
502-0020	1	Elbow, Street - Fuel Pump Inlet			
504-0007	1	Valve, Fuel Pump Inlet			
502-0002	2	Elbow, Inverted Flare - Day Tank Fuel Line to Fuel Pump Inlet Valve (1) and Day Tank Fuel Line to Carburetor Inlet (1)			
134-3081	1	Guard, Scroll Outlet			
508-0109	1	Grommet, Rubber - 1" Hole			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
416-0522	1	Plate, Battery Mounting			
301-2099	1	Panel, Instrument			
301-0500	1	Box Assembly, Meter - Includes Box, Cover and Grommet			

SPECIAL PARTS LIST FOR MODEL 12.5JC-4R SPEC 15810AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1

(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-06 (SWBD) 615-0371-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Skid and Battery Rack (See Housing Option)					
Vacu - Flo Cooling (See Air Housing)					
Switchboard Control					
102-0549	1	Base, Oil			
134-3081	1	Guard, Scroll Outlet			
508-0109	1	Grommet, Rubber - 1" Hole			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
416-0522	1	Plate, Battery Mounting			
301-2099	1	Panel, Instrument			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
301-0500	1	Box Assembly, Meter -			
		Includes Box, Cover and			
		Grommet			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-4R **SPEC** 15813AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO (ENG) 612-4793-02 (AC) 612-1486-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Meter Panel					
102-0549	1	Base, Oil			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2088	1	Panel, Meter			