

The following catalog
has gaps in its page
numbers, or doesn't
have any numbers.
We have chosen to
leave the page
numbering in the
order that Acrobat
assigns it.

SPECIAL PARTS LIST FOR MODEL 15.0JC-5DR SPEC 15815AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-02 (AC) 612-1556-03

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas - Gasoline Fuel System					
Fuel Tank					
Housed					
Air Shutter					
Meter Panel					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
151-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2204	1	Panel, Meter			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4R SPEC 15828AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-06 (SWBD) 615-0371

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling (See Air Housing)					
Skid and Battery Rack (See Housing Option)					
LPG Fuel System					
Switchboard Control					
134-3081	1	Guard, Scroll Outlet			
508-0109	1	Grommet, Rubber - 1" Hole			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
302-0458	3	Ammeter, AC			
301-2099	1	Panel, Instrument			
301-0500	1	Box Assembly, Meter -			
		Includes Box, Cover and			
		Grommet			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3R **SPEC** 15833AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4858-01 (AC) 612-1559-C

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Housed					
Meter Panel					
High Air Temperature Cut Off					
Low Oil Pressure Cut Off					
Overspeed Cut Off					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2288	1	Panel, Meter			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
309-0270	1	Thermostat - Low Engine Temperature			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4R SPEC 15833AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4858-02 (AC) 612-1469-C

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Gas - Gasoline Fuel System					
Housed					
Meter Panel					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch High Air Temperature			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2204	1	Panel, Meter			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
309-0270	1	Thermostat - Low Engine Temp.			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4XR SPEC 15833AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4858-02 (AC) 612-1851-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Gas - Gasoline Fuel System					
Housed					
Meter Panel					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2308	1	Panel, Meter			
304-0305	1	Resistor, Fixed-Meter Panel			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
309-0270	1	Thermostat - Low Engine Temp.			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

Sept 1, 1978

SPECIAL PARTS LIST FOR MODEL 12.5JC-3R SPEC 15833AB
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG)612-5568-01 (AC)612-1559-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Housed					
AC Meter Panel					
309-0206	1	Switch, High Air Temperature			
301-2288	1	Panel, Meter			
322-0004	3	Lamp, Indicator			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
307-1519	1	Relay - High Air Temperature And Overspeed			
309-0270	1	Thermostat, Low Engine Temperature			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker - Blank			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3CR SPEC 15835AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4848-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling (See Air Housing) Skid and Battery Rack (See Housing Option) Low Oil Pressure Cut Off High Air Temperature Cut Off Overspeed Cut Off Day Tank (One Quart)					
502-0020	1	Elbow, Street - Fuel Pump Inlet			
504-0007	1	Valve, Fuel Pump Inlet			
502-0002	2	Elbow, Inverted Flare - Day Tank Fuel Line to Fuel Pump Inlet Valve (1) and Day Tank Fuel Line to Carburetor Inlet (1)			
134-3081	1	Guard, Scroll Outlet			
309-0162	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3CR SPEC 15855AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4848-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Gas Fuel System					
Housed					
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 15855AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4848-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Gas Fuel System					
Housed					
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R **SPEC** 15861AA
FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO(ENG) 612-4858-06 (SWBD) 615-0371

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Overspeed Cut Off			
		Day Tank (One Quart)			
		Switchboard Control			
502-0020	1	Elbow, Street - Fuel Pump Inlet			
504-0007	1	Valve, Fuel Pump Inlet			
502-0602	2	Elbow, Inverted Flare - Day Tank Fuel Line to Fuel Pump Inlet Valve (1) And Day Tank Fuel Line to Carburetor Inlet (1)			
309-0206	1	Switch, High Air Temperature			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
302-0458	3	Ammeter, AC			
301-2099	1	Panel, Instrument			
301-0500	1	Box Assembly, Meter - Includes Box, Cover And Grommet			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
309-0270	1	Thermostat - Low Engine Temp.			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3R **SPEC** 15873AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng)612-4848-05 (SWBD)615-0373-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut Off					
Gas-Gasoline Fuel System					
Air Shutter					
Skid and Battery Rack (See Housing Option)					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Switchboard Control					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
416-0522	1	Plate, Battery Mounting			
302-0458	2	Ammeter, AC			
301-2086	1	Panel, Instrument			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R **SPEC** 15874AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5564-01 (AC) 612-1469-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Gas - Gasoline Fuel System					
Housed					
Air Duct And Shutter					
AC Meter Panel					
102-0549	1	Base, Oil			
301-2204	1	Panel, Meter			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
307-1129	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
517-0012	1	Plug, Dot Button - 5/8"			

SPECIAL PARTS LIST FOR MODEL 12.5JC-4R SPEC 15879AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4848-02 (AC) 612-1486-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Gas Fuel System			
		Housed			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Meter Panel			
		Air Shutter			
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
301-2088	1	Panel, Meter			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR **SPEC** 15894AA
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System Air Shutter					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 15894AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4793-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Air Shutter					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 15899AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng) 612-4794-05 (SWBD) 615-0373-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Vacu-Flo Cooling (See Air Housing)					
Low Oil Pressure Cut Off					
Switchboard Control					
112-0106	4	Piston and Pin			
134-3081	1	Guard, Scroll Outlet			
508-0109	1	Grommet, Rubber - 1" Hole			
302-0458	2	Ammeter, AC			
301-2086	1	Panel, Instrument			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R **SPEC** 15899AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-06 (SWBD) 615-0371

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling (See Air Housing) Low Oil Pressure Cut Off Gas Fuel System Switchboard Control					
112-0106	4	Piston and Pin			
134-3081	1	Guard, Scroll Outlet			
508-0109	1	Grommet, Rubber - 1" Hole			
302-0458	3	Ammeter, AC			
301-2099	1	Panel, Instrument			
301-0500	1	Box Assembly, Meter - Includes Box, Cover and Grommet			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R **SPEC** 15900AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4997-06 (SWBD) 615-0371-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option) Low Oil Pressure Cut Off High Air Temperature Cut Off Overspeed Cut Off LPG Fuel System Switchboard Control					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
302-0458	3	Ammeter, AC			
301-2099	1	Panel, Instrument			
301-0500	1	Box Assembly, Meter - Includes Box, Cover and Grommet			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-4R **SPEC** 15900AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-5573-06 (SWBD)615-0371-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Switchboard Control					
LPG Fuel System					
Skid And Battery Rack					
309-0206	1	Switch, High Air Temperature			
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
416-0522	1	Plate, Battery Mounting			
301-2099	1	Panel, Instrument			
322-0004	3	Lamp, Indicator			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-1519	1	Relay - High Air Temperature And Overspeed			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker - Blank			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-9XR **SPEC** 15904AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4924-04 (SWBD) 615-0383-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Switchboard Control					
Adjustable Voltage Regulator					
102-0549	1	Base, Oil			
309-0206	1	Switch, High Air Temperature			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
301-2681	1	Panel, Instrument			
322-0004	2	Lamp, Indicator - High Air Temperature (1) Low Oil Pressure (1)			
322-0069	2	Holder, Indicator Lamp			
320-0221	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Latching - High Air Temperature			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
301-2376	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 12.5JC-5DR SPEC 15907AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-02 (AC) 612-1556-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Meter Panel					
102-0549	1	Base, Oil			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generating Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2204	1	Panel, Meter			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R **SPEC** 15907AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO(ENG) 612-4794-02 (AC) 612-1469-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
Meter Panel					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
102-0549	1	Base, Oil			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2204	1	Panel, Meter			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3R **SPEC** 15907AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-5559-01 (AC) 612-1559-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		AC Meter Panel			
102-0549	1	Base, Oil			
155-0360	1	Muffler, Critical			
301-2288	1	Panel, Meter			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3CR SPEC 15912AA
FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4794-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Fuel Tank					
Housed					
Air Shutter					
Low Oil Pressure Cut Off					
102-0549	1	Base, Oil			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3R SPEC 15913AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO.(ENG) 612-4997-05 (SWBD) 615-0373.

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut Off					
LPG Fuel System					
Vacu - Flo Cooling (See Air Housing)					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Switchboard Control					
309-0171	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air			
		Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air			
		Temperature Switch			
508-0109	1	Grommet, Rubber-1" Hole			
302-0458	2	Ammeter, AC			
301-2086	1	Panel, Instrument			
134-3081	1	Guard, Scroll Outlet			
338-0917	1	Harness, Wiring - Voltage			
		Regulator to Exciter			
		Stator			
322-0004	3	Lamp, Indicator - Low Oil			
		Pressure (1) High Air			
		Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil			
		Pressure			
307-0655	2	Relay, Latching - High Air			
		Temp (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4R SPEC 15913AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO(ENG) 612-4997-06 (SWBD) 615-0371-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling (See Air Housing) Low Oil Pressure Cut Off High Air Temperature Cut Off Overspeed Cut Off LPG Fuel System Switchboard Control					
309-0171	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air			
	1	Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
154-3081	1	Guard, Scroll Outlet			
302-0458	3	Ammeter, AC			
301-2099	1	Panel, Instrument			
301-0500	1	Box Assembly, Meter - Includes Box, Cover And Grommet			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

Sept 1, 1978

1

1

Dated

Revised

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-4R **SPEC** 15914AA
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4794-06 (SWBD)615-0371-C

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Vacu-Flo Cooling			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Switchboard Control			
102-0549	1	Base, Oil			
301-2099	1	Panel, Instrument			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 15914AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng)612-4794-05(SWBD)615-0373-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu-Flo Cooling (See Air Housing) Low Oil Pressure Cut Off High Air Temperature Cut Off Switchboard Control					
102-0549	1	Base, Oil			
134-3081	1	Guard, Scroll Outlet			
309-0162	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
302-0458	2	Ammeter, AC			
301-2086	1	Panel, Instrument			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 15918AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4997-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Skid and Battery Rack (See Housing Option)					
Gas Fuel System					
Adjustable Voltage Regulator					
309-0206	1	Switch, High Air Temperature			
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
505-0002	2	Nipple , Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3R **SPEC** 15922AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng)612-5084-07 (SWBD)615-0372-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
LPG Fuel System					
Switchboard Control					
Adjustable Voltage Regulator					
154-1224	1	Manifold, Intake			
148-0367	1	Switch, Vacuum			
502-0053	1	Elbow, Vacuum Switch			
505-0098	1	Nipple, Vacuum Switch			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
302-0458	2	Ammeter, AC			
301-2085	1	Panel, Instrument			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3R **SPEC** 15931AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4860-01 (SWBD) 615-0373-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Vacu - Flo Cooling (See Air Housing)					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Switchboard Control					
102-0549	1	Base, Oil			
309-0171	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air			
		Temp Switch Harness			
338-0337	1	Harness, Wiring - High Air			
		Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
134-3081	1	Guard, Scroll Outlet			
302-0458	2	Ammeter, AC			
301-2086	1	Panel, Instrument			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
322-0004	2	Lamp, Indicator - High Air			
		Temperature (1) Low Oil			
		Pressure (1)			
322-0069	2	Holder, Indicator Lamp			
320-0221	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Latching - High Air			
		Temperature			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
301-2376	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 15939AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO.(ENG) 612-4793-02 (AC) 612-4895-C

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Fuel Tank					
Housed					
Air Shutter					
Meter Panel					
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-1364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
220-2044	1	Stator, Wound - Generator			
201-2150	1	Rotor Assembly, Wound -			
		Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			
322-0044	2	Light, Pilot - Meter Panel			
302-0465	1	Meter, Running Time			
308-0203	1	Switch, Output Phase			
		Selector			
301-3732	1	Panel, Meter			
301-2395	1	Bracket, Meter Panel Stop			
301-2727	1	Handle, Meter Panel			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-5DR **SPEC** 15940AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4848-02 (AC)612-1556-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Housed					
AC Meter Panel					
Fuel Tank					
102-0549	1	Base, Oil			
155-0360	1	Muffler, Critical			
301-2204	1	Panel, Meter			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
307-1129	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
517-0012	1	Plug, Dot Button - 5/8"			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4R SPEC 15948AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO(ENG) 612-4848-02 (AC) 612-1469-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off High Air Temperature Cut Off Overspeed Cut Off LPG Fuel System Housed Air Shutter Meter Panel					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2204	1	Panel, Meter			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 15956AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4858-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Day Tank (One Quart)					
Housed					
502-0020	1	Elbow, Street - Fuel Pump Inlet			
504-0007	1	Valve, Fuel Pump Inlet			
502-0002	2	Elbow, Inverted Flare - Day Tank Fuel Line to Fuel Pump Inlet Valve (1) And Day Tank Fuel Line to Carburetor Inlet (1)			
309-0206	1	Switch, High Air Temperature			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
309-0270	1	Thermostat - Low Engine Temp.			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3R **SPEC** 15967AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (Eng)612-4794-05 (SWBD)615-0373-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option)					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
LPG Fuel System					
Switchboard Control					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
416-0522	1	Plate, Battery Mounting			
302-0458	2	Ammeter, AC			
301-2086	1	Panel, Instrument			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-4R **SPEC** 15972AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO.(ENG) 612-4794-06 (SWBD) 615-0370-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
LPG Fuel System					
Switchboard Control					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
301-2077	1	Panel, Instrument			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4XR **SPEC** 15972AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-06 (SWBD) 615-037

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Switchboard Control					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
LPG Fuel System					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
301-2116	1	Panel, Instrument			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-5DR **SPEC** 16032AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4997-06 (SWBD) 615-0376

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Skid and Battery Rack (See Housing Option)					
Gas Fuel System					
Switchboard Control					
Air Shutter					
102-0549	1	Base, Oil			
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
416-0522	1	Plate, Battery Mounting			
301-2099	1	Panel, Instrument			
301-0500	1	Box Assembly, Meter - Includes Box, Cover and Grommet			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
322-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3R **SPEC** 16043AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO.(ENG) 612-4794-05 (SWBD) 615-0372-C

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Switchboard Control					
Skid and Battery Rack (See Housing Option)					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
416-0522	1	Plate, Battery Mounting			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
302-0458	2	Ammeter, AC			
301-2085	1	Panel, Instrument			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-99R **SPEC** 16049AA
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5095-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Adjustable Voltage Regulator					
220-2018	1	Stator, Wound - Generator			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR MODEL 12.5JC-4R SPEC 16050AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-02 (AC) 612-1469-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System Housed Meter Panel					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2204	1	Panel, Meter			
134-1375	1	Plate, Exhaust Outlet Cover			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR **SPEC** 16063AA
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
102-0549	1	Base, Oil			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 16063AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Housed					
102-0549	1	Base, Oil			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3CR SPEC 16063AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off High Air Temperature Cut Off Housed					
102-0549	1	Base, Oil			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 16063AB
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
102-0549	1	Base, Oil			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4R SPEC 16066AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-02 (AC) 612-1469-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Housed					
Meter Panel					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2204	1	Panel, Meter			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-5DR **SPEC** 16066AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-4793-02 (AC)612-1556-03

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
AC Meter Panel					
Gas - Gasoline Fuel System					
102-0549	1	Base, Oil			
155-0360	1	Muffler, Critical			
301-2204	1	Panel, Meter			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-4R131 **SPEC** 16074AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO.(ENG) 612-4843-06 (SWBD) 615-0371-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System Vacu - Flo Cooling (See Air Housing) Low Oil Pressure Cut Off Overspeed Cut Off Switchboard Control NOTE: Pennsylvania Approved					
134-3081	1	Guard, Scroll Outlet			
508-0109	1	Grommet, Rubber - 1" Hole			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0287	2	Cushion, Vibration - Generator End			
301-2099	1	Panel, Instrument			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	2	Lamp, Indicator - Low Oil Pressure (1) Overspeed (1)			
322-0069	2	Holder, Indicator Lamp			
320-0221	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Latching - Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-0500	1	Box Assembly, Meter - Includes Box, Cover and Grommet			

SPECIAL PARTS LIST FOR MODEL 12.5JC-4XR SPEC 16076AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO.(ENG) 612-4794-06 (SWBD) 615-0381

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option)					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas Fuel System					
Switchboard Control					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
416-0522	1	Plate, Battery Mounting			
301-2116	1	Panel, Instrument			
301-0994	1	Box Assembly, Meter - Includes Box, Cover And Grommet			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 12.5JC-4XR SPEC 16079AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4851-06 (SWBD) 615-0377-(

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option)					
High Air Temperature Cut Off					
Overspeed Cut Off					
Gas Fuel System					
Switchboard Control					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
416-0522	1	Plate, Battery Mounting			
301-2116	1	Panel, Instrument			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-4R **SPEC** 16080AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO (ENG) 612-4793-02 (AC) 612-1469-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
Gas - Gasoline Fuel System					
Fuel Tank Housed					
Meter Panel					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2204	1	Panel, Meter			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 16083AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO(ENG) 612-4794-01 (AC) 612-1786-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Housed					
Air Shutter					
Meter Panel					
102-0549	1	Base, Oil			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-1554	1	Panel, Meter			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
329-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3CR SPEC 16086AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4883-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
102-0549	1	Base, Oil			
112-0106	4	Piston and Pin			
154-1224	1	Manifold, Intake			
148-0367	1	Switch, Vacuum			
502-0053	1	Elbow, Vacuum Switch			
505-0098	1	Nipple, Vacuum Switch			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-9XR **SPEC** 16086AA
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-5252-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
112-0106	4	Piston And Pin			
102-0549	1	Base, Oil			
154-1224	1	Manifold, Intake			
148-0367	1	Switch, Vacuum			
502-0053	1	Elbow, Vacuum Switch			
505-0098	1	Nipple, Vacuum Switch			
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 16086AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ **(ENG)** 612-4883-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
102-0549	1	Base, Oil			
112-0106	4	Piston and Pin			
154-1224	1	Manifold, Intake			
148-0367	1	Switch, Vacuum			
502-0053	1	Elbow, Vacuum Switch			
505-0098	1	Nipple, Vacuum Switch			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3CR **SPEC** 16086AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5720-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
102-0549	1	Base, Oil			
112-0106	4	Piston And Pin			
154-1224	1	Manifold, Intake			
148-0367	1	Switch, Vacuum			
502-0053	1	Elbow, Vacuum Switch			
505-0098	1	Nipple, Vacuum Switch			
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			

SPECIAL PARTS LIST FOR MODEL 15.0JC-18R SPEC 16086AB
FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5720-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
102-0549	1	Base, Oil			
112-0106	4	Piston And Pin			
154-1224	1	Manifold, Intake			
148-0367	1	Switch, Vacuum			
502-0053	1	Elbow, Vacuum Switch			
505-0098	1	Nipple, Vacuum Switch			
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3CR SPEC 16088AA
FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Gas Fuel System			
		Housed			
		Air Shutter			
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 16095AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Low Oil Pressure Cut Off					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
220-2043	1	Stator, Wound - Generator			
201-2158	1	Rotor Assembly, Wound - Generator			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
321-0146	1	Fuse -10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 16095AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Low Oil Pressure Cut Off					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
220-2044	1	Stator, Wound - Generator			
201-2159	1	Rotor Assembly, Wound - Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

Sept 1, 1978

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-18R **SPEC** 16095AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Low Oil Pressure Cut Off					
220-2043	1	Stator, Generator			
201-2158	1	Rotor Assembly, Generator			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			

FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Low Oil Pressure Cut Off					
220-2044	1	Stator, Generator			
201-2159	1	Rotor Assembly, Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 16096AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO.(ENG) 612-4794-01 (AC) 612-1786-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Fuel Tank					
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Meter Panel					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-1554	1	Panel, Meter			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 16097AA
FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4793-02 (AC) 612-4895-03

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Fuel Tank					
Housed					
Air Shutter					
Meter Panel					
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
220-2044	1	Stator, Wound - Generator			
201-2159	1	Rotor Assembly, Wound -			
		Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			
322-0044	2	Light, Pilot - Meter Panel			
302-0465	1	Meter, Running Time			
308-0203	1	Switch, Output Phase			
		Selector			
301-3732	1	Panel, Meter			
301-2395	1	Bracket, Meter Panel Stop			
301-2727	1	Handle, Meter Panel			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3R **SPEC** 16144AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO(ENG) 612-4997-01 (AC) 612-1559-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Housed					
Meter Panel					
102-0549	1	Base, Oil			
309-0206	1	Switch, High Air Temperature			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2288	1	Panel, Meter			
338-0917	1	Harness, Wiring - Voltage			
		Regulator to Exciter			
		Stator			
322-0004	3	Lamp, Indicator - Low Oil			
		Pressure (1) High Air			
		Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil			
		Pressure			
307-0655	2	Relay, Latching - High Air			
		Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-5DR **SPEC** 16157AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4848-04 (AC) 612-1556-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off High Air Temperature Cut Off Overspeed Cut Off Gas - Gasoline Fuel System Fuel Tank Housed Meter Panel Adjustable Voltage Regulator					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
102-0549	1	Base, Oil			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
220-2044	1	Stator, Wound - Generator			
201-2159	1	Rotor Assembly, Wound - Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			
301-2204	1	Panel, Meter			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 16170AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng) 612-4997-05 (SWBD) 615-0373-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
LPG Fuel System					
Vacu-Flo Cooling (See Air Housing)					
Switchboard Control					
102-0549	1	Base, Oil			
309-0171	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air			
		Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air			
		Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
134-3081	1	Guard, Scroll Outlet			
302-0458	2	Ammeter, AC			
301-2086	1	Panel, Instrument			
338-0917	1	Harness, Wiring - Voltage			
		Regulator to Exciter			
		Stator			
322-0004	3	Lamp, Indicator - Low Oil			
		Pressure (1) High Air			
		Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil			
		Pressure			
307-0655	2	Relay, Latching - High Air			
		Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4XR SPEC 16186AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-06 (SWBD) 615-0377

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Switchboard Control					
Low Oil Pressure Cut Off					
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
301-2116	1	Panel, Instrument			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4XR **SPEC** 16192AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO(ENG) 612-4860-06 (SWBD) 615-0381-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Air Shutter					
Gas Fuel System					
Switchboard Control					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
301-2116	1	Panel, Instrument			
301-0994	1	Box Assembly, Meter - Includes Box, Cover And Grommet			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
322-0004	2	Lamp, Indicator - High Air Temperature (1) Low Oil Pressure (1)			
322-0069	2	Holder, Indicator Lamp			
320-0221	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Latching - High Air Temperature			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
301-2376	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3R SPEC 16198AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4794-01 (AC) 612-1786-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Fuel Tank					
Housed					
Air Shutter					
Low Oil Pressure Cut Off					
Meter Panel					
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
301-1554	1	Panel, Meter			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 16206AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng) 612-4794-01 (AC) 612-1559-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Fuel Tank					
Housed					
Air Shutter					
Meter Panel					
102-0549	1	Base, Oil			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2288	1	Panel, Meter			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-518R **SPEC** 16214AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5111-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling (See Air Housing)			509-0102	2	"O" Ring (One Per Coil)
Low Oil Pressure Cut Off			312-0083	2	Capacitor, Ignition Coil
High Air Temperature Cut Off					1.75 MFD, 20 Amp (One
Adjustable Voltage Regulator					Per Coil)
NOTE: 24 Volt Starting			503-0465	2	Clamp, Coil Mounting
			167-1509	2	Cable, Spark Plug (No. 3
					Cylinders)
149-1131 1 Line, Pump to Carburetor			167-1508	1	Cable, Spark Plug (No. 1
166-0355 1 Gear, Camshaft Distributor					Cylinder)
		Drive	167-1474	1	Cable, Spark Plug (No. 2
191-0443 1 Motor, Starter (24 Volt)					Cylinder)
191-0713 1 Armature, Starter Motor			337-0071	2	Strap, Coil Grounding
191-1043 1 Coil Package, Field -			353-0012	2	Resistor, Fixed (Ignition
		Starter Motor			Coil) 5.2 OHM, 25 Watt
191-1042 1 Plate Assembly, Brush -			336-0368	2	Lead, Resistor to Coil
		Starter Motor	336-0279	1	Lead, Resistor to Resistor
191-0715 1 Switch, Solenoid - Starter					(Ignition Coil)
		Motor	304-0014	4	Washer, Resistor Centering
191-0714 1 Brush Set, Service - Starter					(Ignition Coil)
		Motor	167-0081	4	Plug, Spark
166-0356 1 Distributor Assembly -			160-1098	1	Plate, Coil Mounting
		includes "O" Ring, Leads,	134-3081	1	Guard, Scroll Outlet
		Ground Strap and Retain-	309-0162	1	Switch, High Air Temperature
		ing Ring	508-0002	1	Grommet, Rubber - High Air
509-0096 1 Seal, Base					Temp. Switch Harness
166-0350 1 Adapter, Breaker Cover			338-0337	1	Harness, Wiring - High Air
166-0351 1 Cover, Breaker					Temperature Switch
167-0061 2 Nipple, Distributor Leads			508-0109	1	Grommet, Rubber - 1" Hole
		Brass	220-2158	1	Stator, Wound - Generator
312-0115 2 Condenser, Distributor -			304-0521	1	Resistor, Tapped - Adjust
		30 MFD			(Generator Outlet)
336-1464 1 Lead Assembly, Points to			358-0015	1	Rectifier - 12 Amp. 300 V
		Coil (Plugs 1 & 4, 22")	321-0146	1	Fuse - 10 Amp
336-1680 1 Lead Assembly, Points to			321-0175	1	Holder, Fuse
		Coil (Plugs 2 & 3, 24")	320-0104	1	Relay, Low Oil Pressure
337-0068 1 Strap, Ground - Distributor			304-0016	1	Resistor - 2.5 OHM, 50 W
166-0397 1 Gasket, Distributor - Cover					(Adjustable)
		to Adapter	304-0194	1	Resistor - 50 OHM, 25 W
166-0354 1 Gear, Drive - Distributor					(Adjustable)
166-0615 1 Plate, Distributor Breaker			304-0283	1	Resistor - 35 OHM, 25 W
166-0616 1 Plate, Distributor Cam and					(Adjustable)
		Stop	304-0268	1	Resistor - 5 OHM, 50 W
166-0245 2 Point Set, Distributor					(Adjustable)
		Breaker	332-0604	1	Block, Terminal - 5 Place
166-0608 2 Terminal Stud and Parts			332-0616	1	Strip, Marker - 5 Place
		Package - Distributor			
166-0061 2 Nut, Lock - Contact Screw					
166-0474 1 Bracket, Coil Mounting					
166-0437 2 Coil, Ignition - Each Coil					
		includes Capacitor and			
		"O" Ring			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3R SPEC 16222AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-01 (AC) 612-1786-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Housed					
Meter Panel					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
301-1554	1	Panel, Meter			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3R SPEC 16228AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO.(ENG) 612-4794-01 (AC) 612-1786-0.

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Meter Panel					
Air Shutter					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
112-0106	4	Piston and Pin			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
301-1554	1	Panel, Meter			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R **SPEC** 16228AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-02 (AC) 612-1486-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
AC Meter Panel					
Air Duct And Shutter					
102-0549	1	Base, Oil			
112-0106	4	Piston And Pin			
155-0360	1	Muffler, Critical			
301-2088	1	Panel, Meter			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3R SPEC 16229AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4850-01 (AC) 612-1559-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Housed					
Low Oil Pressure Cut Off					
Meter Panel					
123-1307	1	Cap and Indicator			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
322-0004	1	Lamp, Indicator - Low Oil Pressure			
322-0069	1	Holder, Indicator Lamp			
320-0221	1	Relay, Low Oil Pressure			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
301-2288	1	Panel, Meter			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-4R **SPEC** 16229AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4850-02 (AC) 612-1469-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System Housed Low Oil Pressure Cut Off Meter Panel					
123-1307	1	Cap And Indicator			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2204	1	Panel, Meter			
322-0004	1	Lamp, Indicator - Low Oil Pressure			
322-0069	1	Holder, Indicator Lamp			
320-0221	1	Relay, Low Oil Pressure			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4R SPEC 16229AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4850-02 (AC) 612-1469-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Housed					
Low Oil Pressure Cut Off					
Meter Panel					
123-1307	1	Cap And Indicator			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2204	1	Panel, Meter			
322-0004	1	Lamp, Indicator - Low Oil Pressure			
322-0069	1	Holder, Indicator Lamp			
320-0221	1	Relay, Low Oil Pressure			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4XR **SPEC** 16229AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4850-02 (AC) 612-1851-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System Housed Low Oil Pressure Cut Off Meter Panel					
123-1307	1	Cap and Indicator			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2308	1	Panel, Meter			
304-0305	1	Resistor, Fixed-Meter Panel			
322-0004	1	Lamp, Indicator - Low Oil Pressure			
322-0069	1	Holder, Indicator Lamp			
320-0221	1	Relay, Low Oil Pressure			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

Sept 1, 1978

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-5DR **SPEC** 16241AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO.(ENG) 612-4794-02 (AC) 612-1556-03

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
LPG Fuel System					
Housed					
Meter Panel					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2204	1	Panel, Meter			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
The following parts refer to the regulator filter assembly:					
232-2589	1	Regulator filter package - (for complete replacement) includes drawings and unlisted miscellaneous hardware items			
232-2462	1	Box, Mounting			
232-2463	1	Cover, Mounting Box			
312-0197	1	Capacitor			
312-0198	2	Bracket, Capacitor Mounting			
508-0071	1	Grommet, Rubber - 7/8" Hole			
304-0120	2	Resistor, Fixed - 2 OHM, 25 Watts			
304-0015	4	Washer, Resistor Centering			
304-0292	2	Insulator, Resistor			
813-0112	2	Screw - RHM (10-32 x 2½") Resistor Mounting			
338-1165	1	Harness, Wiring			
625-1304	-	Wiring Diagram			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3R **SPEC** 16245AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (Eng) 612-4793-05 (SWBD) 615-0373-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option)					
LPG Fuel System					
Switchboard Control					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
416-0522	1	Plate Battery Mounting			
302-0458	2	Ammeter, AC			
301-2086	1	Panel, Instrument			

SPECIAL PARTS LIST FOR MODEL 12.5JC-518E SPEC 16253AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 512-4921-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
104-0429	1	Dog, Crank			
141-0686	1	Carburetor, Gasoline (Manual Choke)			
141-0747	1	Kit, Carburetor Repair			
141-0748	1	Kit, Carburetor Gasket			
141-0741	1	Plate, Choke			
141-0742	1	Shaft, Choke			
141-0699	1	Washer, Choke Shaft			
141-0697	1	Seal, Felt - Choke Shaft			
141-0203	1	Retainer, Seal - Choke Shaft			
153-0327	1	Bracket, Manual Choke			
518-0176	1	Clamp, Manual Choke Cable			
153-0328	1	Cable, Choke			
338-0273	1	Harness, Wiring - Starter to Control			
134-1091	1	Grille, Blower Housing			
338-0490	1	Harness, Wiring - Distributor to Control			
320-0104	1	Relay, Low Oil Pressure			
308-0028	1	Switch, Start (Push)			
308-0069	1	Switch, Ignition (Toggle)			
301-2092	1	Panel, Control Box			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4R SPEC 16261AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4793-02 (AC) 612-1486-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Meter Panel					
102-0549	1	Base, Oil			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2088	1	Panel, Meter			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3R **SPEC** 16268AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng)612-4858-01(AC)612-1786-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off High Air Temperature Cut Off Overspeed Cut Off Gas-Gasoline Fuel System Housed Fuel Tank Meter Panel					
102-0549	1	Base, Oil			
112-0106	4	Piston and Pin			
309-0206	1	Switch, High Air Temperature			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-1554	1	Panel, Meter			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
309-0270	1	Thermostat - Low Engine Temp			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 16297AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-02 (AC) 612-4895-03

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Housed					
Air Shutter					
Meter Panel					
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
220-2044	1	Stator, Wound - Generator			
201-2159	1	Rotor Assembly, Wound -			
		Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			
322-0044	2	Light, Pilot - Meter Panel			
302-0465	1	Meter, Running Time			
308-0203	1	Switch, Output Phase			
		Selector			
301-3732	1	Panel, Meter			
301-2395	1	Bracket, Meter Panel Stop			
301-2727	1	Handle, Meter Panel			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 16307AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO(ENG) 612-4793-02 (AC) 612-4987-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Meter Panel					
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
220-2044	1	Stator, Wound - Generator			
201-2159	1	Rotor Assembly, Wound - Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			
322-0044	2	Light, Pilot - Meter Panel			
308-0203	1	Switch, Output Phase Selector			
301-2395	1	Bracket, Meter Panel Stop			
301-3239	1	Panel, Meter			
301-2727	1	Handle, Meter Panel			

SPECIAL PARTS LIST FOR MODEL 12.5JC-53R SPEC 16308AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO(ENG) 612-4848-01 (AC) 612-1559-09

PART NO.	QTY.	DESCRIPTION	PART NO	QTY	DESCRIPTION
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas - Gasoline Fuel System					
Housed					
Meter Panel					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2288	1	Panel, Meter			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR **SPEC** 16315AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO (ENG) 612-4793-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System Housed					
102-0818	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			

SPECIAL PARTS LIST FOR MODEL 12.5JC-4R SPEC 16318AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4793-02 (AC) 612-1469-1

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Fuel Tank					
Housed					
Meter Panel					
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
220-2043	1	Stator, Wound - Generator			
201-2158	1	Rotor Assembly, Wound -			
		Generator			
520-0798	1	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Meter			

SPECIAL PARTS LIST FOR MODEL 12.5JC-4R SPEC 16328AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO(ENG) 612-4794-04 (AC) 612-1469-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Housed					
Low Oil Pressure Cut Off					
Meter Panel					
Adjustable Voltage Regulator					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2204	1	Panel, Meter			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			