

The following catalog  
has gaps in its page  
numbers, or doesn't  
have any numbers.  
We have chosen to  
leave the page  
numbering in the  
order that Acrobat  
assigns it.

SPECIAL PARTS LIST FOR MODEL 15.0JC-3CR SPEC 16706AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4851-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
High Air Temperature Cut Off					
Overspeed Cut Off					
LPG Fuel System					
Air Shutter					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
322-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
307-0655	1	Relay, Overspeed			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4XR SPEC 16731AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-06 (SWBD) 615-0377

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Switchboard Control					
Gas Fuel System					
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
301-2116	1	Panel, Instrument			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 16733AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG) 612-4851-02 (AC) 612-1469-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
High Air Temperature Cut Off					
Meter Panel					
Overspeed Cut Off					
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1574	1	Shield, Rain (Top Panel)			
220-2044	1	Stator, Wound - Generator			
201-2159	1	Rotor Assembly, Wound - Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			
301-2204	1	Panel, Meter			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3CR SPEC 16743AA  
FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option)					
Air Shutter					
505-0002	2	Nipple, Oil Drain			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-4XR **SPEC** 16779AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4997-06 (SWBD) 615-0381

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Switchboard Control					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
509-0206	1	Switch, High Air Temperature			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
301-2116	1	Panel, Instrument			
301-0994	1	Box Assembly, Meter - Includes Box, Cover and Grommet			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

# 900-0043

## Supplementary Parts List

### for

**Model** 12.5 JC-518R **Spec** 16788AA

**Standard Parts Catalog** 967-0220 **Parts Key** 2

Parts Listed Below Apply to the Above Model. Use These Parts in Place of (or in Addition to) the Parts Listed in the Standard Parts Catalog.

PART NO.	QUAN.	DESCRIPTION
This Model has 24 Volt Starting (Complete Breakdown in Main Parts Catalog)		
191-0443	1	Starter (24 Volt)
134-1532	1	Baffle, Starter Hole
134-1436	1	Scroll, Blower
134-3081	1	Guard, Scroll Outlet
309-0162	1	Switch, Hi Temp
508-0002	1	Grommet, Rubber
338-0337	1	Harness, Wiring - Hi Temp
149-1131	1	Line, Fuel Pump to Carburetor
166-0355	1	Gear, Distributor Drive
166-0356	1	Distributor
166-0350	1	Adapter, Breaker Points Cover
166-0351	1	Cover, Breaker Points
167-0061	2	Shield, Nipple
312-0115	2	Condenser (.30 Mfd 300 VDC)
336-1464	1	Lead (18" Shield)
336-1463	1	Lead (12" Shield)
337-0068	1	Strap, Ground
166-0397	1	Gasket, Distributor Shield
166-0615	1	Plate, Breaker
166-0616	1	Plate, Cam & Stop
167-0081	4	Plug, Spark
160-1098	1	Plate, Coil Mounting
166-0474	1	Bracket, Coil Mounting
166-0437	2	Coil, Ignition
503-0465	2	Clamp, Coil Mounting
167-1509	2	Lead, Hi Tension - Cylinders #3 and 4
167-1508	1	Lead, Hi Tension - Cylinder #1
167-1474	1	Lead, Hi Tension - Cylinder #2
337-0071	2	Strap, Ground
353-0012	2	Resistor (5.2 Ohm, 25 Watt)
304-0014	4	Washer, Resistor Centering
503-0171	2	Clamp, Breather
166-0354	1	Gear, Distributor Shaft
166-0245	2	Point Set, Breaker
166-0061	2	Nut, Lock- Contact Screw

# 900-0043

## Supplementary Parts List

### for

Model 12.5 JC-518R Spec 16788AA

Standard Parts Catalog 967-0220 Parts Key 2

Parts Listed Below Apply to the Above Model. Use These Parts in Place of (or in Addition to) the Parts Listed in the Standard Parts Catalog.

PART NO.	QUAN.	DESCRIPTION
508-0109	1	Grommet, Rubber
220-2158	1	Stator, Wound
358-0015	1	Diode (Controlled Avalanche)
304-0268	1	Resistor, Adjustable, 5-Ohm, 50 Watts
338-0744	1	Harness, Wiring
304-0016	1	Resistor - 2.5-Ohm, 50 Watt - Adjustable
304-0283	1	Resistor - 35-Ohm, 25 Watt
304-0194	1	Resistor, Adjustable - 50-Ohm, 25 Watt
308-0154	1	Switch, Toggle (SPDT Momentary Center Off)
232-2399	1	Bracket, Resistor Mounting
304-0521	1	Resistor, Tap (8.0-Ohm)
304-0006	2	Washer, Resistor Centering
312-0083	2	Capacitor, Feed Thru (1.75 Mfd)
509-0102	2	"O" Ring, Gasket - Capacitor Mounting



SPECIAL PARTS LIST FOR **MODEL** 12.5JC-518R **SPEC** 16788AB  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-5697-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: 24 Volt Starting Radio Frequency Interference Suppression Vacu-Flo Cooling Low Oil Pressure Cut Off High Air Temperature Cut Off			503-0465	2	Clamp, Coil Mounting
			167-1509	2	Cable, Spark Plug (No. 3 & 4 Cylinders)
			167-1508	1	Cable, Spark Plug (No. 1 Cylinder)
			167-1474	1	Cable, Spark Plug (No. 2 Cylinder)
149-1131	1	Line, Pump To Carburetor	337-0071	2	Strap, Coil Grounding
166-0355	1	Gear, Camshaft	353-0012	2	Resistor, Fixed (Ignition Coil) 5.2 OHM, 25 Wat
191-0443	1	Motor, Starter (24 Volt)	336-0368	2	Lead, Resistor To Coil
191-0713	1	Armature, Starter Motor	336-0279	1	Lead, Resistor To Resistor (Ignition Coil)
191-1043	1	Coil Package, Field - Starter Motor	304-0014	4	Washer, Resistor Center (Ignition Coil)
191-1042	1	Plate Assembly, Brush - Starter Motor	167-0081	4	Plug, Spark
191-0715	1	Switch, Solenoid - Starter Motor	160-1098	1	Plate, Coil Mounting
191-0714	1	Brush Set, Starter Motor	332-1554	1	Clip, Starter Harness
166-0356	1	Distributor Assembly - Includes "O" Ring, Leads, Ground Strap And Retaining Ring	220-2158	1	Stator, Generator
166-0350	1	Adapter, Breaker Cover	304-0521	1	Resistor, Tapped - Adjustable (Generator Outlet)
166-0351	1	Cover, Breaker	358-0015	1	Rectifier - 12 AMP, 30C
167-0061	2	Nipple, Distributor Leads - Brass	307-0875	1	Solenoid, Start
312-0115	2	Condenser, Distributor - 30 MFD	304-0016	1	Resistor - 2.5 OHM, 50 (Adjustable)
336-1464	1	Lead Assembly, Points To Coil (Plugs 1 & 4, 22")	304-0283	1	Resistor - 35 OHM, 25 W
336-1680	1	Lead Assembly, Points To Coil (Plugs 2 & 3, 24")	304-0194	1	Resistor - 50 OHM, 25 W (Adjustable)
337-0068	1	Strap, Ground - Distributor	304-0268	1	Resistor - 5 OHM, 50 W (Adjustable)
166-0397	1	Gasket, Distributor - Cover To Adapter	332-0604	1	Block, Terminal - 5 Place
166-0354	1	Gear, Drive - Distributor	332-0616	1	Strip, Marker - 5 Place
166-0615	1	Plate, Distributor Breaker			
166-0616	1	Plate, Distributor Cam And Stop			
166-0245	2	Point Set, Distributor Breaker			
166-0608	2	Terminal Stud And Parts Package - Distributor			
166-0061	2	Nut, Lock - Contact Screw			
166-0474	1	Bracket, Coil Mounting			
166-0437	2	Coil, Ignition - Each Coil Includes Capacitor And "O" Ring			
509-0102	2	"O" Ring (One Per Coil)			
312-0083	2	Capacitor, Ignition Coil - 1.75 MFD, 20 AMP (One Per Coil)			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-4XR **SPEC** 16813AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4793-06 (SWBD) 615-0377

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Vacu - Flo Cooling (See Air Housing)					
Skid and Battery Rack (See Housing Option)					
Switchboard Control					
102-0549	1	Base, Oil			
112-0106	4	Piston and Pin			
502-0394	2	Connector, Cylinder Head			
134-3081	1	Guard, Scroll Outlet			
508-0109	1	Grommet, Rubber - 1" Hole			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
416-0522	1	Plate, Battery Mounting			
301-2116	1	Panel, Instrument			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3R **SPEC** 16818AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG) 612-4794-01 (AC) 612-1559-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Fuel Tank Housed Low Oil Pressure Cut Off High Air Temperature Cut Off Meter Panel					
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	<b>Holder</b> , Fuse			
320-0104	1	Relay, Low Oil Pressure			
301-2288	1	Panel, Meter			
The following parts refer to the regulator filter assembly:					
232-2589	1	Regulator Filter Package - (for complete replacement) includes drawings and unlisted miscellaneous hardware items			
232-2462	1	Box, Mounting			
232-2463	1	Cover, Mounting Box			
312-0197	1	Capacitor			
312-0198	2	Bracket, Capacitor Mounting			
508-0071	1	Grommet, Rubber - 7/8" Hole			
304-0120	2	Resistor, Fixed - 2 OHM, 25 Watts			
304-0015	4	Washer, Resistor Centering			
304-0292	2	Insulator, Resistor			
813-0112	2	Screw - RHM (10-32 x 2½") Resistor Mounting			
338-1165	1	Harness, Wiring			
625-1304	-	Wiring Diagram			

SPECIAL PARTS LIST FOR MODEL 15.0JC-18R31 SPEC 16879AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. \_\_\_\_\_ (ENG) 612-4997-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Skid and Battery Rack (See Housing Option)					
Gas Fuel System					
NOTE: Pennsylvania Approved					
102-0549	1	Base, Oil			
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3CR **SPEC** 16880AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Vacu - Flo Cooling (See Air Housing)					
Skid and Battery Rack (See Housing Option)					
Low Oil Pressure Cut Off					
112-0106	4	Piston and Pin			
134-3081	1	Guard, Scroll Outlet			
508-0109	1	Grommet, Rubber - 1" Hole			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 16880AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option)					
Vacu - Flo Cooling (See Air Housing)					
Low Oil Pressure Cut Off					
Gas Fuel System					
112-0106	4	Piston and Pin			
134-3081	1	Guard, Scroll Outlet			
508-0109	1	Grommet, Rubber - 1" Hole			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 16882AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO. (Eng) 612-4848-01 (AC) 612-1559-05**

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Fuel Tank					
Housed					
Air Shutter					
Meter Panel					
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2288	1	Panel, Meter			
338-0917	1	Harness, Wiring - Voltage			
		Regulator to Exciter			
		Stator			
322-0004	3	Lamp, Indicator - Low Oil			
		Pressure (1) High Air			
		Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil			
		Pressure			
307-0655	2	Relay, Latching - High Air			
		Temp. (1) Overspeed (1)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
309-0270	1	Thermostat - Low Engine Temp			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 15.0JC-18R SPEC 16883AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Air Shutter					
Low Oil Pressure Cut Off					
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			



SPECIAL PARTS LIST FOR MODEL 15.0JC-18R SPEC 16899AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4858-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Gas Fuel System					
Housed					
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
309-0270	1	Thermostat - Low Engine Temp.			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 15.0JC-5DR SPEC 16923AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-4848-04 (AC) 612-1556-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off High Air Temperature Cut Off Overspeed Cut Off Housed Air Shutter Adjustable Voltage Regulator Meter Panel					
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2204	1	Panel, Meter			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3R **SPEC** 16931AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (Eng)612-4997-01(AC)612-1559-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Gas Fuel System					
Housed					
Meter Panel					
102-0549	1	Base, Oil			
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2288	1	Panel, Meter			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-18R **SPEC** 16932AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4858-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
309-0270	1	Thermostat - Low Engine Temperature			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4R SPEC 16943AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO(ENG) 612-4997-02 (AC) 612-1469-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas - Gasoline Fuel System					
Housed					
Meter Panel					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2204	1	Panel, Meter			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4XR SPEC 16944AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4860-02 (AC) 612-1851

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Fuel Tank					
Housed					
Meter Panel					
309-0206	1	Switch, High Air Temperature			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2308	1	Panel, Meter			
304-0305	1	Resistor, Fixed - Meter Panel			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
322-0004	2	Lamp, Indicator - High Air			
		Temperature (1) Low Oil			
		Pressure (1)			
322-0069	2	Holder, Indicator Lamp			
320-0221	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Latching - High Air			
		Temperature			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
301-2376	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 16954AA  
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4793-02 (AC) 612-5212-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Fuel Tank			
		Housed			
		Meter Panel			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2449	1	Panel, Meter			

SPECIAL PARTS LIST FOR MODEL 12.5JC-4R SPEC 16976AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-4793-06 (SWBD) 615-0370

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling (See Air Housing) Skid and Battery Rack (See Housing Option) Gas Fuel System Switchboard Control					
102-0549	1	Base, Oil			
134-3081	1	Guard, Scroll Outlet			
508-0109	1	Grommet, Rubber - 1" Hole			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
301-2077	1	Panel, Instrument			



SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R **SPEC** 17003AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4997-06 (SWBD) 615-0371

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off High Air Temperature Cut Off Overspeed Cut Off Skid and Battery Rack (See Housing Option) LPG Fuel System Switchboard Control					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
302-0458	3	Ammeter, AC			
301-2099	1	Panel, Instrument			
301-0500	1	Box Assembly, Meter - Includes Box, Cover and Grommet			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4R SPEC 17013AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-4794-06 (SWBD) 615-037

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option)					
Low Oil Pressure Cut Off					
LPG Fuel System					
Switchboard Control					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
302-0458	3	Ammeter, Ac			
301-2099	1	Panel, Instrument			
301-0500	1	Box Assembly, Meter - Includes Box, Cover and Grommet			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3R **SPEC** 17016AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4997-05 (SWBD) 615-0373-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling (See Air Housing) Low Oil Pressure Cut Off High Air Temperature Cut Off Overspeed Cut Off Gas Fuel System Switchboard Control					
102-0549	1	Base, Oil			
309-0171	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
134-3081	1	Guard, Scroll Outlet			
302-0458	2	Ammeter, AC			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			
301-2086	1	Panel, Instrument			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3CR **SPEC** 17017AA  
**FOR STANDARD PARTS REFER TO CATALOG** 967-0220 **KEY NO.** 2  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4852-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
High Air Temperature Cut Off Vacu - Flo Cooling (See Air Housing) Low Oil Pressure Cut Off NOTE: Mobile Unit					
231-0171	1	Adapter, Generator			
505-0098	1	Nipple, Close - Fuel Pump to Fuel Solenoid Valve			
502-0020	1	Elbow, Street - Fuel Pump to Fuel Solenoid Valve			
307-1279	1	Valve, Fuel Solenoid			
502-0003	1	Connector, Inverted Male - Fuel Solenoid Valve Inlet			
134-3081	1	Guard, Scroll Outlet			
309-0162	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
234-0492	1	Cover, Generator Air Outlet			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
301-2467	1	Box, Output			
301-2466	1	Cover, Output Box			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 17021AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng)612-4848-05 (SWBD)615-0373-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Overspeed Cut Off			
		Vacu-Flo Cooling			
		Switchboard Control			
134-3081	1	Guard, Scroll Outlet			
309-0162	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
302-0458	2	Ammeter, AC			
301-2086	1	Panel, Instrument			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4XR SPEC 17021AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4848-06 (SWBD)615-0381-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Switchboard Control			
		Vacu-Flo Cooling			
301-2116	1	Panel, Instrument			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
307-1129	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
517-0012	1	Plug, Dot Button - 5/8"			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR **SPEC** 17026AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Low Oil Pressure Cut Off					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
The following parts refer to the regulator filter assembly:					
232-2589	1	Regulator Filter Package - (For Complete Replacement) Includes Drawings and Unlisted Miscellaneous Hardware Items			
232-2462	1	Box, Mounting			
232-2463	1	Cover, Mounting Box			
312-0197	1	Capacitor			
312-0198	2	Bracket, Capacitor Mounting			
508-0071	1	Grommet, Rubber - 7/8" Hole			
304-0120	2	Resistor, Fixed - 2 OHM, 25 Watts			
304-0015	4	Washer, Resistor Centering			
304-0292	2	Insulator, Resistor			
813-0112	2	Screw-RHM (10-32 x 2 1/2") Resistor Mounting			
338-1165	1	Harness, Wiring			
625-1304	-	Wiring Diagram			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3CR SPEC 17029AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4858-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Overspeed Cut Off			
		Gas Fuel System			
		Housed			
102-0549	1	Base, Oil			
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
309-0270	1	Thermostat - Low Engine Temp.			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3R131 **SPEC** 17045AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4793-01 (AC) 612-3832-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System Housed Meter Panel NOTE: Pennsylvania Approved					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
301-2453	1	Panel, Meter			



SPECIAL PARTS LIST FOR **MODEL** 15.0JC-5DR **SPEC** 17049AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4997-06 (SWBD) 615-0376

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling (See Air Housing)			304-0120	2	Resistor, Fixed - 2 OHM, 25 Watts
Low Oil Pressure Cut Off			304-0015	4	Washer, Resistor Centeri
High Air Temperature Cut Off			304-0292	2	Insulator, Resistor
Overspeed Cut Off			813-0112	2	Screw - RHM (10-32 x 2½" Resistor Mounting
Gas - Gasoline Fuel System			338-1165	1	Harness, Wiring
Switchboard Control			625-1304	-	Wiring Diagram
102-0549	1	Base, Oil			
309-0171	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
134-3081	1	Guard, Scroll Outlet			
301-2099	1	Panel, Instrument			
301-0500	1	Box Assembly, Meter - Includes Box, Cover and Grommet			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp.(1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			
The following parts refer to the regulator filter assembly:					
232-2589	1	Regulator Filter Package - (For complete replacement) includes drawings and unlisted miscellaneous hardware items			
232-2462	1	Box, Mounting			
232-2463	1	Cover, Mounting Box			
312-0197	1	Capacitor			
312-0198	2	Bracket, Capacitor Mounting			
508-0071	1	Grommet, Rubber - 7/8" Hole			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-53CR **SPEC** 17059AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-5230-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling (See Air Housing)			232-2462	1	Box, Mounting
Low Oil Pressure Cut Off			232-2463	1	Cover, Mounting Box
Overspeed Cut Off			312-0197	1	Capacitor
High Air Temperature Cut Off			312-0198	2	Bracket, Capacitor Mounting
			508-0071	1	Grommet, Rubber - 7/8" Hole
134-3081	1	Guard, Scroll Outlet	304-0120	2	Resistor, Fixed - 2 OHM, 25 Watts
309-0171	1	Switch, High Air Temperature	304-0015	4	Washer, Resistor Centering
508-0002	1	Grommet, Rubber - High Air Temp. Switch Harness	304-0292	2	Insulator, Resistor
338-0337	1	Harness, Wiring - High Air Temperature Switch	813-0112	2	Screw-RHM (10-32 x 2 1/2") Resistor Mounting
508-0109	1	Grommet, Rubber - 1" Hole	338-1165	1	Harness, Wiring
220-2679	1	Stator, Wound - Generator	625-1304	-	Wiring Diagram
201-2313	1	Rotor Assembly, Wound - Generator	The following parts refer to the over-undervoltage control:		
201-2299	1	Rotor, Exciter - Wound	307-1131	2	Relay (SPDT) (Over Voltage (1) and Under Voltage (1))
234-0532	1	Baffle, Air	307-1158	1	Relay, Time Delay After Plant Shutdown (Marked L1, L3, L2)
220-2308	1	Stator, Exciter - Wound	307-1186	1	Relay, Time Delay After Plant Start (Marked - L)
305-0541	1	Regulator, Voltage - Non-Adjustable (for component parts use parts listed for 305-0532 Voltage regulator except parts marked #)	307-0655	1	Relay, Stop (Latch)
301-3834	1	#Panel, Mounting - Voltage Regulator	304-0094	1	Resistor, Adjustable - 50 OHM, 25 Watts
300-1405	1	#Printed Circuit Board assembly (for component parts use parts listed for 300-1404 printed Circuit Board)	315-0361	2	Transformer, Stepdown
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)	332-0503	1	Block, Terminal - 8 Place
322-0069	3	Holder, Indicator Lamp	332-0525	1	Strip, Marker - Use With 332-0503 Terminal Block
320-0259	1	Limiter, Cranking - Low Oil Pressure	625-1442	-	Diagram, Wiring - Over-Undervoltage Control
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)	300-0780	2	Module, Voltage Sensor (over Voltage Sensor (1) and Under Voltage Sensor (1) Includes Printed Circuit Board, Mounting Panel for Board and Knob)
332-0706	2	Block, Terminal - 8 Place	323-0816	1	Rack Assembly - Module - includes Module Rack, Guides, Terminal Housing Socket and Terminal Block Assembly, Keying Plugs Miscellaneous Leads and Hardware
332-0707	1	Strip, Marker (Blank)			
301-3567	1	Panel, Control			
The following parts refer to the regulator filter assembly:					
232-2589	1	Regulator Filter Package - (for complete replacement) includes drawings and unlisted miscellaneous hardware items			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-9XR **SPEC** 17068AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-5232-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option)					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Gas Fuel System					
309-0206	1	Switch, High Air Temperature			
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3R **SPEC** 17071AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (Eng)612-4794-01 (AC)612-1559-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Day Tank (One Quart)					
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Meter Panel					
102-0549	1	Base, Oil			
502-0020	1	Elbow, Street - Fuel Pump Inlet			
504-0007	1	Valve, Fuel Pump Inlet			
502-0002	2	Elbow, Inverted Flare - Day Tank Fuel Line to Fuel Pump Inlet Valve (1) and Day Tank Fuel Line to Carburetor Inlet (1)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2288	1	Panel, Meter			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR **SPEC** 17075AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4793-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System Housed					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
The following parts refer to the regulator Filter assembly:					
232-2589	1	Regulator Filter Package - (For Complete Replacement) Includes Drawings and Unlisted Miscellaneous Hardware Items			
232-2462	1	Box, Mounting			
232-2463	1	Cover, Mounting Box			
312-0197	1	Capacitor			
312-0198	2	Bracket, Capacitor Mounting			
508-0071	1	Grommet, Rubber - 7/8" Hole			
304-0120	2	Resistor, Fixed - 2 OHM, 25 Watts			
304-0015	4	Washer, Resistor Centering			
304-0292	2	Insulator, Resistor			
813-0112	2	Screw-RHM (10-32 x 2 1/2") Resistor Mounting			
338-1165	1	Harness, Wiring			
625-1304	-	Wiring Diagram			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3R **SPEC** 17076AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4860-05 (SWBD) 615-0372-1

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Switchboard Control					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
302-0458	2	Ammeter, AC			
301-2085	1	Panel, Instrument			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
322-0004	2	Lamp, Indicator - High Air Temperature (1) Low Oil Pressure (1)			
322-0069	2	Holder, Indicator Lamp			
320-0221	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Latching - High Air Temperature			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
301-2376	1	Panel, Control			

WIRING DIAGRAM NO. (ENG) 612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas Fuel System					
Housed					
Air Shutter					
102-0549	1	Base, Oil			
112-0106	4	Piston and Pin			
134-3081	1	Guard, Scroll Outlet			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

Dated Sept 1, 1978

Revised

Page 1 of 1

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 17091AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas Fuel System					
Air Shutter					
Housed					
102-0549	1	Base, Oil			
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			



SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3R **SPEC** 17100AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (Eng)612-4793-01 (AC)612-1786-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System Housed High Air Temperature Cut Off Meter Panel					
102-0549	1	Base, Oil			
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-1554	1	Panel, Meter			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3R SPEC 17101AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-01 (AC) 612-1786-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Housed					
High Air Temperature Cut Off					
Meter Panel					
102-549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-1554	1	Panel, Meter			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3CR **SPEC** 17103AA  
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4793-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System Housed Air Shutter High Air Temperature Cut Off					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			

SPECIAL PARTS LIST FOR MODEL 15.0JC-18R SPEC 17106AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option)					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas Fuel System					
102-0549	1	Base, Oil			
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 17112AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (Eng) 612-4997-05 (SWBD) 615-0373-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off High Air Temperature Cut Off Overspeed Cut Off Vacu-Flo Cooling (See Air Housing) Gas Fuel System Switchboard Control					
112-0106	4	Piston and Pin			
309-0171	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
134-3081	1	Guard, Scroll Outlet			
302-0458	2	Ammeter, AC			
301-2086	1	Panel, Instrument			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4R SPEC 1711ZAA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-4997-06 (SWBD) 615-0371-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Vacu - Flo Cooling (See Air Housing)					
Gas Fuel System					
Switchboard Control					
112-0106	4	Piston and Pin			
309-0171	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air			
		Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air			
		Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
134-3081	1	Guard, Scroll Outlet			
302-0458	3	Ammeter, AC			
301-2099	1	Panel, Instrument			
301-0500	1	Box Assembly, Meter -			
		Includes Box, Cover and			
		Grommet			
338-0917	1	Harness, Wiring - Voltage			
		Regulator to Exciter			
		Stator			
322-0004	3	Lamp, Indicator - Low Oil			
		Pressure (1) High Air			
		Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil			
		Pressure			
307-0655	2	Relay, Latching - High Air			
		Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3R **SPEC** 17112AB  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG)612-5573-05 (SWBD)615-0373-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Vacu-Flo Cooling					
Switchboard Control					
112-0106	4	Piston And Pin			
301-2086	1	Panel, Instrument			
322-0004	3	Lamp, Indicator			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-1519	1	Relay - High Air Temperature And Overspeed			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker - Blank			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 17113AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** \_\_\_\_\_ **(ENG)** 612-4858-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off High Air Temperature Cut Off Overspeed Cut Off Gas - Gasoline Fuel System Day Tank (One Quart)					
502-0002	2	Elbow, Inverted Flare - Day Tank Fuel Line to Fuel Pump Inlet Valve (1) and Day Tank Fuel Line to Carburetor Inlet (1)			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
309-0270	1	Thermostat - Low Engine Temp.			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			



SPECIAL PARTS LIST FOR **MODEL** 12.5JC-4XR **SPEC** 17115AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO**(ENG) 612-4793-02 (AC) 612-1859-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System Housed Meter Panel					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2373	1	Panel, Meter			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3R **SPEC** 17115AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (Eng) 612-4793-01 (AC) 612-1786-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System Housed Meter Panel					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-1554	1	Panel, Meter			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-4R **SPEC** 17125AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG) 612-4997-06 (SWBD) 615-0371

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option)			309-0206	1	Switch, High Air Temperature
Low Oil Pressure Cut Off			140-0645	1	Adapter, Oil Bath Air Cleaner Type
High Air Temperature Cut Off					
Overspeed Cut Off					
Day Tank (One quart)					
Switchboard Control					
502-0020	1	Elbow, Street - Fuel Pump Inlet			
504-0007	1	Valve, Fuel Pump Inlet			
502-0002	2	Elbow, Inverted Flare - Day Tank Fuel Line to Fuel Pump Inlet Valve (1) and Day Tank Fuel Line to Carburetor Inlet (1)			
140-0721	1	Cleaner, Air - Includes Element and Baffle			
140-0765	1	Element, Air Cleaner			
140-1267	1	Baffle, Air Cleaner			
140-0722	2	Band, Air Cleaner Mounting			
503-0274	4	Clamp, Hose - Air Cleaner			
503-0419	1	Elbow, Rubber - Air Cleaner			
140-1271	1	Bracket, Air Cleaner Mtg.			
140-0740	1	Tube, Intake - Air Cleaner			
503-0330	1	Hose, Air Cleaner Connector			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
416-0522	1	Plate, Battery Mounting			
301-2099	1	Panel, Instrument			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			
301-0500	1	Box Assembly, Meter - Includes Box, Cover and Grommet			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3R **SPEC** 17126AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4858-01 (AC) 612-1559-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Fuel Tank					
Housed					
Meter Panel					
Gas - Gasoline Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temp.			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2288	1	Panel, Meter			
134-1805	1	Duct, Air			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
309-0270	1	Thermostat - Low Engine Temperature			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3R **SPEC** 17127AA  
FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 2  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (Eng) 612-4793-07 (SWBD) 615-0373-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Switchboard Control			
		Adjustable Voltage Regulator			
302-0458	2	Ammeter, AC			
301-2086	1	Panel, Instrument			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 17132AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng)612-4794-01 (AC)612-1559-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Fuel Tank					
Housed					
Low Oil Pressure Cut Off					
Air Shutter					
Meter Panel					
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2288	1	Panel, Meter			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3R SPEC 17135AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO(ENG) 612-4794-05 (SWBD) 615-0372-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Vacu - Flo Cooling (See Air Housing)					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Switchboard Control					
134-3081	1	Guard, Scroll Outlet			
309-0162	1	Switch, High Air Temp.			
508-0002	1	Grommet, Rubber - High Air			
		Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air			
		Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
302-0458	2	Ammeter, AC			
301-2085	1	Panel, Instrument			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R **SPEC** 17135AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO**(ENG) 612-4794-06 (SWBD) 615-0370-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling (See Air Housing) Low Oil Pressure Cut Off High Air Temperature Cut Off LPG Fuel System Switchboard Control					
134-3081	1	Guard, Scroll Outlet			
309-0162	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
301-2077	1	Panel, Instrument			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
302-0458	3	Ammeter, AC			



SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 17136AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 512-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
220-2043	1	Stator, Wound - Generator			
201-2158	1	Rotor Assembly, Wound - Generator			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 17136AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas - Gasoline Fuel System					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
220-2044	1	Stator, Wound - Generator			
201-2159	1	Rotor Assembly, Wound - Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			
521-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

**(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)**

**WIRING DIAGRAM NO. (ENG) 612-5559-02**

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
220-2043	1	Stator, Generator			
201-2158	1	Rotor Assembly, Generator			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			



SPECIAL PARTS LIST FOR MODEL 12.5JC-3CR SPEC 17142AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO. (ENG) 612-4794-01**

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Skid and Battery Rack (See Housing Option)					
Low Oil Pressure Cut Off					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
505-0002	2	Nipple, Oil Drain			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-18R **SPEC** 17148AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu-Flo Cooling Low Oil Pressure Cut Off High Air Temperature Cut Off					
220-2043	1	Stator, Generator			
201-2158	1	Rotor Assembly, Generator			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR MODEL 15.0JC-18R SPEC 17148AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling (See Air Housing) Low Oil Pressure Cut Off High Air Temperature Cut Off					
134-3081	1	Guard, Scroll Outlet			
309-0162	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
220-2044	1	Stator, Wound - Generator			
201-2159	1	Rotor Assembly, Wound - Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3R **SPEC** 17151AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (Eng)612-4997-07(SWBD)615-0373-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off High Air Temperature Cut Off Overspeed Cut Off LPG Fuel System Vacu-Flo Cooling (See Air Housing) Switchboard Control Adjustable Voltage Regulator					
140-0645	1	Adapter, Oil Bath Air Cleaner Type			
309-0171	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
134-3081	1	Guard, Scroll Outlet			
302-0458	2	Ammeter, AC			
301-2086	1	Panel, Instrument			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			
Parts Not Furnished by Onan: Air Cleaner and Associated Parts					



SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 17156AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4858-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Gas Fuel System					
Housed					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp (1) Overspeed (1)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
309-0270	1	Thermostat - Low Engine Temperature			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4R SPEC 17162AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO(ENG) 612-4794-02 (AC) 612-1469-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Fuel Tank					
Housed					
Air Shutter					
Meter Panel					
102-0549	1	Base Oil			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
220-2044	1	Stator, Wound - Generator			
201-2150	1	Rotor Assembly, Wound -			
		Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			
301-2204	1	Panel, Meter			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

PARTS LIST FOR **MODEL** 12.5JC-3R **SPEC** 17163AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO. (ENG) 612-4793-05 (SWBD) 615-0373-**

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Switchboard Control					
102-0818	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
302-0458	2	Ammeter, AC			
301-2086	1	Panel, Instrument			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 17164AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 512-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Low Oil Pressure Cut Off					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
220-2043	1	Stator, Wound - Generator			
201-2158	1	Rotor Assembly, Wound - Generator			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
321-0146	1	Fuse -10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 17164AB  
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG)612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off Gas - Gasoline Fuel System					
102-0549	1	Base, Oil			
220-2044	1	Stator, Generator			
201-2159	1	Rotor Assembly, Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4R131 SPEC 17180AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4858-06 (SWBD) 615-0371

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off High Air Temperature Cut Off Overspeed Cut Off LPG Fuel System Air Shutter Switchboard Control NOTE: Pennsylvania Approved					
309-0206	1	Switch, High Air Temperature			
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0287	2	Cushion, Vibration - Generator End			
302-0458	3	Ammeter, AC			
301-2099	1	Panel, Instrument			
301-0500	1	Box Assembly, Meter - Includes Box, Cover and Grommet			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
309-0270	1	Thermostat - Low Engine Temp			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3CR131 **SPEC** 17187AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (Eng)612-4793-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option) LPG Fuel System NOTE: Pennsylvania Approved					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3R SPEC 17188AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO.(ENG) 612-4794-05 (SWBD) 615-0373

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Skid and Battery Rack (See Housing Option)					
Switchboard Control					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
416-0522	1	Plate, Battery Mounting			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
302-0458	2	Ammeter, AC			
301-2086	1	Panel, Instrument			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			



SPECIAL PARTS LIST FOR **MODEL** 12.5JC-4R **SPEC** 17200AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4997-06 (SWBD) 615-0371

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Gas - Gasoline Fuel System			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Switchboard Control			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temp.			
301-2099	1	Panel, Instrument			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			
301-0500	1	Box Assembly, Meter - Includes Box, Cover and Grommet			

SPECIAL PARTS LIST FOR MODEL 12.5JC-5DR SPEC 17200AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4997-06 (SWBD) 615-0376

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Gas - Gasoline Fuel System					
Switchboard Control					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
301-2116	1	Panel, Instrument			
301-0994	1	Box Assembly, Meter - Includes Box, Cover and Grommet			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3R **SPEC** 17200AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (Eng)612-4997-05 (SWBD)615-0373-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off High Air Temperature Cut Off Overspeed Cut Off Gas-Gasoline Fuel System Switchboard Control					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
302-0458	2	Ammeter, AC			
301-2086	1	Panel, Instrument			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R **SPEC** 17200AB  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-5573-06 (SWBD) 615-0371-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Switchboard Control					
309-0206	1	Switch, High Air Temperature			
301-2099	1	Panel, Instrument			
322-0004	3	Lamp, Indicator			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limitter, Cranking - Low Oil Pressure			
307-1519	1	Relay - High Air Temperature And Overspeed			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker - Blank			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3R **SPEC** 17201AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (Eng) 612-4794-01 (AC) 612-1786-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
LPG Fuel System					
Housed					
Meter Panel					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-1554	1	Panel, Meter			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3R **SPEC** 17202AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (Eng) 612-4794-05 (SWBD) 615-0372-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off High Air Temperature Cut Off Switchboard Control Vacu-Flo Cooling (See Air Housing) LPG Fuel System					
102-0549	1	Base, Oil			
134-3081	1	Guard, Scroll Outlet			
309-0162	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
302-0458	2	Ammeter, AC			
301-2085	1	Panel, Instrument			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 17206AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng) 612-4794-05 (SWBD) 615-0373-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Skid and Battery Rack (See Housing Option)					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Switchboard Control					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
416-0522	1	Plate, Battery Mounting			
302-0458	2	Ammeter, AC			
301-2086	1	Panel, Instrument			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
The Following Parts Refer to the Regulator Filter Assembly:					
232-2589	1	Regulator Filter Package - (For Complete Replacement) Includes Drawings and Unlisted Miscellaneous Hardware Items			
232-2462	1	Box, Mounting			
232-2463	1	Cover, Mounting Box			
312-0197	1	Capacitor			
312-0198	2	Bracket, Capacitor Mounting			
508-0071	1	Grommet, Rubber - 7/8" Hole			
304-0120	2	Resistor, Fixed - 2 Ohm, 25 Watts			
304-0015	4	Washer, Resistor Centering			
304-0292	2	Insulator, Resistor			
813-0112	2	Screw - RHM (10-32 x 2-1/2") Resistor Mounting			
338-1165	1	Harness, Wiring			
625-1304	-	Wiring Diagram			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R **SPEC** 17207AA

FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2

(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4794-02 (AC) 612-1486-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		LPG Fuel System Housed Air Duct And Shutter AC Meter Panel Low Oil Pressure Cut Off High Air Temperature Cut Off			
102-0549	1	Base, Oil			
301-2088	1	Panel, Meter			



SPECIAL PARTS LIST FOR **MODEL** 12.5JC-18R **SPEC** 17219AA  
FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 1  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
231-0171	1	Adapter, Generator			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 17223AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas - Gasoline Fuel System					
Air Shutter					
140-0645	1	Adapter, Oil Bath Air Cleaner Type			
140-0721	1	Cleaner, Air - Includes Element and Baffle			
140-0765	1	Element, Air Cleaner			
140-1267	1	Baffle, Air Cleaner			
140-0722	2	Band, Air Cleaner Mounting			
503-0274	4	Clamp, Hose - Air Cleaner			
503-0419	1	Elbow, Rubber - Air Cleaner			
140-1271	1	Bracket, Air Cleaner Mtg.			
140-0740	1	Tube, Intake - Air Cleaner			
140-0723	1	Pre - Cleaner - Air Cleaner			
503-0330	1	Hose, Air Cleaner Connector			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 17225AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling (See Air Housing)					
Low Oil Pressure Cut Off					
Gas Fuel System					
102-0549	1	Base, Oil			
112-0106	4	Piston and Pin			
502-0394	2	Connector, Cylinder Head			
134-3081	1	Guard, Scroll Outlet			
508-0109	1	Grommet, Rubber - 1" Hole			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 17229AA  
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas Fuel System					
Air Shutter					
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			



SPECIAL PARTS LIST FOR MODEL 12.5JC-4XR SPEC 17238AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO(ENG) 612-4848-02 (AC) 612-1851-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Overspeed Cut Off			
		Gas Fuel System			
		Housed			
		Air Shutter			
		Meter Panel			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
304-0305	1	Resistor, Fixed - Meter Panel			
301-2308	1	Panel, Meter			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-4R **SPEC** 17253AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4997-06 (SWBD) 615-0371

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling (See Air Housing) Low Oil Pressure Cut Off High Air Temperature Cut Off Overspeed Cut Off Gas Fuel System Switchboard Control					
309-0171	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
134-3081	1	Guard, Scroll Outlet			
301-2099	1	Panel, Instrument			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			
301-0500	1	Box Assembly, Meter - Includes Box, Cover and Grommet			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R **SPEC** 17265AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4997-04 (AC) 612-1469-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off High Air Temperature Cut Off Overspeed Cut Off Housed Adjustable Voltage Regulator Meter Panel					
309-0206	1	Switch, High Air Temperature			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2204	1	Panel, Meter			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			



SPECIAL PARTS LIST FOR MODEL 15.0JC-3CR SPEC 17266AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4848-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Skid and Battery Rack (See Housing Option)			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Overspeed Cut Off			
		Gas - Gasoline Fuel System			
		Air Shutter			
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-5DR **SPEC** 17279AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4793-02 (AC) 612-1556-03

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Fuel Tank					
Housed					
Meter Panel					
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
220-2044	1	Stator, Wound - Generator			
201-2159	1	Rotor Assembly, Wound - Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			
301-2204	1	Panel, Meter			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4XR SPEC 17281AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4858-02 (AC) 612-1851-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Fuel Tank					
Housed					
Meter Panel					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
102-0549	1	Base, Oil			
309-0206	1	Switch, High Air Temperature			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2308	1	Panel, Meter			
304-0305	1	Resistor, Fixed - Meter Panel			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
309-0270	1	Thermostat - Low Engine Temp.			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3R **SPEC** 17282AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (Eng)612-4794-05(SWBD)615-0373-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Switchboard Control					
Gas Fuel System					
112-0106	4	Piston and Pin			
140-0645	1	Adapter, Oil Bath Air			
		Cleaner Type			
331-0103	1	Grommet, Hose (Regulator to			
		Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
302-0458	2	Ammeter, AC			
301-2086	1	Panel, Instrument			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
Parts Not Furnished by Onan:					
Air Cleaner and Associated Parts					