

The following catalog
has gaps in its page
numbers, or doesn't
have any numbers.
We have chosen to
leave the page
numbering in the
order that Acrobat
assigns it.

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-4R **SPEC** 17300AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO(ENG) 612-4997-02 (AC) 612-1469-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut Off					
Fuel Tank					
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Meter Panel					
309-0206	1	Switch, High Air Temp.			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2204	1	Panel, Meter			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 12.5JC-53R SPEC 17300AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO.(ENG) 612-4997-01 (AC) 612-1559-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Fuel Tank					
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Meter Panel					
Overspeed Cut Off					
309-0206	1	Switch, High Air Temperature			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2288	1	Panel, Meter			
338-C917	1	Harness, Wiring - Voltage			
		Regulator to Exciter			
		Stator			
322-0004	3	Lamp, Indicator - Low Oil			
		Pressure (1) High Air			
		Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil			
		Pressure			
307-0655	2	Relay, Latching - High Air			
		Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 17300AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng)612-4997-01(AC)612-1559-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Fuel Tank					
Housed					
Meter Panel					
309-0206	1	Switch, High Air Temperature			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2288	1	Panel, Meter			
338-0917	1	Harness, Wiring - Voltage			
		Regulator to Exciter			
		Stator			
322-0004	3	Lamp, Indicator - Low Oil			
		Pressure (1) High Air			
		Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil			
		Pressure			
307-0655	2	Relay, Latching - High Air			
		Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 15.JC-3CR SPEC 17319AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4848-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut Off					
LPG Fuel System					
Low Oil Pressure Cut Off					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR MODEL 12.5JC-57R SPEC 17341AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO.(ENG) 612-5256-06 (SWBD) 615-0374-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Switchboard Control					
140-0645	1	Adapter, Oil Bath Air Cleaner Type			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
220-2661	1	Stator, Wound - Generator			
201-2313	1	Rotor Assembly, Wound - Generator			
201-2299	1	Rotor, Exciter - Wound			
220-2308	1	Stator, Exciter - Wound			
234-0532	1	Baffle, Air			
301-2116	1	Panel, Instrument			
301-0994	1	Box Assembly, Meter - includes Box, Cover and Grommet			
305-0541	1	Regulator, Voltage - Non- Adjustable (for component parts use parts listed for 305-0532 voltage regulator except parts marked #)			
301-3834	1	#Panel, Mounting - Voltage Regulator			
300-1405	1	#Printed Circuit Board Assembly (for component parts use parts listed for 300-1404 printed circuit board)			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 17351AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (Eng)612-4794-05 (SWBD)615-0373-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu-Flo Cooling (See Air Housing) Skid and Battery Rack (See Housing Option) LPG Fuel System Low Oil Pressure Cut Off Switchboard Control					
508-0109	1	Grommet, Rubber - 1" Hole			
134-3081	1	Guard, Scroll Outlet			
302-0458	2	Ammeter, AC			
301-2086	1	Panel, Instrument			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4R SPEC 17355AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO(ENG) 612-4997-06 (SWBD) 615-0371-1

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Skid and Battery Rack (See Housing Option)					
Gas Fuel System					
Switchboard Control					
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
140-0645	1	Adapter, Oil Bath Air Cleaner Type			
140-0721	1	Cleaner, Air - Includes Element and Baffle			
140-0765	1	Element, Air Cleaner			
140-1267	1	Baffle, Air Cleaner			
140-0722	2	Band, Air Cleaner Mounting			
503-0274	4	Clamp, Hose - Air Cleaner			
503-0419	1	Elbow, Rubber - Air Cleaner			
140-1271	1	Bracket, Air Cleaner Mtg.			
140-0740	1	Tube, Intake - Air Cleaner			
140-0723	1	Pre-Cleaner - Air Cleaner			
503-0330	1	Hose, Air Cleaner Connector			
302-0458	3	Ammeter, AC			
301-2099	1	Panel, Instrument			
301-0500	1	Box Assembly, Meter - Includes Box, Cover and Grommet			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

Sept 1, 1978

1

1

Dated _____

Revised _____

Page _____ of _____

SPECIAL PARTS LIST FOR MODEL 12.5JC-3CR SPEC 17360AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4917-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Air Shutter					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
154-1224	1	Manifold, Intake			
148-0367	1	Switch, Vacuum			
502-0053	1	Elbow, Vacuum Switch			
505-0098	1	Nipple, Vacuum Switch			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
320-0104	1	Relay, Low Oil Pressure			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3R

SPEC

17364AA

FOR STANDARD PARTS REFER TO CATALOG 967-0220

KEY NO. 1

(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO(ENG) 612-4997-05 (SWBD) 615-0373-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Day Tank (One Quart)					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Vacu - Flo Cooling (See Air Housing)					
Switchboard Control					
502-0020	1	Elbow, Street - Fuel Pump Inlet			
504-0007	1	Valve, Fuel Pump Inlet			
502-0002	2	Elbow, Inverted Flare - Day Tank Fuel Line to Fuel Pump Inlet Valve (1) and Day Tank Fuel Line to Carburetor Inlet (1)			
309-0171	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
134-3081	1	Guard, Scroll Outlet			
302-0458	2	Ammeter, AC			
301-2086	1	Panel, Instrument			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR **SPEC** 17365AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4997-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		LPG Fuel System			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Air Shutter			
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 17366AA
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option)					
LPG Fuel System					
High Air Temperature Cut Off					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 17416AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng) 612-4850-05 (SWBD) 615-0373-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Switchboard Control					
Skid and Battery Rack (See Housing Option)					
Low Oil Pressure Cut Off					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
416-0522	1	Plate, Battery Mounting			
302-0458	2	Ammeter, AC			
301-2086	1	Panel, Instrument			
322-0004	1	Lamp, Indicator - Low Oil Pressure			
322-0069	1	Holder, Indicator Lamp			
320-0221	1	Relay, Low Oil Pressure			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3CR SPEC 17417AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Fuel Tank					
Housed					
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 12.SJC-18R SPEC 17438AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-02 (AC) 612-4895-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Fuel Tank Housed Meter Panel					
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
220-2043	1	Stator, Wound - Generator			
201-2158	1	Rotor Assembly, Wound - Generator			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
322-0044	2	Light, Pilot - Meter Panel			
302-0465	1	Meter, Running Time			
308-0203	1	Switch, Output Phase Selector			
301-3732	1	Panel, Meter			
301-2395	1	Bracket, Meter Panel Stop			
301-2727	1	Handle, Meter Panel			
The following parts refer to the regulator filter assembly:					
232-2589	1	Regulator Filter Package - (for complete replacement) includes drawings and unlisted miscellaneous hardware items			
232-2462	1	Box, Mounting			
232-2463	1	Cover, Mounting Box			
312-0197	1	Capacitor			
312-0198	2	Bracket, Capacitor Mounting			
508-0071	1	Grommet, Rubber - 7/8" Hole			
304-0120	2	Resistor, Fixed - 2 OHM, 25 Watts			
304-0015	4	Washer, Resistor Centering			
304-0292	2	Insulator, Resistor			
813-0112	2	Screw - RHM (10-32 x 2 1/2") Resistor Mounting			
338-1165	1	Harness, Wiring			
625-1304	-	Wiring Diagram			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 17442AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng)612-4851-01(AC)612-1559-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut Off					
Fuel Tank					
Housed					
High Air Temperature Cut Off					
Meter Panel					
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2288	1	Panel, Meter			
338-0917	1	Harness, Wiring - Voltage			
		Regulator to Exciter			
		Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR **SPEC** 17470AA
FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY	DESCRIPTION
LPG Fuel System					
High Air Temperature Cut Off					
Air Shutter					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3CR SPEC 17470AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (Eng)612-4793-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Air Shutter					
High Air Temperature Cut Off					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3R **SPEC** 17487AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-05 (SWBD) 615-0372-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Switchboard Control					
Vacu-Flo Cooling					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
112-0106	4	Piston And Pin			
301-2085	1	Panel, Instrument			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4R SPEC 17487AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-06 (SWBD) 615-0370

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Vacu - Flo Cooling (See Air Housing)					
Gas Fuel System					
Switchboard Control					
112-0106	4	Piston and Pin			
134-3081	1	Guard, Scroll Outlet			
309-0162	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air			
		Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air			
		Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
301-2077	1	Panel, Instrument			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
302-0458	3	Ammeter, AC			

Dated Sept 1, 1978

Revised

Page 1 of 1

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4XR **SPEC** 17487AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4794-06 (SWBD)615-0377-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off High Air Temperature Cut Off Switchboard Control Gas Fuel System Vacu-Flo Cooling					
112-0106	4	Piston And Pin			
301-2116	1	Panel, Instrument			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR **SPEC** 17498AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4860-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System Housed Air Shutter Low Oil Pressure Cut Off High Air Temperature Cut Off			538-1165 625-1304	1 -	Harness, Wiring Wiring Diagram
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
322-0004	2	Lamp, Indicator - High Air Temperature (1) Low Oil Pressure (1)			
322-0069	2	Holder, Indicator Lamp			
320-0221	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Latching - High Air Temperature			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
301-2376	1	Panel, Control			
The following parts refer to the regulator filter assembly:					
232-2589	1	Regulator Filter Package - (For complete replacement) includes drawings and unlisted miscellaneous hardware items			
232-2462	1	Box, Mounting			
232-2463	1	Cover, Mounting Box			
312-0197	1	Capacitor			
312-0198	2	Bracket, Capacitor Mounting			
508-0071	1	Grommet, Rubber - 7/8" Hole			
304-0120	2	Resistor, Fixed - 2 OHM, 25 Watts			
304-0015	4	Washer, Resistor Centering			
304-0292	2	Insulator, Resistor			
813-0112	2	Screw-RHM (10-32 x 2 1/2") Resistor Mounting			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3CR **SPEC** 17498AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (Eng)612-4860-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off			338-1165	1	Harness, Wiring
High Air Temperature Cut Off			625-1304	-	Wiring Diagram
LPG Fuel System					
Housed					
Air Shutter					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
322-0004	2	Lamp, Indicator - High Air Temperature (1) Low Oil Pressure (1)			
322-0069	2	Holder, Indicator Lamp			
320-0221	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Latching - High Air Temperature			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
301-2376	1	Panel, Control			
The Following Parts Refer to the Regulator Filter Assembly:					
232-2589	1	Regulator Filter Package - (For Complete Replacement) Includes Drawings and Unlisted Miscellaneous Hardware Items			
232-2462	1	Box, Mounting			
232-2463	1	Cover, Mounting Box			
312-0197	1	Capacitor			
312-0198	2	Bracket, Capacitor Mounting			
508-0071	1	Grommet, Rubber - 7/8" Hole			
304-0120	2	Resistor, Fixed - 2 Ohm, 25 Watts			
304-0015	4	Washer, Resistor Centering			
304-0292	2	Insulator, Resistor			
813-0112	2	Screw - RHM (10-32 x 2-1/2") Resistor Mounting			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 17502AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Low Oil Pressure Cut Off					
Fuel Tank					
Housed					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3CR **SPEC** 17502AA
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System Housed Low Oil Pressure Cut Off Fuel Tank					
102-0549	1	Base, Oil			
155-0360	1	Muffler, Critical			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 17503AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng) 612-4794-01 (AC) 612-1786-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas Fuel System					
Housed					
Air Shutter					
Meter Panel					
102-0549	1	Base, Oil			
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-1554	1	Panel, Meter			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
The Following Parts Refer to the Regulator Filter Assembly:					
232-2589	1	Regulator Filter Package - (For Complete Replacement) Includes Drawings and Unlisted Miscellaneous Hardware Items			
232-2462	1	Box, Mounting			
232-2463	1	Cover, Mounting Box			
312-0197	1	Capacitor			
312-0198	2	Bracket, Capacitor Mounting			
508-0071	1	Grommet, Rubber - 7/8" Hole			
304-0120	2	Resistor, Fixed - 2 Ohm, 25 Watts			
304-0015	4	Washer, Resistor Centering			
304-0292	2	Insulator, Resistor			
813-0112	2	Screw - RHM (10-32 x 2-1/2") Resistor Mounting			
338-1165	1	Harness, Wiring			
625-1304	-	Wiring Diagram			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR **SPEC** 17504AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5271-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2670	1	Stator, Wound - Generator			
201-2312	1	Rotor Assembly, Wound			
201-2299	1	Rotor, Exciter, Wound			
220-2308	1	Stator, Exciter - Wound			
234-0532	1	Baffle, Air			
305-0541	1	Regulator, Voltage - Non - Adjustable (For Component Parts Use Parts Listed For 305-0532 Voltage Regulator Except Parts Marked #)			
301-3834	1	#Panel, Mounting - Voltage Regulator			
300-1405	1	#Printed Circuit Board Assembly (For Component Parts Use Parts Listed For 300-1404 Printed Circuit Board)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3CR SPEC 17508AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO.(ENG) 612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
102-0549	1	Base, Gil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
The following parts refer to the regulator filter assembly:					
232-2589	1	Regulator Filter Package - (for complete replacement) includes drawings and unlisted miscellaneous Hardware items			
232-2462	1	Box, Mounting			
232-2463	1	Cover, Mounting Box			
312-0197	1	Capacitor			
312-0198	2	Bracket, Capacitor Mounting			
508-0071	1	Grommet, Rubber - 7/8" Hole			
304-0120	2	Resistor, Fixed - 2 OHM, 25 Watts			
304-0015	4	Washer, Resistor Centering			
304-0292	2	Insulator, Resistor			
813-0112	2	Screw-RHM (10-32 x 2½") Resistor Mounting			
338-1165	1	Harness, Wiring			
625-1304	-	Wiring Diagram			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3CR **SPEC** 17510AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng)612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu-Flo Cooling (See Air Housing)					
Gas Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
102-0549	1	Base, Oil			
112-0106	4	Piston and Pin			
309-0171	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air			
		Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air			
		Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
134-3081	1	Guard, Scroll Outlet			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
The Following Parts Refer to the Regulator					
Filter Assembly:					
232-2589	1	Regulator Filter Package -			
		(For Complete Replacement)			
		Includes Drawings and			
		Unlisted Miscellaneous			
		Hardware Items			
232-2462	1	Box, Mounting			
232-2463	1	Cover, Mounting Box			
312-0197	1	Capacitor			
312-0198	2	Bracket, Capacitor Mounting			
508-0071	1	Grommet, Rubber - 7/8" Hole			
304-0120	2	Resistor, Fixed - 2 Ohm,			
		25 Watts			
304-0015	4	Washer, Resistor Centering			
304-0292	2	Insulator, Resistor			
813-0112	2	Screw - RHM (10-32 x 2-1/2")			
		Resistor Mounting			
338-1165	1	Harness, Wiring			
625-1304	-	Wiring Diagram			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR **SPEC** 17511AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Vacu - Flo Cooling (See Air Housing)					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
134-3081	1	Guard, Scroll Outlet			
102-0549	1	Base, Oil			
309-0162	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air Temperature Switch Harness			
338-0337	1	Harness, Wiring - High Air Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
The following parts refer to the regulator filter assembly:					
252-2589	1	Regulator Filter Package - (For complete replacement) includes drawings and unlisted miscellaneous hardware items			
232-2462	1	Box, Mounting			
232-2463	1	Cover, Mounting Box			
312-0197	1	Capacitor			
312-0198	2	Bracket, Capacitor Mounting			
508-0071	1	Grommet, Rubber - 7/8" Hole			
304-0120	2	Resistor, Fixed - 2 OHM, 25 Watts			
304-0015	4	Washer, Resistor Centering			
304-0292	2	Insulator, Resistor			
813-0112	2	Screw-RHM (10-32 x 2 1/2" Resistor Mounting			
338-1165	1	Harness, Wiring			
625-1304	-	Wiring Diagram			

SPECIAL PARTS LIST FOR MODEL 12.5JC-4R SPEC 17513AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4794-06 (SWBD) 615-037

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option)					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
LPG Fuel System					
Switchboard Control					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
416-0522	1	Plate, Battery Mounting			
301-2099	1	Panel, Instrument			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
301-0500	1	Box Assembly, Meter - Includes Box, Cover And Grommet			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 17535AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ **(ENG)** 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option)					
Low Oil Pressure Cut Off					
Gas Fuel System					
102-0549	1	Base, Oil			
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3R SPEC 17543AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO(ENG) 612-4794-01 (AC) 612-1559-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Fuel Tank					
Housed					
Low Oil Pressure Cut Off					
Meter Panel					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2288	1	Panel, Meter			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3CR SPEC 17548AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
The following parts refer to the regulator filter assembly:					
232-2589	1	Regulator Filter Package - (for complete replacement) includes drawings and unlisted miscellaneous hardware items			
232-2462	1	Box, Mounting			
232-2463	1	Cover, Mounting Box			
312-0197	1	Capacitor			
312-0198	2	Bracket, Capacitor Mounting			
508-0071	1	Grommet, Rubber - 7/8" Hole			
304-0120	2	Resistor, Fixed - 2 OHM, 25 Watts			
304-0015	4	Washer, Resistor Centering			
304-0292	2	Insulator, Resistor			
813-0112	2	Screw - RHM (10-32 x 2 1/2") Resistor Mounting			
338-1165	1	Harness, Wiring			
625-1304	-	Wiring Diagram			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3CR **SPEC** 17548AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng)612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
LPG Fuel System					
Housed					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
The Following Parts Refer to the Regulator Filter Assembly:					
232-2589	1	Regulator Filter Package - (For Complete Replacement) Includes Drawings and Unlisted Miscellaneous Hardware Items			
232-2462	1	Box, Mounting			
232-2463	1	Cover, Mounting Box			
312-0197	1	Capacitor			
312-0198	2	Bracket, Capacitor Mounting			
508-0071	1	Grommet, Rubber - 7/8" Hole			
304-0120	2	Resistor, Fixed - 2 Ohm, 25 Watts			
304-0015	4	Washer, Resistor Centering			
304-0292	2	Insulator, Resistor			
813-0112	2	Screw - RHM (10-32 x 2-1/2") Resistor Mounting			
338-1165	1	Harness, Wiring			
625-1304	-	Wiring Diagram			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3CR SPEC 17549AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
102-0549	1	Base, Oil			
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
The following parts refer to the regulator Filter assembly:					
232-2589	1	Regulator Filter Package - (For Complete Replacement) Includes Drawings and Unlisted Miscellaneous Hardware Items			
232-2462	1	Box, Mounting			
232-2463	1	Cover, Mounting Box			
312-0197	1	Capacitor			
312-0198	2	Bracket, Capacitor Mounting			
508-0071	1	Grommet, Rubber -7/8" Hole			
304-0120	2	Resistor, Fixed - 2 OHM, 25 Watts			
304-0015	4	Washer, Resistor Centering			
304-0292	2	Insulator, Resistor			
813-0112	2	Screw-RHM (10-32 x 2 1/2") Resistor Mounting			
338-1165	1	Harness, Wiring			
625-1304	-	Wiring Diagram			

SPECIAL PARTS LIST FOR MODEL 12.5JC-4R SPEC 17551AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4858-02 (AC) 612-1469-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
Meter Panel					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
LPG Fuel System					
Air Shutter					
309-0206	1	Switch, High Air Temperature			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2204	1	Panel, Meter			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
309-0270	1	Thermostat - Low Engine Temp.			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4R SPEC 17551AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4858-02 (AC) 612-1469-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Housed					
Air Shutter					
Meter Panel					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2204	1	Panel, Meter			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
309-0270	1	Thermostat - Low Engine Temp.			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3R **SPEC** 17551AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5568-01 (AC) 612-1559-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Housed					
Air Duct And Shutter					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
AC Meter Panel					
309-0206	1	Switch, High Air Temperature			
155-0360	1	Muffler, Critical			
301-2288	1	Panel, Meter			
322-0004	3	Lamp, Indicator			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
307-1519	1	Relay - High Air Temperature And Overspeed			
309-0270	1	Thermostat, Low Engine Temperature			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker - Blank			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR**SPEC**

17560AA

FOR STANDARD PARTS REFER TO CATALOG 967-0220

KEY NO. 1

(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4860-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Vacu - Flo Cooling (See Air Housing)					
Skid and Battery Rack (See Housing Option)					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
134-3081	1	Guard, Scroll Outlet			
102-0549	1	Base, Oil			
309-0171	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air			
		Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air			
		Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
322-0004	2	Lamp, Indicator - high Air			
		Temperature (1) Low Oil			
		Pressure (1)			
322-0069	2	Holder, Indicator Lamp			
320-0221	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Latching - High Air			
		Temperature			
332-0604	1	Block, Terminal - 5 Place			
532-0616	1	Strip, Marker - 5 Place			
301-2376	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 15.0JC-18R SPEC 17560AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4860-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Vacu - Flo Cooling (See Air Housing)					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Skid and Battery Rack (See Housing Option)					
102-0549	1	Base, Oil			
309-0171	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
134-3081	1	Guard, Scroll Outlet			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
322-0004	2	Lamp, Indicator - High Air Temperature (1) Low Oil Pressure (1)			
322-0069	2	Holder, Indicator Lamp			
320-0221	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Latching - High Air Temperature			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
301-2376	1	Panel, Control			

Sept 1, 1978

Dated

Revised

Page

1

1

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR **SPEC** 17561AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4858-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
309-0206	1	Switch, High Air Temperature			
322-0004	3	Lamp, Indicator			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-1519	1	Relay - High Air Temperature And Overspeed			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
309-0270	1	Thermostat, Low Engine Temperature			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker - Blank			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3CR **SPEC** 17561AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4858-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
309-0206	1	Switch, High Air Temperature			
322-0004	3	Lamp, Indicator			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-1519	1	Relay - High Air Temperature And Overspeed			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
309-0270	1	Thermostat, Low Engine Temperature			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker - Blank			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3R SPEC 17565AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO.(ENG) 612-4794-05 (SWBD) 615-0374

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Skid and Battery Rack (See Housing Option)					
Gas Fuel System					
Switchboard Control					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
302-0458	2	Ammeter, AC			
301-2085	1	Panel, Instrument			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3R **SPEC** 17566AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO.(ENG) 612-4793-01 (AC) 612-1559-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Fuel Tank					
Housed					
Meter Panel					
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
201-2158	1	Rotor Assembly, Wound - Gen			
220-2043	1	Stator, Wound - Generator			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2288	1	Panel, Meter			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4XR **SPEC** 17571AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-08 (SWBD) 615-0381

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Skid and Battery Rack (See Housing Option)			
		LPG Fuel System			
		High Air Temperature Cut Off			
		Switchboard Control			
		Adjustable Voltage Regulator			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
416-0522	1	Plate, Battery Mounting			
301-2116	1	Panel, Instrument			
301-0994	1	Box Assembly, Meter - Includes Box, Cover and Grommet			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 17589AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4997-05 (SWBD) 615-0373

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Vacu - Flo Cooling (See Air Housing)					
Gas Fuel System					
Switchboard Control					
102-0549	1	Base, Oil			
112-0106	4	Piston and Pin			
309-0171	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air			
		Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air			
		Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
134-3081	1	Guard, Scroll Outlet			
302-0458	2	Ammeter, AC			
301-2086	1	Panel, Instrument			
338-0917	1	Harness, Wiring - Voltage			
		Regulator to Exciter			
		Stator			
322-0004	3	Lamp, Indicator - Low Oil			
		Pressure (1) High Air			
		Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil			
		Pressure			
307-0655	2	Relay, Latching - High Air			
		Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 15.0JC-9XR SPEC 17599AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5232-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling (See Air Housing) Low Oil Pressure Cut Off High Air Temperature Cut Off Overspeed Cut Off Day Tank (One Quart)					
502-0020	1	Elbow, Street - Fuel Pump Inlet			
504-0007	1	Valve, Fuel Pump Inlet			
502-0002	2	Elbow, Inverted Flare - Day Tank Fuel Line to Fuel Pump Inlet Valve (1) and Day Tank Fuel Line to Carburetor Inlet (1)			
134-3081	1	Guard, Scroll Outlet			
309-0162	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			

FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ **(ENG) 612-4793-02**

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option)					
Gas - Gasoline Fuel System					
NOTE: Pennsylvania Approved					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
220-2044	1	Stator, Wound - Generator			
201-2159	1	Rotor Assembly, Wound - Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R131 **SPEC** 17603AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option)					
Gas - Gasoline Fuel System					
NOTE: Pennsylvania Approved					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
220-2044	1	Stator, Wound - Generator			
201-2159	1	Rotor Assembly, Wound - Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR **SPEC** 17632AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4860-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Housed					
Low Oil Pressure Cut Off					
High Air Temperature					
102-0549	1	Base, Oil			
309-0206	1	Switch, High Air Temperature			
322-0004	2	Lamp, Indicator			
322-0069	2	Holder, Indicator Lamp			
320-0221	1	Limiter, Cranking - Low Oil Pressure			
307-1129	1	Relay, High Air Temperature			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
301-2376	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 17637AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Vacu - Flo Cooling (See Air Housing)					
Low Oil Pressure Cut Off					
102-0549	1	Base, Oil			
134-3081	1	Guard, Scroll Outlet			
508-0109	1	Grommet, Rubber - 1" Hole			
220-2043	1	Stator, Wound - Generator			
201-2158	1	Rotor Assembly, Wound - Generator			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 17637AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu Flo Cooling (See Air Housing)					
Low Oil Pressure Cut Off					
Gas - Gasoline Fuel System					
102-0549	1	Base, Oil			
134-3081	1	Guard, Scroll Outlet			
508-0109	1	Grommet, Rubber - 1" Hole			
220-2044	1	Stator, Wound - Generator			
201-2159	1	Rotor Assembly, Wound - Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Gas - Gasoline Fuel System			
		Vacu-Flo Cooling			
		Low Oil Pressure Cut Off			
102-0549	1	Base, Oil			
220-2043	1	Stator, Generator			
201-2158	1	Rotor Assembly, Generator			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 17637AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Vacu-Flo Cooling					
Low Oil Pressure Cut Off					
102-0549	1	Base, Oil			
220-2044	1	Stator, Generator			
201-2159	1	Rotor Assembly, Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 17643AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas Fuel System					
102-0622	1	Base, Oil			
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
220-2044	1	Stator, Wound - Generator			
201-2159	1	Rotor Assembly, Wound - Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3R SPEC 17654AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO.(ENG) 612-4793-05 (SWBD) 615-0373-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Vacu - Flo Cooling (See Air Housing)					
Switchboard Control					
102-0549	1	Base, Oil			
134-3081	1	Guard, Scroll Outlet			
508-0109	1	Grommet, Rubber - 1" Hole			
302-0458	2	Ammeter, AC			
301-2086	1	Panel, Instrument			

FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5558-05 (SWBD) 615-0373-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		LPG Fuel System			
		Vacu-Flo Cooling			
		Switchboard Control			
102-0549	1	Base, Oil			
301-2086	1	Panel, Instrument			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3CR SPEC 17658AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng)612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Day Tank (One Quart)					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Vacu-Flo Cooling (See Air Housing)					
102-0549	1	Base, Oil			
502-0020	1	Elbow, Street - Fuel Pump Inlet			
504-0007	1	Valve, Fuel Pump Inlet			
502-0002	2	Elbow, Inverted Flare - Day Tank Fuel Line to Fuel Pump Inlet Valve (1) and Day Tank Fuel Line to Carburetor Inlet (1)			
309-0162	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
134-3081	1	Guard, Scroll Outlet			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-18R **SPEC** 17661AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option)					
Gas-Gasoline Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
102-0622	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
154-1375	1	Plate, Exhaust Outlet Cover			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 12.5JC-518R SPEC 17663AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4909-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Skid and Battery Rack (See Housing Option)					
Adjustable Voltage Regulator					
112-0106	4	Piston and Pin			
331-0193	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3CR SPEC 17672AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4850-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Housed					
Air Shutter					
Low Oil Pressure Cut Off					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
322-0004	1	Lamp, Indicator - Low Oil Pressure			
322-0069	1	Holder, Indicator Lamp			
320-0221	1	Relay, Low Oil Pressure			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR MODEL 15.0JC-18R SPEC 17687AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Day Tank (One Quart)					
Housed					
502-0020	1	Elbow, Street - Fuel Pump Inlet			
504-0007	1	Valve, Fuel Pump Inlet			
502-0002	2	Elbow, Inverted Flare - Day Tank Fuel Line to Fuel Pump Inlet Valve (1) And Day Tank Fuel Line to Carburetor Inlet (1)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 12.5JC-4XR SPEC 17688AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4997-08 (SWBD) 615-0381-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off High Air Temperature Cut Off Overspeed Cut Off Gas Fuel System Switchboard Control Skid and Battery Rack (See Housing Option) Adjustable Voltage Regulator					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (set of Four)			
416-0522	1	Plate, Battery Mounting			
301-0994	1	Box Assembly, Meter - Includes Box, Cover and Grommet			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 12.5JC-4XR SPEC 17690AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4848-02 (AC) 612-1851-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut Off					
Fuel Tank					
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Meter Panel					
102-0549	1	Base, Oil			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
304-0305	1	Resistor, Fixed-Meter Panel			
301-2308	1	Panel, Meter			
338-0917	1	Harness, Wiring - Voltage			
		Regulator to Exciter			
		Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

June 1, 1978

Dated

Revised

1

1

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-53R **SPEC** 17691AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO(ENG) 612-5287-01 (AC) 612-1786-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
Air Shutter					
High Air Temperature Cut Off					
Meter Panel					
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-1554	1	Panel, Meter			
304-0506	1	Resistor, Tapped - 6 OHM, 150 Watts			
304-0592	1	Spacer, Resistor Mounting			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4R SPEC 17735AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4997-02 (AC) 612-1469-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Meter Panel					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Gas Fuel System					
Housed					
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2204	1	Panel, Meter			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3CR SPEC 17736AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System Housed Low Oil Pressure Cut Off High Air Temperature Cut Off					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
The following parts refer to the regulator filter assembly:					
232-2589	1	Regulator Filter Package - (For complete replacement) includes drawings and unlisted miscellaneous hardware items			
232-2462	1	Box, Mounting			
232-2463	1	Cover, Mounting Box			
312-0197	1	Capacitor			
312-0198	2	Bracket, Capacitor Mounting			
508-0071	1	Grommet, Rubber - 7/8" Hole			
304-0120	2	Resistor, Fixed - 2 OHM, 25 Watts			
304-0015	4	Washer, Resistor Centering			
304-0292	2	Insulator, Resistor			
813-0112	2	Screw-RHM (10-32 x 2 1/2") Resistor Mounting			
338-1165	1	Harness, Wiring			
625-1304	-	Wiring Diagram			

SPECIAL PARTS LIST FOR MODEL 15.0JC-18R31 SPEC 17737AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. _____ (ENG) 612-4793-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option)					
Gas Fuel System					
NOTE: Pennsylvania Approved					
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
220-2044	1	Stator, Wound - Generator			
201-2159	1	Rotor Assembly, Wound - Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R31 **SPEC** 17737AB
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5558-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved Gas Fuel System Skid And Battery Rack					
112-0106	4	Piston And Pin			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
220-2044	1	Stator, Generator			
201-2159	1	Rotor Assembly, Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 17739AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4997-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas-Gasoline Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-18R **SPEC** 17739AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5573-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
309-0206	1	Switch, High Air Temperature			
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
322-0004	3	Lamp, Indicator			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-1519	1	Relay - High Air Temperature And Overspeed			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker - Blank			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-18R **SPEC** 17766AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4997-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas Fuel System					
309-0206	1	Switch, High Air Temperature			
112-0106	4	Piston And Pin			
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
322-0004	3	Lamp, Indicator			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-1519	1	Relay - High Air Temperature And Overspeed			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker - Blank			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 17766AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4997-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Gas Fuel System					
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3CR **SPEC** 17768AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng)612-4997-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu-Flo Cooling (See Air Housing) Gas Fuel System Low Oil Pressure Cut Off High Air Temperature Cut Off Overspeed Cut Off					
112-0106	4	Piston and Pin			
309-0171	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
134-3081	1	Guard, Scroll Outlet			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4R SPEC 17770AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4848-02 (SWBD) 615-037

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Skid and Battery Rack (See Housing Option)					
Gas Fuel System					
Switchboard Control					
Adjustable Voltage Regulator					
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
302-0458	3	Ammeter, AC			
301-2099	1	Panel, Instrument			
301-0500	1	Box Assembly, Meter - Includes Box, Cover And Grommet			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR MODEL 15.0JC-18R SPEC 17798AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Fuel Tank					
Housed					
Air Shutter					
Low Oil Pressure Cut Off					
102-0549	1	Base, Oil			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3CR **SPEC** 17801AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng)612-4793-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas-Gasoline Fuel System					
Housed					
High Air Temperature Cut Off					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-18R **SPEC** 17801AB
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5558-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Gas - Gasoline Fuel System			
		Housed			
		High Air Temperature Cut Off			
155-0360	1	Muffler, Critical			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 17811AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng) 612-4858-03 (AC) 612-1559-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas-Gasoline Fuel System					
Housed					
Adjustable Voltage Regulator					
Meter Panel					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2288	1	Panel, Meter			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
309-0270	1	Thermostat - Low Engine Temp			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4XR SPEC 17825AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4858-06 (SWBD) 615-0377-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut Off					
Gas Fuel System					
Switchboard Control					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
309-0206	1	Switch, High Air Temperature			
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
301-2116	1	Panel, Instrument			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
309-0270	1	Thermostat - Low Engine Temp.			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3R SPEC 17860AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-05 (SWBD) 615-0373-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Skid and Battery Rack (See Housing Option)					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Switchboard Control					
140-0645	1	Adapter, Oil Bath Air Cleaner Type			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
416-0522	1	Plate, Battery Mounting			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
302-0458	2	Ammeter, AC			
301-2086	1	Panel, Instrument			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
Parts not furnished by Onan					
Air cleaner and associated parts					

SPECIAL PARTS LIST FOR MODEL 12.5JC-4R SPEC 17872AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO.(ENG) 612-4860-32 (AC) 612-1469-(

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Meter Panel					
102-0549	1	Base, Oil			
309-0206	1	Switch, High Air Temperature			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2204	1	Panel, Meter			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
322-0004	2	Lamp, Indicator - High Air			
		Temperature (1) Low Oil			
		Pressure (1)			
322-0069	2	Holder, Indicator Lamp			
320-0221	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Latching - High Air			
		Temperature			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
301-02376	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3R SPEC 17881AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4860-01 (AC) 612-1559-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Housed					
Meter Panel					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2288	1	Panel, Meter			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
322-0004	2	Lamp, Indicator - High Air Temperature (1) Low Oil Pressure (1)			
322-0069	2	Holder, Indicator Lamp			
320-0221	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Latching - High Air Temperature			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
301-2376	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 17887AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
220-2043	1	Stator, Wound - Generator			
201-2158	1	Rotor Assembly, Wound - Generator			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 17887AA
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
102-0549	1	Base, Oil			
220-2044	1	Stator, Generator			
201-2159	1	Rotor Assembly, Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R **SPEC** 17887AB
FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Gas - Gasoline Fuel System			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
102-0549	1	Base, Oil			
220-2043	1	Stator, Generator			
201-2158	1	Rotor Assembly, Generator			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR **MODEL** 15-0JC-18R **SPEC** 17887AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
102-0549	1	Base, Oil			
220-2044	1	Stator, Generator			
201-2159	1	Rotor Assembly, Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-4R **SPEC** 17888AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO.(ENG) 612-4848-02 (AC) 612-1469-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Meter Panel					
Overspeed Cut Off					
LPG Fuel System					
Housed					
Air Shutter					
231-0111	1	Adapter, Generator			
502-0394	2	Connector, Cylinder Head			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2204	1	Panel, Meter			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3CR SPEC 17901AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Day Tank (One Quart)					
Skid and Battery Rack (See Housing Option)					
502-0020	1	Elbow, Street - Fuel Pump Inlet			
504-0007	1	Valve, Fuel Pump Inlet			
502-0002	2	Elbow, Inverted Flare - Day Tank Fuel Line to Fuel Pump Inlet Valve (1) And Day Tank Fuel Line to Carburetor Inlet (1)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			