

The following catalog
has gaps in its page
numbers, or doesn't
have any numbers.
We have chosen to
leave the page
numbering in the
order that Acrobat
assigns it.

SPECIAL PARTS LIST FOR MODEL 12.5JC-4R SPEC 18503AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-02 (AC) 612-1469-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System Housed Meter Panel					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2204	1	Panel, Meter			
The following parts refer to the regulator filter assembly:					
232-2589	1	Regulator Filter Package - (For Complete Replacement) Includes Drawings and Unlisted Miscellaneous Hardware Items			
232-2462	1	Box, Mounting			
232-2463	1	Cover, Mounting Box			
312-0197	1	Capacitor			
312-0198	2	Bracket, Capacitor Mounting			
508-0071	1	Grommet, Rubber - 7/8" Hole			
304-0120	2	Resistor, Fixed - 2 OHM, 25 Watts			
304-0015	4	Washer, Resistor Centering			
504-0292	2	Insulator, Resistor			
813-9112	2	Screw - RHM (10-32 x 2 1/2" Resistor Mounting			
338-1165	1	Harness, Wiring			
625-1304	-	Wiring Diagram			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR **SPEC** 18514AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4860-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Vacu-Flo Cooling					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Voltage Regulator Filter					
102-0549	1	Base, Oil			
322-0004	2	Lamp, Indicator			
322-0069	2	Holder, Indicator Lamp			
320-0221	1	Limiter, Cranking - Low Oil Pressure			
307-1129	1	Relay, High Air Temperature			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
301-2376	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3CR SPEC 18514AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (Eng)612-4860-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
LPG Fuel System					
Vacu-Flo Cooling (See Air Housing)					
102-0549	1	Base, Oil			
309-0171	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
134-3081	1	Guard, Scroll Outlet			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
322-0004	2	Lamp, Indicator - High Air Temperature (1) Low Oil Pressure (1)			
322-0069	2	Holder, Indicator Lamp			
320-0221	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Latching - High Air Temperature			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
301-2376	1	Panel, Control			
The Following Parts Refer to the Regulator Filter Assembly:					
232-2589	1	Regulator Filter Package - (For Complete Replacement) Includes Drawings and Unlisted Miscellaneous Hardware Items			
232-2462	1	Box, Mounting			
232-2463	1	Cover, Mounting Box			
312-0197	1	Capacitor			
312-0198	2	Bracket, Capacitor Mounting			
508-0071	1	Grommet, Rubber - 7/8" Hole			
304-0120	2	Resistor, Fixed - 2 Ohm, 25 Watts			
304-0015	4	Washer, Resistor Centering			
304-0292	2	Insulator, Resistor			
813-0112	2	Screw - RHM (10-32 x 2-1/2") Resistor Mounting			
338-1165	1	Harness, Wiring			
625-1304	-	Wiring Diagram			

SPECIAL PARTS LIST FOR MODEL 15.0JC-18R SPEC 18524AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas - Gasoline Fuel System					
Fuel Tank					
Housed					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-4R **SPEC** 18532AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-06 (SWBD) 615-0370-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas Fuel System					
Switchboard Control					
102-0549	1	Base, Oil			
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
301-2077	1	Panel, Instrument			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3CR SPEC 18551AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Housed					
Air Shutter					
Low Oil Pressure Cut Off					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4XR **SPEC** 18567AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-06 (SWBD) 615-0377-1

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid And Battery Rack (See Housing Option)					
Low Oil Pressure Cut Off					
Gas Fuel System					
Switchboard Control					
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
416-0522	1	Plate, Battery Mounting			
301-2116	1	Panel, Instrument			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3R SPEC 18574AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-01 (AC) 612-1559-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Air Shutter					
Housed					
Low Oil Pressure Cut Off					
Meter Panel					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2288	1	Panel, Meter			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3R **SPEC** 18594AA

FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2

(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-01 (AC) 612-1559-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Day Tank (One Quart)					
Housed					
AC Meter Panel					
502-0020	1	Elbow, Fuel Pump Inlet			
155-0360	1	Muffler, Critical			
301-2288	1	Panel, Meter			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 18597AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng) 612-4848-05 (SWBD) 615-0373-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Switchboard Control					
102-0549	1	Base, Oil			
302-0458	2	Anmmeter, AC			
301-2086	1	Panel, Instrument			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R **SPEC** 18602AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO(ENG) 612-4793-06 (SWBD) 615-0371-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Low Oil Pressure Cut Off					
Switchboard Control					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
302-0458	3	Ammeter, AC			
301-2099	1	Panel, Instrument			
301-0500	1	Box Assembly, Meter - Includes Box, Cover and Grommet			

Sept 1, 1978

Dated

Revised

Page

of

1

1

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 18612AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (Eng) 612-4794-05 (SWBD) 615-0373-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option) Low Oil Pressure Cut Off High Air Temperature Cut Off Gas Fuel System Switchboard Control					
102-0549	1	Base, Oil			
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
302-0458	2	Ammeter, AC			
301-2086	1	Panel, Instrument			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-18R **SPEC** 18628AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
102-0549	1	Base, Oil			
155-0360	1	Muffler, Critical			
220-2043	1	Stator, Generator			
201-2158	1	Rotor Assembly, Generator			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4R SPEC 18636AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4860-06 (SWBD) 615-0371-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
High Air Temperature Cut Off					
Vacu - Flo Cooling (See Air Housing)					
Low Oil Pressure Cut Off					
LPG Fuel System					
Switchboard Control					
309-0171	1	Switch, High Air Temperature			
508-0902	1	Grommet, Rubber - High Air			
		Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air			
		Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
134-3081	1	Guard, Scroll Outlet			
302-0458	3	Ammeter, AC			
301-2099	1	Panel, Instrument			
301-0500	1	Box Assembly, Meter -			
		Includes Box, Cover and			
		Grommet			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
322-0004	2	Lamp, Indicator - High Air			
		Temperature (1) Low Oil			
		Pressure (1)			
322-0069	2	Holder, Indicator Lamp			
320-0221	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Latching - High Air			
		Temperature			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
301-2376	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 15.0JC-18R SPEC 18641AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4997-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
High Air Temperature Cut Off Vacu - Flo Cooling (See Air Housing) Low Oil Pressure Cut Off Overspeed Cut Off Gas Fuel System Skid And Battery Rack (See Housing Option)					
112-0106	4	Piston and Pin			
309-0171	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
134-3081	1	Guard, Scroll Outlet			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R **SPEC** 18653AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO(ENG) 612-4794-02 (AC) 612-1486-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas Fuel System					
Housed					
Meter Panel					
102-0549	1	Base, Oil			
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2088	1	Panel, Meter			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

Sept 1, 1978

1

1

SPECIAL PARTS LIST FOR MODEL 15.0JC-4R SPEC 18657AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4860-02 (AC) 612-1486-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Housed					
Air Shutter					
Meter Panel					
LPG Fuel System					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2088	1	Panel, Meter			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
322-0004	2	Lamp, Indicator - High Air Temperature (1) Low Oil Pressure (1)			
322-0069	2	Holder, Indicator Lamp			
320-0221	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Latching - High Air Temperature			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
301-2376	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR **SPEC** 18658AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4997-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut Off					
LPG Fuel System					
Housed					
Air Shutter					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 15.0JC-18R SPEC 18660AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO(ENG) 612-4794-06 (SWBD) 615-0373-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option) Low Oil Pressure Cut Off High Air Temperature Cut Off Day Tank (One Quart) Air Shutter Switchboard Control					
502-0020	1	Elbow, Street - Fuel Pump Inlet			
504-0007	1	Valve, Fuel Pump Inlet			
502-0002	2	Elbow, Inverted Flare - Day Tank Fuel Line to Fuel Pump Inlet Valve (1) And Day Tank Fuel Line to Carburetor Inlet (1)			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
416-0522	1	Plate, Battery Mounting			
220-2044	1	Stator, Wound - Generator			
201-2159	1	Rotor Assembly, Wound - Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			
302-0458	2	Ammeter, AC			
301-2086	1	Panel, Instrument			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3R **SPEC** 18661AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (Eng)612-4793-01(AC)612-1559-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System Housed Air Shutter Meter Panel					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2288	1	Panel, Meter			

SPECIAL PARTS LIST FOR MODEL 12.5JC-4XR SPEC 18667AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4860-06 (SWBD) 615-0381

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas - Gasoline Fuel System					
Skid and Battery Rack (See Housing Option)					
Switchboard Control					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
416-0522	1	Plate, Battery Mounting			
301-2116	1	Panel, Instrument			
301-0994	1	Box Assembly, Meter - Includes Box, Cover and Grommet			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
322-0004	2	Lamp, Indicator - High Air Temperature (1) Low Oil Pressure (1)			
322-0069	2	Holder, Indicator Lamp			
320-0221	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Latching - High Air Temperature			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
301-2376	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4R SPEC 18677AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4858-02 (AC) 612-1469-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Gas - Gasoline Fuel System					
Fuel Tank					
Housed					
Meter Panel					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2204	1	Panel, Meter			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
309-0270	1	Thermostat - Low Engine Temp.			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4XR SPEC 18677AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4858-02 (AC) 612-1851-(

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Gas - Gasoline Fuel System			
		Housed			
		Meter Panel			
		Fuel Tank			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2308	1	Panel, Meter			
304-0305	1	Resistor, Fixed - Meter Panel			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
309-0270	1	Thermostat - Low Engine Temp.			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3R SPEC 18693AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4794-01 (AC) 612-1559-0.

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Fuel Tank Housed Low Oil Pressure Cut Off High Air Temperature Cut Off Meter Panel Air Shutter					
102-0549	1	Base, Oil			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2288	1	Panel, Meter			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
The following parts refer to the regulator filter assembly:					
232-2589	1	Regulator Filter Package - (For Complete Replacement) Includes Drawings and Unlisted Miscellaneous Hardware Items			
232-2462	1	Box, Mounting			
232-2463	1	Cover, Mounting Box			
312-0197	1	Capacitor			
312-0198	2	Bracket, Capacitor Mounting			
508-0071	1	Grommet, Rubber - 7/8" Hole			
304-0120	2	Resistor, Fixed - 2 OHM, 25 Watts			
304-0015	4	Washer, Resistor Centering			
304-0292	2	Insulator, Resistor			
813-0112	2	Screw - RHM (10-32 x 2 1/2") Resistor Mounting			
338-1165	1	Harness, Wiring			
625-1304	-	Wiring Diagram			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3CR SPEC 18709AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5256-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Low Oil Pressure Cut Off					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
140-0645	1	Adapter, Oil Bath Air Cleaner Type			
140-0721	1	Cleaner, Air - Includes Element and Baffle			
140-0765	1	Element, Air Cleaner			
140-1267	1	Baffle, Air Cleaner			
140-0722	2	Band, Air Cleaner Mounting			
503-0274	4	Clamp, Hose - Air Cleaner			
503-0419	1	Elbow, Rubber - Air Cleaner			
140-1271	1	Bracket, Air Cleaner Mtg.			
140-0740	1	Tube, Intake - Air Cleaner			
140-0723	1	Pre-Cleaner - Air Cleaner			
503-0330	1	Hose, Air Cleaner Connector			
234-0532	1	Baffle, Air			
220-2308	1	Stator, Exciter - Wound			
220-2670	1	Stator, Wound - Generator			
201-2312	1	Rotor Assembly, Wound			
201-2299	1	Rotor, Exciter - Wound			
305-0541	1	Regulator, Voltage - Non - Adjustable (For Component Parts use Parts Listed for 305-0532 Voltage Regulator Except Parts Marked #)			
301-3834	1	#Panel, Mounting - Voltage Regulator			
300-1405	1	#Printed Circuit Board Assembly (for Component Parts use Parts Listed for 300-1404 Printed Circuit Board)			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 12.5JC-4R SPEC 18711AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4794-02 (AC) 612-1469-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System Housed Low Oil Pressure Cut Off Meter Panel					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2204	1	Panel, Meter			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4XR **SPEC** 18715AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO(ENG) 612-4997-02 (AC) 612-1851-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Fuel Tank					
Housed					
Meter Panel					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
309-0206	1	Switch, High Air Temperature			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
220-2044	1	Stator, Wound - Generator			
201-2159	1	Rotor Assembly, Wound -			
		Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			
301-2308	1	Panel, Meter			
304-0305	1	Resistor, Fixed - Meter			
		Panel			
338-0917	1	Harness, Wiring - Voltage			
		Regulator to Exciter			
		Stator			
322-0004	3	Lamp, Indicator - Low Oil			
		Pressure (1) High Air			
		Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil			
		Pressure			
307-0655	2	Relay, Latching - High Air			
		Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 18719AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option)					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas - Gasoline Fuel System					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
220-2043	1	Stator, Wound - Generator			
201-2158	1	Rotor Assembly, Wound - Generator			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 18719AA
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Skid And Battery Rack					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
102-0549	1	Base, Oil			
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
220-2044	1	Stator, Generator			
201-2159	1	Rotor Assembly, Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 18719AB
FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Skid And Battery Rack					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
102-0549	1	Base, Oil			
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
220-2043	1	Stator, Generator			
201-2158	1	Rotor Assembly, Generator			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 18719AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Skid And Battery Rack					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
102-0549	1	Base, Oil			
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
220-2044	1	Stator, Generator			
201-2159	1	Rotor Assembly, Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4XR SPEC 18720AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4997-06 (SWBD) 615-038

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option) Low Oil Pressure Cut Off High Air Temperature Cut Off Overspeed Cut Off Gas Fuel System Switchboard Control					
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
416-0522	1	Plate, Battery Mounting			
301-2116	1	Panel, Instrument			
301-0994	1	Box Assembly, Meter - Includes Box, Cover And Grommet			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R **SPEC** 18722AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4997-06 (SWBD) 615-0370-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Switchboard Control			
		Gas - Gasoline Fuel System			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
302-0458	3	Ammeter, AC			
301-2077	1	Panel, Instrument			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3R **SPEC** 18748AA
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4794-01 (AC)612-1559-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Fuel Tank					
Housed					
AC Meter Panel					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
102-0549	1	Base, Oil			
155-0360	1	Muffler, Critical			
301-2288	1	Panel, Meter			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-4XR **SPEC** 18748AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-02 (AC) 612-1851-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Fuel Tank					
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
AC Meter Panel					
102-0549	1	Base, Oil			
155-0360	1	Muffler, Critical			
301-2308	1	Panel, Meter			
304-0305	1	Resistor, Fixed - Meter Panel			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 18748AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (Eng)612-4794-01 (AC)612-1559-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Fuel Tank					
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Meter Panel					
102-0549	1	Base, Oil			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2288	1	Panel, Meter			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R **SPEC** 18749AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO.(ENG) 612-4794-06 (SWBD) 615-0370-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Day Tank (One Quart)					
Switchboard Control					
502-0020	1	Elbow, Street - Fuel Pump Inlet			
504-0007	1	Valve, Fuel Pump Inlet			
502-0002	2	Elbow, Inverted Flare - Day Tank Fuel Line to Fuel Pump Inlet Valve (1) And Day Tank Fuel Line to Carburetor Inlet (1)			
302-0458	3	Ammeter, AC			
301-2077	1	Panel, Instrument			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
The following parts refer to the regulator filter assembly:					
232-2589	1	Regulator Filter Package - (For Complete Replacement) Includes Drawings and Unlisted Miscellaneous Hardware Items			
232-2462	1	Box, Mounting			
232-2463	1	Cover, Mounting Box			
312-0197	1	Capacitor			
312-0198	2	Bracket, Capacitor Mounting			
508-0071	1	Grommet, Rubber - 7/8" Hole			
304-0120	2	Resistor, Fixed - 2 OHM, 25 Watts			
304-0015	4	Washer, Resistor Centering			
304-0292	2	Insulator, Resistor			
813-0112	2	Screw - RHM (10-32 x 2 1/2") Resistor Mounting			
338-1165	1	Harness, Wiring			
625-1304	-	Wiring Diagram			

Sept 1, 1978

1

1

Dated

Revised

Page

of

SPECIAL PARTS LIST FOR MODEL 15.0JC-18R131 SPEC 18766AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-1793-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option)					
LPG Fuel System					
NOTE: Pennsylvania Approved					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
220-2044	1	Stator, Wound - Generator			
201-2159	1	Rotor Assembly, Wound - Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R131 **SPEC** 18766AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5558-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved LPG Fuel System Skid And Battery Rack					
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
220-2044	1	Stator, Generator			
201-2159	1	Rotor Assembly, Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3CR **SPEC** 18791AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng)612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option) Low Oil Pressure Cut Off High Air Temperature Cut Off LPG Fuel System Air Shutter					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3CR SPEC 18818AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4793-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Day Tank (One Quart)					
Skid and Battery Rack (See Housing Option)					
502-0020	1	Elbow, Street - Fuel Pump Inlet			
504-0007	1	Valve, Fuel Pump Inlet			
502-0002	2	Elbow, Inverted Flare - Day Tank Fuel Line to Fuel Pump Inlet Valve (1) and Day Tank Fuel Line to Carburetor Inlet (1)			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			

SPECIAL PARTS LIST FOR MODEL 15.0JC-18R SPEC 18826AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. _____ (ENG) 612-4848-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Gas - Gasoline Fuel System					
Housed					
Air Shutter					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Overspeed			
532-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4R SPEC 18853AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4858-06 (SWBD) 615-0370-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off High Air Temperature Cut Off Overspeed Cut Off Gas - Gasoline Fuel System Switchboard Control					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
302-0458	3	Ammeter, AC			
301-2077	1	Panel, Instrument			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
309-0270	1	Thermostat - Low Engine Temp.			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 18867AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4851-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option)					
LPG Fuel System					
High Air Temperature Cut Off					
Overspeed Cut Off					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
507-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4R SPEC 967-0220 1000000000
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4860-06 (SWBD) 615-0371

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option)					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas Fuel System					
Switchboard Control					
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
416-0522	1	Plate, Battery Mounting			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
302-0458	3	Ammeter, AC			
301-2099	1	Panel, Instrument			
301-0500	1	Box Assembly, Meter - Includes Box, Cover and Grommet			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
322-0004	2	Lamp, Indicator - High Air Temperature (1) Low Oil Pressure (1)			
322-0069	2	Holder, Indicator Lamp			
320-0221	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Latching - High Air Temperature			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
301-2376	1	Panel, Control			

Sept 1, 1978

Dated

Revised

Page

1

of

1

SPECIAL PARTS LIST FOR MODEL 15.0JC-4R SPEC 18868AB
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5569-06 (SWBD) 615-0371-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Skid And Battery Rack					
Switchboard Control					
112-0106	4	Piston And Pin			
309-0206	1	Switch, High Air Temperature			
416-0522	1	Plate, Battery Mounting			
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
301-2099	1	Panel, Instrument			
322-0004	2	Lamp, Indicator			
322-0069	2	Holder, Indicator Lamp			
320-0221	1	Limiter, Cranking - Low Oil Pressure			
307-1129	1	Relay, High Air Temperature			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
301-2376	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 18953AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5084-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off High Air Temperature Cut Off Overspeed Cut Off Gas Fuel System Air Shutter					
112-0106	4	Piston and Pin			
154-1224	1	Manifold, Intake			
148-0367	1	Switch, Vacuum			
502-0053	1	Elbow, Vacuum Switch			
505-0098	1	Nipple, Vacuum Switch			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp (1) Overspeed (1)			
332 0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-03567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R131 **SPEC** 18979AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO(ENG) 612-4858-08 (SWBD) 615-0371

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off High Air Temperature Cut Off Overspeed Cut Off LPG Fuel System Switchboard Control Adjustable Voltage Regulator NOTE: Pennsylvania Approved					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0287	2	Cushion, Vibration - Generator End			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
302-0458	3	Ammeter, AC			
301-2099	1	Panel, Instrument			
301-0500	1	Box Assembly, Meter - Includes Box, Cover and Grommet			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
309-0270	1	Thermostat - Low Engine Temp.			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4XR131 SPEC 18979AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4858-08 (SWBD) 615-0381-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off High Air Temperature Cut Off Overspeed Cut Off LPG Fuel System Adjustable Voltage Regulator Switchboard Control NOTE: Pennsylvania Approved					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0287	2	Cushion, Vibration - Generator End			
301-2116	1	Panel, Instrument			
301-0994	1	Box Assembly, Meter - Includes Box, Cover and Grommet			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Generating Relay			
332-0943	2	Spacer, Generating Relay			
307-1157	1	Spring, Generating Relay			
309-0270	1	Thermostat - Low Engine Temp.			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 12.5JC-518R SPEC 18980AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO.(ENG) 612-4860-10

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off			509-0102	2	"O" Ring (One Per Coil)
High Air Temperature Cut Off			312-0083	2	Capacitor, Ignition Coil 1.75 MFD, 20 Amp. (one Per Coil)
140-0645	1	Adapter, Oil Bath Air Cleaner Type	166-0388	2	Bracket, Coil Mounting
140-0721	1	Cleaner, Air - Includes Element and Baffle	503-0465	2	Clamp, Coil Mounting
140-0765	1	Element, Air Cleaner	304-0060	2	Resistor, Fixed (Ignition Coil) 1.72 OHM, 25 Watt
140-1267	1	Baffle, Air Cleaner	336-0368	2	Lead, Resistor to Coil
140-0722	2	Band, Air Cleaner Mounting	336-0279	1	Lead, Resistor to Resisto (Ignition Coil)
503-0274	4	Clamp, Hose - Air Cleaner	167-1479	2	Cable, Spark Plug (14")
140-1271	1	Bracket, Air Cleaner Mtg.	167-1480	2	Cable, Spark Plug (17")
140-0740	1	Tube, Intake - Air Cleaner	304-0014	4	Washer, Resistor Centerin (Ignition Coil)
140-0723	1	Pre-Cleaner - Air Cleaner	337-0070	2	Strap, Coil Grounding
503-0330	1	Hose, Air Cleaner Connector	134-1794	1	Cover, Cylinder Air Housi
134-1805	1	Duct, Air	321-0146	1	Fuse - 10 Amp.
134-1375	1	Plate, Exhaust Outlet Cover	321-0175	1	Holder, Fuse
166-0355	1	Gear, Camshaft Distributor Drive	322-0004	2	Lamp, Indicator - High Ai Temperature (1) Low Oil Pressure (1)
166-0356	1	Distributor Assembly - includes "O" Ring, Leads, Ground Strap and Retaining Ring	322-0069	2	Holder, Indicator Lamp
509-0096	1	Seal, Base	320-0221	1	Relay, Low Oil Pressure
166-0350	1	Adapter, Breaker Cover	307-0655	1	Relay, Latching - High Ai Temperature
166-0351	1	Cover, Breaker	332-0604	1	Block, Terminal - 5 Place
167-0061	2	Nipple, Distributor Leads - Brass	332-0616	1	Strip, Marker - 5 Place
312-0115	2	Condenser, Distributor - 30 MFD	301-2376	1	Panel, Control
336-1464	1	Lead Assembly, Points to Coil (Plugs 1 & 4, 22")			
336-1680	1	Lead Assembly, Points to Coil (Plugs 2 & 3, 24")			
337-0068	1	Strap, Ground - Distributor			
166-0397	1	Gasket, Distributor - Cover to Adapter			
166-0354	1	Gear, Drive - Distributor			
166-0615	1	Plate, Distributor Breaker			
166-0616	1	Plate, Distributor Cam and Stop			
166-0245	2	Point Set, Distributor Breaker			
166-0608	2	Terminal Stud and Parts Package - Distributor			
166-0061	2	Nut, Lock - Contact Screw			
167-0215	4	Plug, Spark			
166-0382	2	Coil, Ignition - Each Coil Includes Capacitor and "O" Ring			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 18989AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng) 612-4997-05 (SWBD) 615-0373-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off			338-1165	1	Harness, Wiring
High Air Temperature Cut Off			625-1304	-	Wiring Diagram
Overspeed Cut Off					
LPG Fuel System					
Switchboard Control					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
302-0458	2	Ammeter, AC			
301-2086	1	Panel, Instrument			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			
The Following Parts Refer to the Regulator Filter Assembly:					
232-2589	1	Regulator Filter Package - (For Complete Replacement) Includes Drawings and Unlisted Miscellaneous Hardware Items			
232-2462	1	Box, Mounting			
232-2463	1	Cover, Mounting Box			
312-0197	1	Capacitor			
312-0198	2	Bracket, Capacitor Mounting			
508-0071	1	Grommet, Rubber - 7/8" Hole			
304-0120	2	Resistor, Fixed - 2 Ohm, 25 Watts			
304-0015	4	Washer, Resistor Centering			
304-0292	2	Insulator, Resistor			
813-0112	2	Screw - RHM (10-32 x 2-1/2") Resistor Mounting			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 19004AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas Fuel System					
112-0106	4	Piston and Pin			
140-0645	1	Adapter, Oil Bath Air Cleaner Type			
140-0721	1	Cleaner, Air - Includes Element and Baffle			
140-0765	1	Element, Air Cleaner			
140-1267	1	Baffle, Air Cleaner			
140-0722	2	Band, Air Cleaner Mounting			
503-0274	4	Clamp, Hose - Air Cleaner			
503-0419	1	Elbow, Rubber - Air Cleaner			
140-1271	1	Bracket, Air Cleaner Mtg.			
140-0740	1	Tube, Intake - Air Cleaner			
140-0723	1	Pre - Cleaner - Air Cleaner			
503-0330	1	Hose, Air Cleaner Connector			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3R **SPEC** 19005AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4793-01 (AC) 612-1786-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Fuel Tank					
Housed					
Meter Panel					
102-0549	1	Base, Oil			
332-0216	2	Lugs, Ground - Solderless			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
501-1554	1	Panel, Meter			

SPECIAL PARTS LIST FOR MODEL 15.0JC-18R SPEC 19024AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4997-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Gas Fuel System					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
112-0106	4	Piston and Pin			
309-0206	1	Switch, High Air Temperature			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R31 SPEC 19037AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4851-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut Off					
Gas Fuel System					
Adjustable Voltage Regulator					
NOTE: Pennsylvania Approved					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0287	2	Cushion, Vibration - Generator End			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-18R **SPEC** 19043AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4793-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling (See Air Housing)					
102-0549	1	Base, Oil			
134-3081	1	Guard, Scroll Outlet			
508-0109	1	Grommet, Rubber - 1" Hole			
220-2043	1	Stator, Wound - Generator			
201-2158	1	Rotor Assembly, Wound - Generator			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3CR **SPEC** 19044AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (Eng)612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Vacu-Flo Cooling (See Air Housing)					
Low Oil Pressure Cut Off					
112-0106	4	Piston and Pin			
134-3081	1	Guard, Scroll Outlet			
508-0109	1	Grommet, Rubber - 1" Hole			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
The Following Parts Refer to the Regulator Filter Assembly:					
232-2589	1	Regulator Filter Package - (For Complete Replacement) Includes Drawings and Unlisted Miscellaneous Hardware Items			
232-2462	1	Box, Mounting			
232-2463	1	Cover, Mounting Box			
312-0197	1	Capacitor			
312-0198	2	Bracket, Capacitor Mounting			
508-0071	1	Grommet, Rubber - 7/8" Hole			
304-0120	2	Resistor, Fixed - 2 Ohm, 25 Watts			
304-0015	4	Washer, Resistor Centering			
304-0292	2	Insulator, Resistor			
813-0112	2	Screw - RHM (10-32 x 2-1/2") Resistor Mounting			
338-1165	1	Harness, Wiring			
625-1304	-	Wiring Diagram			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3R

SPEC 19052AA

FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1

(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-01 (AC) 612-1559-C

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Housed					
Low Oil Pressure Cut Off					
Meter Panel					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2288	1	Panel, Meter			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 15.0JC-18R SPEC 19058AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4848-08 (SWBD) 615-0386

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Adjustable Voltage Regulator					
Switchboard Control					
102-0549	1	Base, Oil			
220-2044	1	Stator, Wound - Generator			
201-2159	1	Rotor Assembly, Wound - Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			
322-0044	2	Light, Pilot - Switchboard			
302-0458	3	Ammeter, AC			
308-0203	1	Switch, Output Phase Selector			
301-2304	1	Box, Instrument			
301-3741	1	Panel, Instrument			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4R SPEC 19059AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4997-04 (AC) 612-1486-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Housed					
Meter Panel					
Adjustable Voltage Regulator					
102-0549	1	Base, Oil			
309-0206	1	Switch, High Air Temperature			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2088	1	Panel, Meter			
338-0917	1	Harness, Wiring - Voltage			
		Regulator to Exciter			
		Stator			
322-0004	3	Lamp, Indicator - Low Oil			
		Pressure (1) High Air			
		Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil			
		Pressure			
307-0655	2	Relay, Latching - High Air			
		Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-53R **SPEC** 19061AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 617-4794-01 (AC) 612-1559-09

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System Housed Air Duct And Shutter Low Oil Pressure Cut Off High Air Temperature Cut Off AC Meter Panel Voltage Regulator Filter					
301-2288	1	Panel, Meter			

SPECIAL PARTS LIST FOR MODEL 12.5JC-58R SPEC 19061AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO.(ENG) 612-4794-02 (AC) 612-4572-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
----------	------	-------------	----------	------	-------------

Low Oil Pressure Cut Off
 High Air Temperature Cut Off
 Gas - Gasoline Fuel System
 Housed
 Air Shutter
 Meter Panel

331-0103	1	Grommet, Hose (Regulator to Carburetor)
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)
405-1674	1	Shield, Rain (Top Panel)
302-0469	1	Meter, Running Time
301-2204	1	Panel, Meter
321-0146	1	Fuse - 10 Amp.
321-0175	1	Holder, Fuse
320-0104	1	Relay, Low Oil Pressure

The following parts refer to the regulator filter assembly:

232-2589	1	Regulator Filter Package - (for complete replacement) includes drawings and unlisted miscellaneous hardware items
232-2462	1	Box, Mounting
232-2463	1	Cover, Mounting Box
312-0197	1	Capacitor
312-0198	2	Bracket, Capacitor Mounting
508-0071	1	Grommet, Rubber - 7/8" Hole
304-0120	2	Resistor, Fixed - 2 OHM, 25 Watts
304-0015	4	Washer, Resistor Centering
304-0292	2	Insulator, Resistor
813-0112	2	Screw - RHM (10-32 x 2 1/2") Resistor Mounting
338-1165	1	Harness, Wiring
625-1304	-	Wiring Diagram

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 19084AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Air Shutter					
Housed					
Gas Fuel System					
102-0549	1	Base, Oil			
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
333-0151	1	Heater - Control			
309-0128	1	Thermostat, Adjustable - Control			
301-1886	1	Cover, Thermostat - Control			
335-0110	1	Cable Assembly, Heater - Control			
333-0157	1	Heater - Generator End Bell Cover			
234-0541	1	Cover, End Bell			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4R SPEC 19097AA
FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-02 (AC) 612-1469-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Housed					
Air Shutter					
Meter Panel					
102-0549	1	Base, Oil			
112-0106	4	Piston And Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2204	1	Panel, Meter			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 19098AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Skid and Battery Rack (See Housing Option)					
Day Tank (One Quart)					
102-0549	1	Base, Oil			
502-0020	1	Elbow, Street - Fuel Pump Inlet			
504-0007	1	Valve, Fuel Pump Inlet			
502-0002	2	Elbow, Inverted Flare - Day Tank Fuel Line to Fuel Pump Inlet Valve (1) and Day Tank Fuel Line to Carburetor Inlet (1)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 19107AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Skid and Battery Rack (See Housing Option)					
Gas - Gasoline Fuel System					
102-0622	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
220-2043	1	Stator, Wound - Generator			
201-2158	1	Rotor Assembly, Wound - Generator			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 15.0JC-18R SPEC 19107AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option)					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas - Gasoline Fuel System					
102-0622	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
220-2043	1	Stator, Wound - Generator			
201-2158	1	Rotor Assembly, Wound - Generator			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 19107AB
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Skid And Battery Rack					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
102-0622	1	Base, Oil			
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
220-2043	1	Stator, Generator			
201-2158	1	Rotor Assembly, Generator			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 19107AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Skid And Battery Rack					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
102-0622	1	Base, Oil			
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
220-2044	1	Stator, Generator			
201-2159	1	Rotor Assembly, Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR MODEL 15.0JC-18R SPEC 19108AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling (See Air Housing)					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
140-0645	1	Adapter, Oil Bath Air Cleaner Type			
134-3081	1	Guard, Scroll Outlet			
309-0162	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
220-2044	1	Stator, Wound - Generator			
201-2159	1	Rotor Assembly, Wound - Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
Parts not Furnished by Onan					
Air Cleaner And Associated Parts					

SPECIAL PARTS LIST FOR MODEL 12.5JC-3R SPEC 19123AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4848-01 (AC) 612-1786-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut Off					
Fuel Tank					
Housed					
Air Shutter					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Meter Panel					
102-0549	1	Base, Oil			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-1554	1	Panel, Meter			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 19134AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (Eng)612-4848-05 (SWBD)615-0373-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Day Tank (One Quart)					
Switchboard Control					
502-0020	1	Elbow, Street - Fuel Pump Inlet			
504-0007	1	Valve, Fuel Pump Inlet			
502-0002	2	Elbow, Inverted Flare - Day Tank Fuel Line to Fuel Pump Inlet Valve (1) and Day Tank Fuel Line to Carburetor Inlet (1)			
302-0458	2	Ammeter, AC			
301-2086	1	Panel, Instrument			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4R SPEC 19134AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO(ENG) 612-4848-06 (SWBD) 615-0371

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Overspeed Cut Off			
		Day Tank (One Quart)			
		Switchboard Control			
502-0020	1	Elbow, Street - Fuel Pump Inlet			
504-0007	1	Valve, Fuel Pump Inlet			
502-0002	2	Elbow, Inverted Flare - Day Tank Fuel Line to Fuel Pump Inlet Valve (1) and Day Tank Fuel Line to Carburetor Inlet (1)			
302-0458	3	Ammeter, AC			
301-2099	1	Panel, Instrument			
301-0500	1	Box Assembly, Meter - Includes Box, Cover and Grommet			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-5DR **SPEC** 19174AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4997-08 (SWBD) 615-0376-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off High Air Temperature Cut Off Overspeed Cut Off Switchboard Control Adjustable Voltage Regulator					
309-0206	1	Switch, High Air Temperature			
301-2116	1	Panel, Instrument			
301-0994	1	Box Assembly, Meter - Includes Box, Cover and Grommet			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	5	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R **SPEC** 19186AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4794-02 (AC) 612-1486-1

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off High Air Temperature Cut Off LPG Fuel System Housed Air Shutter Meter Panel					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2088	1	Panel, Meter			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-4R **SPEC** 19190AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO.(ENG) 612-4794-06 (SWBD) 615-0371-(

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option) Low Oil Pressure Cut Off High Air Temperature Cut Off Gas Fuel System Switchboard Control					
140-0645	1	Adapter, Oil Bath Air Cleaner Type			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
416-0522	1	Plate, Battery Mounting			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
301-2099	1	Panel, Instrument			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
301-0500	1	Box Assembly, Meter - Includes Box, Cover and Grommet			
Parts not furnished by Onan Air cleaner and associated parts					

SPECIAL PARTS LIST FOR MODEL 12.5JC-4R SPEC 19192AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4794-02 (AC) 612-1486-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Meter Panel					
Gas - Gasoline Fuel System					
Air Shutter					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2088	1	Panel, Meter			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-4R **SPEC** 19192AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-02 (AC) 612-1486-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
Meter Panel					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas - Gasoline Fuel System					
Air Shutter					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2088	1	Panel, Meter			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3CR SPEC 19203AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng) 612-4997-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Gas-Gasoline Fuel System					
Housed					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR **SPEC** 19217AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-01 (AC) NONE

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System Housed Low Oil Pressure Cut Off Meter Panel (Blank)					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-1195	1	Panel, Meter (Blank)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
Parts Not Furnished by Onan					
Associated Meter Panel Parts (Meters, Breakers, etc.)					

SPECIAL PARTS LIST FOR MODEL 15.0JC-3CR SPEC 19229AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng) 612-4997-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Gas-Gasoline Fuel System					
Housed					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 19230AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng)612-4794-01(AC)612-1559-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas Fuel System					
Housed					
Air Shutter					
Meter Panel					
102-0549	1	Base, Oil			
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2288	1	Panel, Meter			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3R **SPEC** 19296AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng) 612-4794-01 (AC) 612-1786-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
Housed					
Air Shutter					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Oil Bath Air Cleaner					
Meter Panel					
140-0645	1	Adapter, Oil Bath Air Cleaner			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
405-1651	1	Panel, Front - Upper (Engine End)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
301-1554	1	Panel, Meter			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 19298AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng) 612-4860-01 (AC) 612-1559-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off High Air Temperature Cut Off Gas-Gasoline Fuel System Housed Meter Panel					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2288	1	Panel, Meter			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
322-0004	2	Lamp, Indicator - High Air Temperature (1) Low Oil Pressure (1)			
322-0069	2	Holder, Indicator Lamp			
320-0221	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Latching - High Air Temperature			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
301-2376	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 12.5JC-4R SPEC 19302AA
FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO(ENG) 612-4793-08 (SWBD) 615-0371-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Switchboard Control					
Adjustable Voltage Regulator					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
134-1805	1	Duct, Air			
301-2099	1	Panel, Instrument			
301-0500	1	Box Assembly, Meter - Includes Box, Cover and Grommet			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3CR SPEC 19306AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (Eng) 612-4793-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Fuel System					
High Air Temperature Cut Off					
Housed					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
The Following Parts Refer to the Regulator Filter Assembly:					
232-2589	1	Regulator Filter Package - (For Complete Replacement) Includes Drawings and Unlisted Miscellaneous Hardware Items			
232-2462	1	Box, Mounting			
232-2463	1	Cover, Mounting Box			
312-0197	1	Capacitor			
312-0198	2	Bracket, Capacitor Mounting			
508-0071	1	Grommet, Rubber - 7/8" Hole			
304-0120	2	Resistor, Fixed - 2 Ohm, 25 Watts			
304-0015	4	Washer, Resistor Centering			
304-0292	2	Insulator, Resistor			
813-0112	2	Screw - RHM (10-32 x 2-1/2") Resistor Mounting			
338-1165	1	Harness, Wiring			
625-1304	-	Wiring Diagram			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3CR **SPEC** 19307AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
LPG Fuel System					
Skid and Battery Rack (See Housing Option)					
Vacu - Flo Cooling (See Air Housing)					
102-0549	1	Base, Oil			
134-3081	1	Guard, Scroll Outlet			
309-0162	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air			
		Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air			
		Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
The following Parts Refer to The Regulator					
Filter Assembly:					
232-2589	1	Regulator Filter Package -			
		(For Complete Replacement)			
		Includes Drawings And			
		Unlisted Miscellaneous			
		Hardware Items			
232-2462	1	Box, Mounting			
232-2463	1	Cover, Mounting Box			
312-0197	1	Capacitor			
312-0198	2	Bracket, Capacitor Mounting			
508-0071	1	Grommet, Rubber - 7/8" Hole			
304-0120	2	Resistor, Fixed - 2 OHM,			
		25 Watts			
304-0015	4	Washer, Resistor Centering			
304-0292	2	Insulator, Resistor			
813-0112	2	Screw - RHM (10-32 x 2 1/2")			
		Resistor Mounting			
338-1165	1	Harness, Wiring			
625-1304	-	Wiring Diagram			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3R SPEC 19327AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (Eng)612-4997-05 (SWBD)615-0373-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut Off					
Low Oil Temperature Cut Off					
High Air Temperature Cut Off					
Switchboard Control					
LPG Fuel System					
Switchboard Control					
102-0549	1	Base, Oil			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
309-0206	1	Switch, High Air Temperature			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
302-0458	2	Ammeter, AC			
301-2086	1	Panel, Instrument			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	3	Lamp, Indicator - Low Oil Pressure (1) High Air Temp. (1) Overspeed (1)			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-0655	2	Relay, Latching - High Air Temp. (1) Overspeed (1)			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker (Blank)			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3R **SPEC** 19327AB
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5573-05 (SWBD) 615-0373-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Switchboard Control					
LPG Fuel System					
102-0549	1	Base, Oil			
309-0206	1	Switch, High Air Temperature			
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
301-2086	1	Panel, Instrument			
322-0004	3	Lamp, Indicator			
322-0069	3	Holder, Indicator Lamp			
320-0259	1	Limiter, Cranking - Low Oil Pressure			
307-1519	1	Relay - High Air Temperature And Overspeed			
332-0706	2	Block, Terminal - 8 Place			
332-0707	1	Strip, Marker - Blank			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 15.0JC-18R SPEC 19373AA
FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas—Gasoline Fuel System Housed Air Shutter					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
220-2044	1	Stator, Wound - Generator			
201-2159	1	Rotor Assembly, Wound - Generator			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 19382AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. _____ **(ENG)** 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling (See Air Housing)					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas Fuel System					
112-0106	4	Piston and Pin			
134-3081	1	Guard, Scroll Outlet			
309-0162	1	Switch, High Air Temperature			
508-0002	1	Grommet, Rubber - High Air Temp. Switch Harness			
338-0337	1	Harness, Wiring - High Air Temperature Switch			
508-0109	1	Grommet, Rubber - 1" Hole			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
The following parts refer to the regulator filter assembly:					
232-2589	1	Regulator Filter Package - (For Complete Replacement) Includes Drawings and Unlisted Miscellaneous Hardware Items			
232-2462	1	Box, Mounting			
232-2463	1	Cover, Mounting Box			
312-0197	1	Capacitor			
312-0198	2	Bracket, Capacitor Mounting			
508-0071	1	Grommet, Rubber - 7/8" Hole			
304-0120	2	Resistor, Fixed - 2 OHM, 25 Watts			
304-0015	4	Washer, Resistor Centering			
304-0292	2	Insulator, Resistor			
813-0112	2	Screw - RHM (10-32 x 2 1/2") Resistor Mounting			
338-1165	1	Harness, Wiring			
625-1304	-	Wiring Diagram			