

The following catalog  
has gaps in its page  
numbers, or doesn't  
have any numbers.  
We have chosen to  
leave the page  
numbering in the  
order that Acrobat  
assigns it.

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 5811AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. \_\_\_\_\_ (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 15.0JC-18R SPEC 5811AA  
FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
----------	------	-------------	----------	------	-------------

Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					

SPECIAL PARTS LIST FOR MODEL 15-DTC-4XR SPEC 5891AB  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5564-02 (AC)612-1859-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Fuel Tank					
Housed					
AC Meter Panel					
301-2373	1	Panel, Meter			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
307-1129	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
517-0012	1	Plug, Dot Button - 5/8"			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3CR SPEC 6011AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4848-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut Off					
Gas - Gasoline Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR MODEL 15. QJC-18R SPEC 6011AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CCNTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4848-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Gas - Gasoline Fuel System					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

**FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1**  
**(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)**

**WIRING DIAGRAM NO. (ENG) 612-4794-01**

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Gas - Gasoline Fuel System			
		Air Duct And Shutter			
		High Air Temperature Cut Off			
		Low Oil Pressure Cut Off			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R **SPEC** 6074AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off High Air Temperature Cut Off Air Shutter Gas - Gasoline Fuel System					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			



**SPECIAL PARTS LIST FOR MODEL** 15.0JC-3CR **SPEC** 6074AB  
**FOR STANDARD PARTS REFER TO CATALOG** 967-0220 **KEY NO.** 2  
**(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)**  
**WIRING DIAGRAM NO.** (ENG)612-5559-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Gas - Gasoline Fuel System			
		Air Duct And Shutter			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			



SPECIAL PARTS LIST FOR MODEL 12.5JC-3CR SPEC 6075AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Air Shutter					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3R SPEC 6078AA  
FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
WIRING DIAGRAM NO. (ENG)612-4794-01 (AC)612-1786-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System Housed Low Oil Pressure Cut Off AC Meter Panel					
301-1554	1	Panel, Meter			

**WIRING DIAGRAM NO.** (ENG) 612-4793-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Fuel Tank					
Housed					
High Air Temperature Cut Off					
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 6127AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-4860-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Air Duct And Shutter					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
322-0004	2	Lamp, Indicator			
322-0069	2	Holder, Indicator Lamp			
320-0221	1	Limiter, Cranking - Low Oil Pressure			
307-1129	1	Relay, High Air Temperature			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
301-2376	1	Panel, Control			
309-0206	1	Switch, High Air Temperature			

**WIRING DIAGRAM NO. (ENG) 612-4794-01**

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Air Shutter					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			





SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 6180AA  
FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Gas - Gasoline Fuel System			
		Air Shutter			
		High Air Temperature Cut Off			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			

**SPECIAL PARTS LIST FOR MODEL** 15.0JC-3R **SPEC** 6340AA  
**FOR STANDARD PARTS REFER TO CATALOG** 967-0220 **KEY NO.** 2  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (Eng)612-4794-01 (AC)612-1786-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off High Air Temperature Cut Off Housed Air Shutter Fuel Tank Meter Panel					
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-1554	1	Panel, Meter			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 6401AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. \_\_\_\_\_ (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Fuel Tank					
Air Shutter					
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0175	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R31 SPEC 6428AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4848-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off High Air Temperature Cut Off Overspeed Cut Off Gas Fuel System NOTE: Pennsylvania Approved					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0287	2	Cushion, Vibration - Generator End			

SPECIAL PARTS LIST FOR MODEL 12.5TC-3CR SPEC 6428AB  
FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5564-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas Fuel System					
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
307-1129	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
517-0012	1	Plug, Dot Button - 5/8"			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3CR SPEC 6485AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Fuel Tank Housed					
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			

SPECIAL PARTS LIST FOR MODEL 15.0JC-18R SPEC 6485AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Fuel Tank Housed					
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			

SPECIAL PARTS LIST FOR MODEL 12. SJC-3CR SPEC 64558  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-5558-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Fuel Tank					
155-0360	1	Muffler, Critical			



SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 6485AB  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-5558-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Fuel Tank Housed					
155-0360	1	Muffler, Critical			

SPECIAL PARTS LIST FOR MODEL 15.0JC-18R SPEC 6485AB  
FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5558-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Fuel Tank Housed					
155-0360	1	Muffler, Critical			

SPECIAL PARTS LIST FOR MODEL 15.0JC-18R SPEC 6511AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Day Tank (One Quart)					
Air Shutter					
502-0020	1	Elbow, Street - Fuel Pump Inlet			
504-0007	1	Valve, Fuel Pump Inlet			
502-0002	2	Elbow, Inverted Flare - Day Tank Fuel Line to Fuel Pump Inlet Valve (1) and Day Tank Fuel Line to Carburetor Inlet (1)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3CR SPEC 6598AA  
FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set to Four)			
405-1674	1	Shield, Rain (Top Panel)			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 6598AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4793-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			

Dated Sept 1, 1978

Revised

Page 1 of 1

SPECIAL PARTS LIST FOR MODEL 15.0JC-18R SPEC 6598AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-4793-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			







SPECIAL PARTS LIST FOR MODEL 15.0JC-18R SPEC 6801AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 512-4793-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Fuel Tank Housed Air Shutter					
402-0364	1	Hardware Set, Generator Set Mounting (set of Four)			
405-1674	1	Shield, Rain (Top Panel)			



**(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)**

**WIRING DIAGRAM NO. \_\_\_\_\_ (ENG) 612-4793-02**

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Air Shutter					
NOTE: Pennsylvania Approved					
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0287	2	Cushion, Vibration - Generator End			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3CR SPEC 6893AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Air Shutter Low Oil Pressure Cut Off High Air Temperature Cut Off  405-1674    1    Shield, Rain (Top Panel) 321-0146    1    Fuse - 10 Amp. 321-0175    1    Holder, Fuse 320-0104    1    Relay, Low Oil Pressure 402-0364    1    Hardware Set, Generator Set Mounting (Set of Four)					

SPECIAL PARTS LIST FOR MODEL 15.0JC-18R SPEC 6921AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Fuel Tank					
Housed					
Low Oil Pressure Cut Off					
155-0360	1	Muffler			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Exhaust - Flexible			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set			
		Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-18R **SPEC** 6956AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas Fuel System					
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 15.0JC-9XR SPEC 6956AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-4891-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas Fuel System					
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

**SPECIAL PARTS LIST FOR MODEL** 15-07C-3CR **SPEC** 6956AB  
**FOR STANDARD PARTS REFER TO CATALOG** 967-0220 **KEY NO.** 2  
**(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)**

**WIRING DIAGRAM NO. (ENG)612-5559-01**

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
112-0106	4	Piston And Pin			
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			





SPECIAL PARTS LIST FOR MODEL 15.0JC-18R31 SPEC 7296AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-4860-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas Fuel System					
NOTE: Pennsylvania Approved					
309-0206	1	Switch, High Air Temperature			
112-0106	4	Piston and Pin			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0287	2	Cushion, Vibration - Generator End			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
322-0004	2	Lamp, Indicator - High Air Temperature (1) Low Oil Pressure (1)			
322-0069	2	Holder, Indicator Lamp			
320-0221	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Latching - High Air Temperature			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
301-2376	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL IS, DJC-3R SPEC 7358AB  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL TEXTURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 12-5564-05 (SWBD) 615-0373-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut Off					
Gas - Gasoline Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Switchboard Control					
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
301-2086	1	Panel, Instrument			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
307-1129	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
517-0012	1	Plug, Dot Button - 5/8"			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4R SPEC 7358AB  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5564-06 (SWBD)615-0371-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Switchboard Control					
Gas - Gasoline Fuel System					
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
301-2099	1	Panel, Instrument			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
307-1129	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			
517-0012	1	Plug, Dot Button - 5/8"			

SPECIAL PARTS LIST FOR MODEL

15.0JC-15R

SPEC

7422AA

FOR STANDARD PARTS REFER TO CATALOG

967-0220

KEY NO.

(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO.

(ENG) 612-4848-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Overspeed Cut Off					
Gas - Gasoline Fuel System					
Housed					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
338-0917	1	Harness, Wiring - Voltage Regulator to Exciter Stator			
322-0004	1	Lamp, Indicator - Overspeed			
322-0069	1	Holder, Indicator Lamp			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			
307-0655	1	Relay, Overspeed			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4XR SPEC 7509AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-4794-06 (SWBD) 615-0377

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off High Air Temperature Cut Off Switchboard Control					
301-2116	1	Panel, Instrument			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 12-BJC-302131 SPEC 7512AB  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-5558-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved Gas Fuel System					
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0287	2	Cushion, Vibration - Generator End			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R131 SPEC 7512AB  
FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENC)612-5558-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved LPG Fuel System					
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0287	2	Cushion, Vibration - Generator End			



SPECIAL PARTS LIST FOR MODEL 15.0JC-5R SPEC 7512AB  
FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
WIRING DIAGRAM NO. (ENG)612-5558-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		LPG Fuel System			

SPECIAL PARTS LIST FOR MODEL 15 QJC-3CR131 SPEC 7512AB  
FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
WIRING DIAGRAM NO. (ENG) 612-5558-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved LPG Fuel System					
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0287	2	Cushion, Vibration - Generator End			

SPECIAL PARTS LIST FOR MODEL 15-01C-18B131 SPEC 7512AB  
FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
WIRING DIAGRAM NO. (ENG)612-5558-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
----------	------	-------------	----------	------	-------------

Note: Pennsylvania Approved  
LPG Fuel System

149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0287	2	Cushion, Vibration - Generator End			

**WIRING DIAGRAM NO. (ENG) 612-5559-02**

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Low Oil Pressure Cut Off					
112-0106	4	Piston And Pin			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-518R **SPEC** 8100AA  
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4793-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling (See Air Housing)					
134-3081	1	Guard, Scroll Outlet			
508-0109	1	Grommet, Rubber - 1" Hole			

SPECIAL PARTS LIST FOR MODEL 12-5JC-3CR SPEC B100AB  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-5558-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Vacu-Flo Cooling			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 8100AB  
FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5558-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Vacu-Flo Cooling			

SPECIAL PARTS LIST FOR MODEL 12-558-5100 SPC 810000  
FOR STANDARD PARTS REFER TO CATALOG 967-0230 KEY NO. 2  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
WIRING DIAGRAM NO. (ENG) 612-5558-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Vacu-Flo Cooling			







SPECIAL PARTS LIST FOR MODEL 12.5JC-3CR SPEC 8245AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4917-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
154-1224	1	Manifold, Intake			
148-0367	1	Switch, Vacuum			
502-0053	1	Elbow, Vacuum Switch			
505-0098	1	Nipple, Vacuum Switch			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
320-0104	1	Relay, Low Oil Pressure			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

SPECIAL PARTS LIST FOR MODEL 15.0JC-3CR SPEC 8245AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-4917-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Gas Fuel System					
154-1224	1	Manifold, Intake			
148-0367	1	Switch, Vacuum			
502-0053	1	Elbow, Vacuum Switch			
505-0098	1	Nipple, Vacuum Switch			
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
320-0104	1	Relay, Low Oil Pressure			
332-0604	1	Block, Terminal - 5 Place			
332-0616	1	Strip, Marker - 5 Place			

**WIRING DIAGRAM NO. (ENG) 612-5559-01**

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Low Oil Pressure Cut Off					
High Air Temperature Switch					
154-1224	1	Manifold, Intake			
148-0367	1	Switch, Vacuum			
502-0053	1	Elbow, Vacuum Switch			
505-0098	1	Nipple, Vacuum Switch			

SPECIAL PARTS LIST FOR MODEL 12.5JD-3CR 7PEC 8347AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO. (ENG) 612-4793-01**

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid And Battery Rack (See Housing Option)					
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 8347AA  
FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
WIRING DIAGRAM NO. (ENG) 612-4793-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option)					
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			

SPECIAL PARTS LIST FOR MODEL 15.8JC-3R SPEC 8375AB  
FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5558-01 (AC) 612-1559-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Fuel Tank Housed AC Meter Panel					
301-2288	1	Panel, Meter			



Vacu - Flo Cooling (See Air Housing)

Low Oil Pressure Cut Off

High Air Temperature Cut Off

309-0162	1	Switch, High Air Temperature
508-0002	1	Grommet, Rubber - High Air Temp. Switch Harness
338-0337	1	Harness, Wiring - High Air Temperature Switch
508-0109	1	Grommet, Rubber - 1" Hole
134-3081	1	Guard, Scroll Outlet
321-0146	1	Fuse - 10 Amp.
321-0175	1	Holder, Fuse
320-0104	1	Relay, Low Oil Pressure



PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Vacu-Flo Cooling			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			



FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO. (ENG) 612-5558-01**

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Gas - Gasoline Fuel System Vacu-Flo Cooling			

SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 8389AB  
FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
WIRING DIAGRAM NO. (ENG)612-5558-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Gas - Gasoline Fuel System Vacu-Flo Cooling			



**SPECIAL PARTS LIST FOR MODEL** 15.0JC-18R **SPEC** 8389AB

FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2

**(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)**

**WIRING DIAGRAM NO. (ENG) 612-5558-02**

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Gas - Gasoline Fuel System Vacu-Flo Cooling			



SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R31 **SPEC** 8390AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG) 612-4793-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling (See Air Housing) Gas Fuel System NOTE: Pennsylvania Approved					
112-0106	4	Piston and Pin			
134-3081	1	Guard, Scroll Outlet			
508-0109	1	Grommet, Rubber - 1" Hole			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0287	2	Cushion, Vibration - Generator End			

**SPECIAL PARTS LIST FOR MODEL** 12.5JC-3CR **SPEC** 8390AB  
**FOR STANDARD PARTS REFER TO CATALOG** 967-0220 **KEY NO.** 1  
**(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)**

**WIRING DIAGRAM NO. (ENG) 612-5558-01**

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Gas Fuel System			
		Vacu-Flo Cooling			

SPECIAL PARTS LIST FOR MODEL 12.5JC-3CR31 SPEC 8390AB  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5558-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved Gas Fuel System Vacu-Flo Cooling					
112-0106	4	Piston And Pin			
149-0558	1	Strainer			
307-0312	1	Valve, Fuel			
416-0325	1	Hydrometer			
402-0287	2	Cushion, Vibration - Generator			
		End			

**SPECIAL PARTS LIST FOR MODEL 12.5JC-18R SPEC 8390AB**  
**FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1**  
**(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)**

**WIRING DIAGRAM NO. (ENG) 612-5558-02**

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Gas Fuel System			
		Vacu-Flo Cooling			



SPECIAL PARTS LIST FOR **MODEL** 15.0JC-18R31 **SPEC** 8413AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4793-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
----------	------	-------------	----------	------	-------------

Note: Pennsylvania Approved  
 Gas Fuel System  
 Skid And Battery Rack

112-0106	4	Piston And Pin
149-0558	1	Strainer
307-0312	1	Valve, Fuel
416-0325	1	Hydrometer
134-3756	1	Duct, Air
134-1375	1	Plate, Exhaust Outlet Cover

FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 1  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO. (ENG) 612-5558-02**

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Skid And Battery Rack					
134-3756	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			

SPECIAL PARTS LIST FOR MODEL 15.0JC-4R SPEC 8430AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4794-02 (AC) 612-1469-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Low Oil Pressure Cut Off Meter Panel					
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2204	1	Panel, Meter			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			



SPECIAL PARTS LIST FOR **MODEL** 15-0JC-5DR **SPEC** 8430AB  
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-5559-02 (AC) 612-1556-03

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed			
		Low Oil Pressure Cut Off			
		AC Meter Panel			
301-2204	1	Panel, Meter			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-3R **SPEC** 8451AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4793-01 (AC) 612-1559-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System Housed Meter Panel					
331-0103	1	Grommet, Hose (Regulator to Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2288	1	Panel, Meter			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-4R **SPEC** 8451AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG) 612-4793-02 (AC) 612-1469-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System Housed Meter Panel					
331-0103	1	Grommet, Hose (Regulator To Carburetor)			
134-1375	1	Plate, Exhaust Outlet Cover			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			
405-1674	1	Shield, Rain (Top Panel)			
301-2204	1	Panel, Meter			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-18R **SPEC** 8457AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4794-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling (See Air Housing)					
Low Oil Pressure Cut Off					
134-3081	1	Guard, Scroll Outlet			
508-0109	1	Grommet, Rubber - 1" Hole			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 12.5JC-53CR SPEC 8457AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. \_\_\_\_\_ (ENG) 612-4794-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling (See Air Housing)					
Low Oil Pressure Cut Off					
134-3081	1	Guard, Scroll Outlet			
508-0109	1	Grommet, Rubber - 1" Hole			
321-0146	1	Fuse - 10 Amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

**WIRING DIAGRAM NO.** \_\_\_\_\_ **(ENG) 612-4794-02**

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling (See Air Housing) Low Oil Pressure Cut Off					
134-3081	1	Guard, Scroll Outlet			
508-0109	1	Grommet, Rubber - 1" Hole			
321 0146	1	Fuse - 10 amp.			
321-0175	1	Holder, Fuse			
320-0104	1	Relay, Low Oil Pressure			

**(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)**

**WIRING DIAGRAM NO. (ENG) 612-5559-01**

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Vacu-Flo Cooling			
		Low Oil Pressure Cut Off			

SPECIAL PARTS LIST FOR **MODEL** 12.5JC-18R **SPEC** 8457AB  
FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 1  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG) 612-5559-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Vacu-Flo Cooling Low Oil Pressure Cut Off			







**WIRING DIAGRAM NO. (ENG) 612-5559-02**

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Vacu-Flo Cooling Low Oil Pressure Cut Off			

SPECIAL PARTS LIST FOR **MODEL** 15.0JC-3CR **SPEC** 8489AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4793-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid and Battery Rack (See Housing Option)					
134-1805	1	Duct, Air			
134-1375	1	Plate, Exhaust Outlet Cover			
505-0002	2	Nipple, Oil Drain			
402-0364	1	Hardware Set, Generator Set Mounting (Set of Four)			