

The following catalog  
has gaps in its page  
numbers, or doesn't  
have any numbers.  
We have chosen to  
leave the page  
numbering in the  
order that Acrobat  
assigns it.

SPECIAL PARTS LIST FOR MODEL 3.0PF-3P SPEC 13571A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0205

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Milwaukee Tool					
220-1951	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
211-0245	1	Ball Assembly, Generator End			
403-1040	1	Frame, Carrying			
300-1094	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 4.0PC-3P SPEC 13571A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELO

WIRING DIAGRAM NO. (AC)601-C205

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Milwaukee Tool Remote Receptacle Box					
220-1952	1	Stator, Wound			
201-2023	1	Rotor, Wound			
211-0245	1	Bell Assembly, Generator End			
403-1041	1	Frame, Carrying			
300-1094	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 4.0PK-3P SPEC 13571A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column G  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0205

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Remote Receptacle Box					
220-1952	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6-5/16")			
211-0245	1	Bell Assembly, Generator End			
300-1094	1	Box Assembly, Receptacle			
403-1041	1	Frame, Carrying			

SPECIAL PARTS LIST FOR MODEL 5.0PH-3P SPEC 13571A  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0205

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Milwaukee Tool Remote Receptacle Box					
220-1953	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1041	1	Frame, Carrying			
211-0245	1	Bell Assembly, Generator End			
300-1094	1	Box Assembly, Receptacle			

**SPECIAL PARTS LIST FOR MODEL** 1.2PD-1P **SPEC** 14000A  
**FOR STANDARD PARTS REFER TO CATALOG** 919-0305 **KEY NO.** Column A  
**(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)**

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2472	1	Stator, Wound			
201-2020	1	Rotor, Wound			
211-0266	1	Bell Assembly, Generator End			
323-0923	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 2.0PE-1P SPEC 14000A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column C  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2473	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-0923	1	Box Assembly, Receptacle			
211-0266	1	Bell Assembly, Generator End			





FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. \_\_\_\_\_ (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
323-0924	1	Box Assembly, Receptacle			



**WIRING DIAGRAM NO.** (AC) 601-0209

**Dated**      Sent. 1, 1979      **Revised**      **Page**      1      **of**      1

SPECIAL PARTS LIST FOR MODEL 3.0PE-3P SPEC 14680A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC)601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Desco Div.					
220-1951	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 13/16")			
403-1127	1	Frame, Carrying			



SPECIAL PARTS LIST FOR MODEL 4.5PG-3P SPEC 14696B  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column E  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: John Farmer Ind.					
220-1952	1	Stator, Wound			
201-2013	1	Rotor, Wound			
403-1126	1	Frame, Carrying			

SPECIAL PARTS LIST FOR MODEL 3.0PF-3P SPEC 14697A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: John Farmer Ind.					
220-1951	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
403-1127	1	Frame, Carrying			

WIRING DIAGRAM NO. \_\_\_\_\_ (AC) 601-0203

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1950	1	Stator, Wound			
201-2871	1	Rotor, Wound			
234-0533	1	Cover, Protective - End Bell			
815-0340	2	Screw, Machine - Hex Head			
		Cover Mounting (10-32 X 3/8")			



SPECIAL PARTS LIST FOR **MODEL** 3.0PF-3P **SPEC** 14753A  
FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column D  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC) 601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Argro Power					
220-1951	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
403-1127	1	Frame, Carrying			

SPECIAL PARTS LIST FOR MODEL 5.5PH-3P SPEC 14754A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC)601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: John Farmer Ind.					
220-1953	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1126	1	Frame, Carrying			

SPECIAL PARTS LIST FOR **MODEL** 4.5PG-3P **SPEC** 14754B  
FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column E  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (AC) 601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1952	1	Stator, Wound			
201-2023	1	Rotor, Wound			
403-1126	1	Frame, Carrying			

FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column A  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. \_\_\_\_\_ (AC)601-0207

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1949	1	Stator, Wound			
201-2020	1	Rotor, Wound			
211-0245	1	Bell Assembly, Generator End			
234-0533	1	Cover, Protective - End Bell			
815-0340	2	Screw, Machine - Hex Head			
		Cover Mounting (10-32 X 3/8")			
338-0773	1	Harness, Wiring - End Bell To			
		Receptacle Box			
323-0876	2	Bracket, Receptacle Box			
		Mounting			
301-3672	1	Bracket, Receptacle Mounting			
301-3743	1	Cover, Box			
301-3649	1	Box, Receptacle			
232-2433	1	Cover, End Bell			
Parts Not Furnished By Onan					
Receptacles					

### Parts Not Furnished By Onan Receptacles

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: W.W. Grainger					
220-2472	1	Stator, Wound			
201-2020	1	Rotor, Wound			
323-0969	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 1.2PC-1P SPEC 15581D  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column B  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0203

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: W.W. Grainger					
220-1949	1	Stator, Wound			
201-2020	1	Rotor, Wound			
520-0806	1	Stud, Rotor Through (5/16 X 4-13/16")			
800-0017	4	Screw, Cap-Hex Head, Stud Stator Through (1/4-20 X 3-1/2")			
234-0533	1	Cover, Protective - End Bell			
815-0340	2	Screw, Machine - Hex Head, Cover Mounting (10-32 X 3/8")			
403-1172	2	Hinge, Carrying Handle			
403-1173	1	Handle, Carrying			

SPECIAL PARTS LIST FOR MODEL 1.2PC-1P SPEC 15581E  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: W.W. Grainger					
220-2472	1	Stator, Wound			
201-2020	1	Rotor, Wound			
520-0806	1	Stud, Rotor Through (5/16 X 4-13/16")			
800-0017	4	Screw, Cap-Hex Head, Stud Stator Through (1/4-20 X 3-1/2")			
323-0969	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 3.0PF-3P SPEC 15582A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: W.W. Grainger					
220-1951	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
403-1167	1	Frame, Carrying			



SPECIAL PARTS LIST FOR MODEL 3.0PF-3P SPEC 15582C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: W.W. Grainger					
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
403-1167	1	Frame, Carrying			
323-0967	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 1.7PC-1P SPEC 15582D  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column B  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC)601-0203

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: W.W. Grainger					
220-1950	1	Stator, Wound			
201-2021	1	Rotor, Wound			
234-0533	1	Cover, Protective - End Bell			
815-0340	2	Screw, Machine - Hex Head, Cover Mounting (10-32 X 3/8")			
403-1167	1	Frame, Carrying			
402-0420	4	Dampener, Vibration			
337-0097	1	Strap, Ground			
403-1034	1	Base, Mounting			

SPECIAL PARTS LIST FOR MODEL 1.7PC-1P SPEC 15582E  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column B  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: W.W. Grainger					
220-2473	1	Stator, Wound			
201-2021	1	Rotor, Wound			
403-1167	1	Frame, Carrying			
402-0420	4	Dampener, Vibration			
337-0097	1	Strap, Ground			
403-1034	1	Base, Mounting			
323-0969	1	Box Assembly, Receptacle			

**WIRING DIAGRAM NO.** \_\_\_\_\_ **(AC) 601-0204**

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: W.W. Grainger					
220-1952	1	Stator, Wound			
201-2023	1	Rotor, Wound			
493-1168	1	Frame, Carrying			

SPECIAL PARTS LIST FOR **MODEL** 4.OPK-3P **SPEC** 15583A  
FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column G  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (AC) 601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1952	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6-5/16")			
403-1168	1	Frame, Carrying			

SPECIAL PARTS LIST FOR MODEL 4.0PK-3P SPEC 15583C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column G  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6-5/16")			
403-1168	1	Frame, Carrying			
323-0967	1	Box Assembly, Receptacle			
100-1617	1	Engine, 10 Horsepower (Briggs & Stratton Model 220432 Spec 0131-01, For Component Parts Refer To Manufacturer)			
331-0053	5	Locknut - Exhaust (1")			
505-0333	1	Elbow, Street - Exhaust (1 X 45°)			
505-0107	1	Nipple, Pipe - Exhaust (1 X 2")			
155-1564	1	Muffler, Exhaust			
505-0004	1	Nipple, Pipe - Exhaust (1 X 1-1/2")			
505-0124	1	Elbow, Pipe - Exhaust (1 X 45°)			

SPECIAL PARTS LIST FOR MODEL 4.OPN-3P SPEC 15583C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column C  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: W.W. Grainger					
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
100-1681	1	Engine, 11 Horsepower (Briggs & Stratton Model 251412 For Component Parts Refer To Manufacturer)			
520-0808	1	Stud, Rotor Through (5/16" X 6- 5/16")			
211-0266	1	Bell Assembly, Generator End			
403-1168	1	Frame, Carrying			
323-0967	1	Box Assembly, Receptacle			
331-0053	5	Locknut - Exhaust (1")			
505-0333	1	Elbow, Street - Exhaust (1 X 45°)			
505-0107	1	Nipple, Pipe - Exhaust (1 X 2")			
155-1564	1	Muffler, Exhaust			
505-0004	1	Nipple, Pipe - Exhaust (1 X 1-1/2")			
505-0124	1	Elbow, Pipe - Exhaust (1 X 45°)			

SPECIAL PARTS LIST FOR **MODEL** 2.0PE-1P **SPEC** 15985A  
FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column C  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2473	1	Stator, Wound			
201-2021	1	Rotor, Wound			
211-0266	1	Bell Assembly, Generator End			
403-1106	1	Frame, Carrying			
402-0429	4	Dampener, Vibration			
337-0097	1	Strap, Ground			
403-1034	1	Base, Mounting			
323-0923	1	Box Assembly, Receptacle			



SPECIAL PARTS LIST FOR MODEL 2.0PE-1P SPEC 15985C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO Column C  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Milwaukee Tool					
220-2473	1	Stator, Wound			
201-2021	1	Rotor, Wound			
403-1106	1	Frame, Carrying			
402-0429	4	Dampener, Vibration			
337-0097	1	Strap, Ground			
403-1034	1	Base, Mounting			
323-1079	1	Box Assembly, Receptacle			
		(Includes Parts Marked *)			
301-3916	1	*Box Receptacle			
320-0540	2	*Breaker, Circuit (15 Ampere)			
323-0383	2	*Receptacle, Output (Duplex)			
323-0869	2	*Strap, Ground - Receptacle			

SPECIAL PARTS LIST FOR MODEL 1.5PC-1P SPEC 15985D  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column B  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2473	1	Stator, Wound			
201-2021	1	Rotor, Wound			
211-0266	1	Bell Assembly, Generator End			
403-1034	1	Base, Engine Mounting			
403-1106	1	Frame, Carrying			
337-0097	1	Strap, Ground			
402-0429	4	Dampener, Vibration			
323-0923	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 1.5PC-1P SPEC 15985E  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO Column B  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2473	1	Stator, Wound			
201-2021	1	Rotor, Wound			
403-1034	1	Base, Engine Mounting			
403-1106	1	Frame, Carrying			
337-0097	1	Strap, Ground			
402-0429	4	Dampener, Vibration			
323-1079	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3916	1	*Box, Receptacle			
323-0383	2	*Receptacle, Output - Duplex			
320-0540	2	*Breaker, Circuit (15 Ampere)			
323-0869	2	*Strap, Ground			

SPECIAL PARTS LIST FOR MODEL 3.OPF-3P SPEC 15986A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Milwaukee Tool					
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
502-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
403-1040	1	Frame, Carrying			
323-0925	1	Box Assembly, Receptacle			
320-0540	1	Breaker, Circuit (15 Ampere)			
320-0541	2	Breaker, Circuit (20 Ampere)			
211-0266	1	Bell Assembly, Generator End			

SPECIAL PARTS LIST FOR MODEL 4.0PG-3P SPEC 15987A  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO Column E  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Milwaukee Tool					
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
211-0266	1	Bell Assembly, Generator End			
323-0925	1	Box Assembly, Receptacle			
403-1041	1	Frame, Carrying			

FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column F  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1041	1	Frame, Carrying			
323-0925	1	Box Assembly, Receptacle			
320-0540	1	Breaker, Circuit (15 Ampere)			
320-0541	2	Breaker, Circuit (20 Ampere)			

SPECIAL PARTS LIST FOR MODEL 5.0PH-3P SPEC 15995A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Idlematic Control					
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1041	1	Frame, Carrying			
323-0925	1	Box Assembly, Receptacle			
320-0540	1	Breaker, Circuit (15 Ampere)			
320-0541	2	Breaker, Circuit (20 Ampere)			
355-0062	1	Capacitor - Idlematic (.1 Mfd, 100 Volt)			
315-0414	1	Transformer - Idlematic			

SPECIAL PARTS LIST FOR MODEL 2.0PE-1P SPEC 15998A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0203

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1950	1	Stator, Wound			
201-2021	1	Rotor, Wound			
234-0533	1	Cover, Protective - End Bell			
815-0340	2	Screw, Machine - Hex Head Cover Mounting (10-32 X 3/8")			
403-1172	2	Hinge, Carrying Handle			
403-1173	1	Handle, Carrying			



WIRING DIAGRAM NO. (AC) 601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1952	1	Stator, Wound			
201-2023	1	Rotor, Wound			
403-1199	1	Frame, Carrying			

SPECIAL PARTS LIST FOR **MODEL** 3.0PF-3P **SPEC** 16036A  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (AC) 601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Idlematic Control					
220-1951	1	Stator, Wound			
201-2022	1	Rotor, Wound			
520-0806	1	Stud, Rotor Through (5/16 X 4-13/16")			
403-1127	1	Frame, Carrying			
355-0062	1	Capacitor - Idlematic (.1 Mfd, 100 Volt)			
315-0414	1	Transformer - Idlematic			
231-0195	1	Adapter, Generator			

SPECIAL PARTS LIST FOR MODEL 5.5PH-3P SPEC 16690A  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1126	1	Frame, Carrying			
211-0266	1	Bell Assembly, Generator End			
323-0967	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 4.5PG-3P SPEC 16690B  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column E  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0202

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
403-1126	1	Frame, Carrying			
211-0266	1	Bell Assembly, Generator End			
323-0967	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR **MODEL** 2.5PF-53BP **SPEC** 17194A  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (AC) 601-0205

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Sawary Remote Receptacle Box					
220-2095	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
300-1094	1	Box Assembly, Receptacle			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			

SPECIAL PARTS LIST FOR **MODEL** 4.5PH-53BP **SPEC** 17194A  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC) 601-0207-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Remote Receptacle Box					
220-2097	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
300-1094	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 1.4PC-53BP SPEC 17194D  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column B  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0207-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Sawary					
220-2094	1	Stator, Wound			
201-2021	1	Rotor, Wound			
211-0245	1	Bell Assembly, Generator End			
300-1094	1	Box Assembly, Receptacle - Remote			
232-2433	1	Cover, End Bell			

FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column B  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** \_\_\_\_\_ **(AC) 601-0209**

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Sawary					
220-2473	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-0923	1	Box Assembly, Receptacle			



FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column C  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2571	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-0924	1	Box Assembly, Receptacle			

**WIRING DIAGRAM NO.** (AC) 601-0209

Manufactured For: Sawary

SPECIAL PARTS LIST FOR MODEL 2.5PF-53CP SPEC 17197C  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column D  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2572	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
323-0924	1	Box Assembly, Receptacle			

**WIRING DIAGRAM NO.** (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Sawary					
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
323-0924	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 3.7PG-53CP SPEC 17197C  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column E  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2573	1	Stator, Wound			
201-2023	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
323-0924	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 3.7PK-53CP SPEC 17197C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column G  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2573	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6-5/16")			
100-1517	1	Engine, 10 Horsepower (Briggs & Stratton Model 251412 Spec 0214-01, For Component Parts Refer To Manufacturer)			
403-1259	1	Frame, Carrying			
331-0053	5	Locknut - Exhaust (1")			
505-0333	1	Elbow, Street - Exhaust (1 X 45°)			
505-0107	1	Nipple, Pipe - Exhaust (1 X 2")			
155-1564	1	Muffler, Exhaust			
505-0004	1	Nipple, Pipe - Exhaust (1 X 1-1/2")			
505-0124	1	Elbow, Pipe - Exhaust (1 X 45°)			
323-0924	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR **MODEL** 4.5PH-53BP **SPEC** 17197C  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Sawary					
220-2566	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
323-0924	1	Box Assembly, Receptacle			
331-0053	4	Locknut - Exhaust (1")			
505-0004	1	Nipple, Close - Exhaust (1" X 1-1/2")			
505-0086	1	Nipple, Exhaust (1" X 2-1/2")			
505-0041	1	Elbow, Pipe - Exhaust (1" X 90°)			

SPECIAL PARTS LIST FOR MODEL 4.5PH-53CP SPEC 17197C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2574	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
323-0924	1	Box Assembly, Receptacle			
331-0053	4	Locknut - Exhaust (1")			
505-0004	1	Nipple, Close - Exhaust (1" X 1-1/2")			
505-0086	1	Nipple, Exhaust (1" X 2-1/2")			
505-0041	1	Elbow, Pipe - Exhaust (1" X 90°)			







SPECIAL PARTS LIST FOR **MODEL** 1.4PC-53BP **SPEC** 17197E  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column B  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Sawary					
220-2563	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-0924	1	Box Assembly, Receptacle			

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2571	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-0924	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 2.5PF-53BP SPEC 17210C  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column D  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2564	1	Stator, Wound			
201-2022	1	Rotor, Wound			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
231-0195	1	Adapter, Generator			
323-0968	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 3.0PF-3P SPEC 17249C  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column D  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Sidericoudis					
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
323-0967	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR **MODEL** 2.5PF-53BP **SPEC** 17251C  
FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column D  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2564	1	Stator, Wound			
201-2022	1	Rotor, Wound			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
231-0195	1	Adapter, Generator			
323-0954	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 4.5PH-53BP SPEC 17251C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2566	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
323-0954	1	Box Assembly, Receptacle			
331-0053	4	Locknut - Exhaust (1")			
505-0004	1	Nipple, Close - Exhaust (1" X 1-1/2")			
505-0086	1	Nipple, Exhaust (1" X 2-1/2")			
505-0041	1	Elbow, Pipe - Exhaust (1" X 90°)			



SPECIAL PARTS LIST FOR **MODEL** 4.5PM-53BP **SPEC** 17251C  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2566	1	Stator, Wound			
201-2024	1	Rotor, Wound			
211-0266	1	Bell Assembly, Generator End			
403-1259	1	Frame, Carrying			
323-0954	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 5.5PH-3P SPEC 17251C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Sidericoudis					
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
323-0954	1	Box Assembly, Receptacle			
331-0053	4	Locknut - Exhaust (1")			
505-0004	1	Nipple, Close - Exhaust (1" X 1-1/2")			
505-0086	1	Nipple, Exhaust (1" X 2-1/2")			
505-0041	1	Elbow, Pipe - Exhaust (1" X 90°)			

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
211-0266	1	Bell Assembly, Generator End			
403-1259	1	Frame, Carrying			
323-0954	1	Box Assembly, Receptacle			

FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column C  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2473	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-0970	1	Box Assembly, Receptacle			

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2473	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-0970	1	Box Assembly, Receptacle			



SPECIAL PARTS LIST FOR **MODEL** 3.0PF-3P **SPEC** 17748C  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Stow					
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
323-0924	1	Box Assembly, Receptacle			

FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column B  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** \_\_\_\_\_ (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2473	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-0923	1	Box Assembly, Receptacle			



SPECIAL PARTS LIST FOR MODEL 4.5PK-3P SPEC 17749C  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column G  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6-5/16")			
403-1259	1	Frame, Carrying			
329-0924	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR **MODEL** 5.5PH-3P **SPEC** 17749C  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
323-0924	1	Box Assembly, Receptacle			

FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column D  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Milwaukee Tool					
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
502-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
403-1040	1	Frame, Carrying			
301-4365	1	Box, Receptacle			
234-0558	1	Panel, Louver - End Bell			
508-0195	1	Bushing, Receptacle Box			
323-1066	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4356	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0411	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	1	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
332-1815	1	*Strip, Terminal			
323-0869	1	*Strap, Ground - Receptacle			

FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column G  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** \_\_\_\_\_ (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Milwaukee Tool					
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6- 5/16")			
100-1517	1	Engine, 10 Horsepower (Briggs & Stratton Model 251412 Spec 0214-01, For Component Parts Refer To Manufacturer)			
403-1041	1	Frame, Carrying			
301-4365	1	Box, Receptacle			
234-0558	1	Panel, Louver - End Bell			
508-0195	1	Bushing, Receptacle Box			
323-1066	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4356	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0411	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	1	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
332-1815	1	*Strip, Terminal			
323-0869	1	*Strap, Ground - Receptacle			
517-0133	4	*Plug-Receptacle Panel (1/2")			
331-0053	2	Locknut - Exhaust (1")			
505-0088	1	Nipple, Pipe - Exhaust (1 X 4-1/2")			
155-1564	1	Muffler, Exhaust			

SPECIAL PARTS LIST FOR MODEL 5.0PH-3P SPEC 17829C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Milwaukee Tool					
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1041	1	Frame, Carrying			
301-4365	1	Box, Receptacle			
234-0558	1	Panel, Louver - End Bell			
508-0195	1	Bushing, Receptacle Box			
323-1066	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4356	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0411	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	1	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
332-1815	1	*Strip, Terminal			
323-0869	1	*Strap, Ground - Receptacle			
517-0133	4	*Plug, Hole (1/2")			

SPECIAL PARTS LIST FOR **MODEL** 5.0PM-3P **SPEC** 17829C  
**FOR STANDARD PARTS REFER TO CATALOG** 919-0305 **KEY NO.** Column I  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Milwaukee Tool					
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
211-0266	1	Bell Assembly, Generator End			
403-1041	1	Frame, Carrying			
301-4365	1	Box, Receptacle			
234-0558	1	Panel, Louver - End Bell			
508-0195	1	Bushing, Receptacle Box			
323-1066	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4356	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0411	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	1	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
332-1815	1	*Strip, Terminal			
323-0869	1	*Strap, Ground - Receptacle			
517-0133	4	*Plug, Receptacle Panel (1/2")			
331-0053	2	Locknut - Exhaust (1")			
505-0147	1	Nipple, Pipe - Exhaust (1" X 2")			
155-1564	1	Muffler, Exhaust			

SPECIAL PARTS LIST FOR **MODEL** 6.5PM-3P **SPEC** 17829C  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Milwaukee Tool					
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1041	1	Frame, Carrying			
211-0266	1	Bell Assembly, Generator End			
301-4365	1	Box, Receptacle			
234-0558	1	Panel, Louver - End Bell			
508-0195	1	Bushing, Receptacle Box			
323-1066	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4356	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0411	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	1	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
332-1815	1	*Strip, Terminal			
323-0869	1	*Strap, Ground - Receptacle			
517-0133	4	*Plug, Receptacle Panel (1/2")			
331-0053	2	Locknut - Exhaust (1")			
505-0087	1	Nipple, Pipe - Exhaust (1" X 3")			
505-1564	1	Muffler, Exhaust			





SPECIAL PARTS LIST FOR MODEL 2.2PE-1P SPEC 18084C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column C  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Stow Manufacturing					
220-2473	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-1074	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3916	1	*Box, Receptacle			
320-0540	2	*Breaker, Circuit (15 Ampere)			
323-0383	2	*Receptacle, Output (Duplex)			
323-0869	2	*Strap, Ground - Receptacle			
179-1552	1	Arrester, Spark - Exhaust			

SPECIAL PARTS LIST FOR **MODEL** 3.5PF-3P **SPEC** 18085C  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Stow Manufacturing					
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
403-1369	1	Hinge, Carrying Handle			
403-1370	1	Hinge, Carrying Handle			
403-1173	1	Handle, Carrying			
402-0425	4	Dampener, Vibration			
301-4407	1	Frame, Control			
301-4405	1	Panel, Control			
301-4406	1	Cover, Control			
508-0051	1	Grommet, (2" Hole)			
323-1073	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4439	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0422	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	2	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
323-0869	1	*Strap, Ground - Receptacle			
517-0133	4	Plug - Receptacle Panel (1/2" Hole)			
179-1552	1	Arrester, Spark - Exhaust			

SPECIAL PARTS LIST FOR **MODEL** 4.5PK-3P **SPEC** 18086C  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column G  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Stow					
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6- 5/16")			
403-1259	1	Frame, Carrying			
100-1617	1	Engine, 10 Horsepower (Briggs & Stratton Model 220432 Spec 0131-01, For Component Parts Refer To Manufacturer)			
301-4407	1	Frame, Control			
301-4405	1	Panel, Control			
301-4406	1	Cover, Control			
301-4601	1	Panel, Receptacle - Blank			
508-0051	1	Grommet, (2" Hole)			
232-2636	1	Bracket & Terminal Assembly, Control			
323-1073	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4439	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0422	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	2	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
323-0869	1	*Strap, Ground - Receptacle			
517-0133	4	*Plug - Receptacle Panel (1/2" Hole)			
155-1564	1	Muffler, Exhaust			
155-1537	1	Arrester, Spark - Exhaust			
155-1538	1	Deflector, Muffler			
155-1539	4	Screw, Muffler (Special)			
505-0004	1	Nipple, Pipe - Exhaust (1" X 1-1/2")			
331-0053	5	Locknut - Exhaust (1")			
505-0333	1	Elbow, Street - Exhaust (1" X 45°)			
505-0107	1	Nipple, Pipe - Exhaust (1" X 2")			
505-0124	1	Elbow, Pipe - Exhaust (1" X 45°)			

SPECIAL PARTS LIST FOR MODEL 4.5RN-3P SPEC 18086C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column G  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Stow Manufacturing					
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
100-1681	1	Engine, 11 Horsepower (Briggs & Stratton Model 251412 For Component Parts Refer To Manufacturer)			
520-0808	1	Stud, Rotor Through (5/16 X 6- 5/16")			
211-0266	1	Bell Assembly, Generator End			
403-1259	1	Frame, Carrying			
301-4407	1	Frame, Control			
301-4405	1	Panel, Control			
301-4406	1	Cover, Control			
301-4601	1	Panel, Receptacle - Blank			
508-0051	1	Grommet, (2" Hole)			
232-2636	1	Bracket & Terminal Assembly, Control			
323-1073	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4439	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output-Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output-Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0422	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	2	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
323-0869	1	*Strap, Ground - Receptacle			
517-0133	4	*Plug - Receptacle Panel (1/2" Hole)			
155-1564	1	Muffler, Exhaust			
155-1537	1	Arrester, Spark - Exhaust			
155-1538	1	Deflector, Muffler			
155-1539	4	Screw, Muffler (Special)			
505-0004	1	Nipple, Pipe - Exhaust (1" X 1-1/2")			
331-0053	5	Locknut - Exhaust (1")			
505-0333	1	Elbow, Street - Exhaust (1" X 45°)			
505-0107	1	Nipple, Pipe - Exhaust (1" X 2")			
505-0124	1	Elbow, Pipe - Exhaust (1" X 45°)			

SPECIAL PARTS LIST FOR MODEL 6.0PH-3P SPEC 18087C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Stow					
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
100-1516	1	Engine, 13 Horsepower (Briggs & Stratton Model 302432 Spec 0142-01, For Component Parts Refer To Manufacturer)			
403-1311	1	Frame, Carrying			
301-4407	1	Frame, Control			
301-4405	1	Panel, Control			
301-4406	1	Cover, Control			
301-4601	1	Panel, Receptacle - Blank			
508-0051	1	Grommet, (2" Hole)			
232-2636	1	Bracket & Terminal Assembly, Control			
331-0053	4	Locknut - Exhaust (1")			
505-0004	1	Nipple, Close - Exhaust (1" X 1-1/2")			
505-0086	1	Nipple, Exhaust (1" X 2-1/2")			
505-0041	1	Elbow, Pipe - Exhaust (1" X 90°)			
155-1564	1	Muffler, Exhaust			
155-1537	1	Arrester, Spark - Exhaust			
155-1538	1	Deflector, Muffler			
155-1539	4	Screw, Muffler (Special)			
323-1073	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4439	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0422	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	2	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
323-0869	1	*Strap, Ground - Receptacle			
517-0133	4	*Plug - Receptacle Panel (1/2" Hole)			

FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column 1  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. \_\_\_\_\_ (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
211-0266	1	Bell Assembly, Generator End			
403-1311	1	Frame, Carrying			
301-4407	1	Frame, Control			
301-4405	1	Panel, Control			
301-4406	1	Cover, Control			
301-4601	1	Panel, Receptacle - Blank			
508-0051	1	Grommet, (2" Hole)			
232-2636	1	Bracket & Terminal Assembly, Control			
323-1073	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4439	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0422	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	2	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
323-0869	1	*Strap, Ground - Receptacle			
517-0133	4	*Plug - Receptacle Panel (1/2" Hole)			
331-0053	4	Locknut - Exhaust (1")			
505-0004	1	Nipple, Close - Exhaust (1" X 1-1/2")			
505-0086	1	Nipple, Exhaust (1" X 2-1/2")			
505-0041	1	Elbow, Pipe - Exhaust (1" X 90°)			
155-1564	1	Muffler, Exhaust			
155-1537	1	Arrester, Spark - Exhaust			
155-1538	1	Deflector, Muffler			
155-1539	4	Screw, Muffler (Special)			

SPECIAL PARTS LIST FOR MODEL 3.0PF-3P SPEC 18180F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Constructor's Set					
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
323-0944	1	Box Assembly, Receptacle			
323-0952	1	Plug - Twistlock Receptacle			

SPECIAL PARTS LIST FOR MODEL 4.5PK-3P SPEC 18180F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column G  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Constructor's Set					
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6-5/16")			
100-1517	1	Engine, 10 Horsepower (Briggs & Stratton Model 251412 Spec 0214-01, For Component Parts Refer To Manufacturer)			
403-1259	1	Frame, Carrying			
323-0944	1	Box Assembly, Receptacle			
323-0952	1	Plug, Twistlock - Receptacle			
331-0053	5	Locknut - Exhaust (1")			
505-0333	1	Elbow, Street - Exhaust (1 X 45°)			
505-0107	1	Nipple, Pipe - Exhaust (1 X 2")			
155-1564	1	Muffler, Exhaust			
505-0004	1	Nipple, Pipe - Exhaust (1 X 1-1/2")			
505-0124	1	Elbow, Pipe - Exhaust (1 X 45°)			



SPECIAL PARTS LIST FOR **MODEL** 5.5PH-3P **SPEC** 18180F  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Constructor's Set					
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
323-0944	1	Box Assembly, Receptacle			
331-0053	4	Locknut - Exhaust (1")			
505-0004	1	Nipple, Close - Exhaust (1" X 1-1/2")			
505-0086	1	Nipple, Exhaust (1" X 2-1/2")			
505-0041	1	Elbow, Pipe - Exhaust (1" X 90°)			
323-0952	1	Plug, Twistlock - Receptacle			

SPECIAL PARTS LIST FOR MODEL 3.0PF-3P SPEC 18444F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Constructor's Set Idlematic Control					
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16 X 4-13/16")			
323-0944	1	Box Assembly, Receptacle			
355-0062	1	Capacitor - Idlematic (.1 Mfd, 100 Volt)			
315-0414	1	Transformer- Idlematic			
307-1569	1	Bracket, Solenoid - Idlematic			
307-1570	1	Link, Solenoid To Carburetor- Idlematic			
323-0952	1	Plug - Twistlock Receptacle			
331-0127	1	Connector, Box (90°) - Idlematic Solenoid			
508-0185	1	Grommet, Rubber (5/16" Hole) - Connector Box			

SPECIAL PARTS LIST FOR MODEL 4.5PK-3P SPEC 18444F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column G  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Constructor's Set Idlematic Control					
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6-5/16")			
100-1517	1	Engine, 10 Horsepower (Briggs & Stratton Model 251412 Spec 0214-01, For Component Parts Refer To Manufacturer)			
403-1259	1	Frame, Carrying			
323-0944	1	Box Assembly, Receptacle			
323-0952	1	Plug, Twistlock - Receptacle			
331-0053	5	Locknut - Exhaust (1")			
505-0333	1	Elbow, Street - Exhaust (1" X 45°)			
505-0107	1	Nipple, Pipe - Exhaust (1" X 2")			
155-1564	1	Muffler, Exhaust			
505-0004	1	Nipple, Pipe - Exhaust (1" X 1-1/2")			
505-0124	1	Elbow, Pipe - Exhaust (1" X 45°)			
355-0062	1	Capacitor - Idlematic (.1 Mfd, 100 Volt)			
315-0414	1	Transformer - Idlematic			
307-1547	1	Link, Solenoid To Carburetor - Idlematic			
331-0127	1	Connector, Box (90°) - Idlematic Solenoid			
508-0185	1	Grommet, Rubber (5/16" Hole) - Connector Box			
207-1548	1	Bracket, Solenoid - Idlematic			

SPECIAL PARTS LIST FOR MODEL 5.5PH-3P SPEC 18444F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Constructor's Set Idlematic Control					
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
323-0944	1	Box Assembly, Receptacle			
331-0053	4	Locknut - Exhaust (1")			
505-0004	1	Nipple, Close - Exhaust (1" X 1-1/2")			
505-0086	1	Nipple, Exhaust (1" X 2-1/2")			
505-0041	1	Elbow, Pipe - Exhaust (1" X 90°)			
323-0952	1	Plug, Twistlock - Receptacle			
355-0062	1	Capacitor - Idlematic (.1 Mfd, 100 Volt)			
315-0414	1	Transformer, Idlematic			
307-1586	1	Bracket, Solenoid - Idlematic			
307-1587	1	Link, Solenoid To Carburetor - Idlematic			
331-0127	1	Connector, Box (90°) - Idlematic Solenoid			
508-0185	1	Grommet, Rubber (5/16" Hole) - Connector Box			

SPECIAL PARTS LIST FOR MODEL 5.5PM-3P SPEC 18444F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Constructor's Set					
Idlematic Control					
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
211-0266	1	Bell Assembly, Generator End			
403-1259	1	Frame, Carrying			
323-0944	1	Box Assembly, Receptacle			
323-0952	1	Plug, Twistlock - Receptacle			
355-0062	1	Capacitor - Idlematic (.1 Mfd, 100 Volt)			
315-0414	1	Transformer - Idlematic			
307-1587	1	Link, Solenoid To Carburetor - Idlematic			
331-0127	1	Connector, Box (90°) - Idlematic Solenoid			
508-0185	1	Grommet, Rubber (5/16" Hole) - Connector Box			
307-1586	1	Bracket, Solenoid - Idlematic			

SPECIAL PARTS LIST FOR **MODEL** 2.5PF-53CP **SPEC** 18713C  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2572	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
301-4407	1	Frame, Control			
301-4405	1	Panel, Control			
301-4406	1	Cover, Control			
301-4601	1	Panel, Receptacle - Blank			
179-1552	1	Arrester, Spark - Exhaust			
508-0051	1	Grommet, (2" Hole)			
232-2636	1	Bracket & Terminal Assembly, Control			

SPECIAL PARTS LIST FOR MODEL 4.5PH-53CP SPEC 18714C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2574	1	Stator, Wound			
201-2024	1	Rotor, Wound			
100-1516	1	Engine, 13 Horsepower (Briggs & Stratton Model 302432 Spec 0142-01, For Component Parts Refer To Manufacturer)			
403-1311	1	Frame, Carrying			
301-4407	1	Frame, Control			
301-4405	1	Panel, Control			
301-4406	1	Cover, Control			
301-4601	1	Panel, Receptacle - Blank			
508-0051	1	Grommet, (2" Hole)			
232-2636	1	Bracket & Terminal Assembly, Control			
331-0053	4	Locknut - Exhaust (1")			
505-0004	1	Nipple, Close - Exhaust (1" X 1-1/2")			
505-0086	1	Nipple, Exhaust (1" X 2-1/2")			
505-0041	1	Elbow, Pipe - Exhaust (1" X 90°)			
155-1564	1	Muffler, Exhaust			
155-1537	1	Arrester, Spark - Exhaust			
155-1538	1	Deflector, Muffler			
155-1539	4	Screw, Muffler (Special)			

SPECIAL PARTS LIST FOR MODEL 3.7PK-53CP SPEC 18716C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO Column G  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2573	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6-5/16")			
100-1517	1	Engine, 10 Horsepower (Briggs & Stratton Model 251412 Spec 0214-01, For Component Parts Refer To Manufacturer)			
403-1259	1	Frame, Carrying			
301-4407	1	Frame, Control			
301-4405	1	Panel, Control			
301-4406	1	Cover, Control			
301-4601	1	Panel, Receptacle - Blank			
508-0051	1	Grommet, (2" Hole)			
232-2636	1	Bracket & Terminal Assembly, Control			
155-1564	1	Muffler, Exhaust			
155-1537	1	Arrester, Spark - Exhaust			
155-1538	1	Deflector, Muffler			
155-1539	4	Screw, Muffler (Special)			
505-0004	1	Nipple, Pipe - Exhaust (1" X 1-1/2")			
331-0053	5	Locknut - Exhaust (1")			
505-0333	1	Elbow, Street - Exhaust (1" X 45°)			
505-0107	1	Nipple, Pipe - Exhaust (1" X 2")			
505-0124	1	Elbow, Pipe - Exhaust (1" X 45°)			



SPECIAL PARTS LIST FOR **MODEL** 1.2PC-1P **SPEC** 19252F  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column B  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Montgomery Wards					
220-2954	1	Stator, Wound			
201-2020	1	Rotor, Wound			
520-0806	1	Stud, Rotor Through (5/16 X 4-13/16")			
800-0017	4	Screw, Cap-Hex Head, Stud Stator Through (1/4-20 X 3-1/2")			
323-1103	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3916	1	*Box, Receptacle			
320-0540	2	*Breaker, Circuit			
323-0383	2	*Receptacle, Output			
323-0869	2	*Strap, Ground			
179-1552	1	Arrester, Spark - Exhaust			

SPECIAL PARTS LIST FOR **MODEL** 1.7PC-1P **SPEC** 19252F  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column B  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Montgomery Wards					
220-2955	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-1103	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3916	1	*Box, Receptacle			
320-0540	2	*Breaker, Circuit			
323-0383	2	*Receptacle, Output			
323-0869	2	*Strap, Ground			
179-1552	1	Arrester, Spark - Exhaust			