

The following catalog
has gaps in its page
numbers, or doesn't
have any numbers.
We have chosen to
leave the page
numbering in the
order that Acrobat
assigns it.

SPECIAL PARTS LIST FOR **MODEL** 12.5RJC-4XR **SPEC** 10835AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4817-04

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--|------|--|----------|------|-------------|
| Housed Model LPG Vapor Carburetor Muffler Mounted On Housing | | | | | |
| 301-2308 | 1 | Panel, Control - Upper | | | |
| 155-0360 | 1 | Muffler, Critical Type | | | |
| 155-0927 | 1 | Tube, Exhaust | | | |
| 140-0078 | 2 | Bands, Muffler - Mounted On Housing | | | |
| 405-1889 | 1 | Shield, Rain | | | |
| 505-0043 | 2 | Elbow, 90° (1½") | | | |

SPECIAL PARTS LIST FOR MODEL 12.5RJC-5DR SPEC 10835AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4818-06

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--|------|-------------------------------------|----------|------|-------------|
| Housed Model LPG Vapor Carburetor Muffler Mounted On Housing | | | | | |
| 301-2204 | 1 | Panel, Control - Upper | | | |
| 155-0360 | 1 | Muffler, Critical Type | | | |
| 155-0927 | 1 | Tube, Exhaust | | | |
| 140-0078 | 2 | Bands, Muffler - Mounted On Housing | | | |
| 405-1889 | 1 | Shield, Rain | | | |
| 505-0043 | 2 | Elbow, 90° (1½") | | | |

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4R SPEC 10835AB
FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5487-01 (AC) 612-5500-06

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------------------------|------|-------------------------------------|----------|------|-------------|
| Housed Model | | | | | |
| Natural Gas Carburetor | | | | | |
| Muffler Mounted On Housing | | | | | |
| 301-2204 | 1 | Panel, Control - Upper | | | |
| 155-0360 | 1 | Muffler, Critical Type | | | |
| 155-0927 | 1 | Tube, Exhaust | | | |
| 140-0078 | 2 | Bands, Muffler - Mounted On Housing | | | |
| 405-1889 | 1 | Shield, Rain | | | |
| 505-0043 | 2 | Elbow, 90° (1½") | | | |

SPECIAL PARTS LIST FOR MODEL 12.5RJC-3R SPEC 10898AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-3160-01(AC)612-4815-11

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------------|------|-------------------------------|----------|------|-------------|
| Natural Gas Carburetor | | | | | |
| Overspeed Cut Off | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Water Temperature Cut Off | | | | | |
| Overcrank Cut Off | | | | | |
| 303-0201 | 1 | Rheostat - Adjustable | | | |
| 301-2288 | 1 | Panel, Control - Upper | | | |
| 322-0004 | 4 | Lamp, Plant, Low Oil Pressure | | | |
| | | High Water Temperature, | | | |
| | | Overspeed | | | |
| 322-0069 | 4 | Holder, Lamp | | | |
| 307-0655 | 3 | Relay, Low Oil Pressure, High | | | |
| | | Water Temperature, | | | |
| | | Overspeed | | | |
| 301-2125 | 1 | Panel, Control - Lower | | | |
| 332-1007 | 1 | Strip, Marker | | | |
| 332-1005 | 1 | Block, Terminal (20 Place) | | | |
| 503-0274 | 2 | Clamp, Hose - Oil Bath Air | | | |
| | | Cleaner | | | |
| 503-0444 | 1 | Hose, Oil Bath Air Cleaner | | | |

SPECIAL PARTS LIST FOR **MODEL** 12.5RJC-3R **SPEC** 11097AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 3
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4134-01 (AC) 612-4815-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|------------------------------|----------|------|-------------|
| | | Natural Gas Carburetor | | | |
| | | City Water Cooled | | | |
| | | Heat Exchanger | | | |
| 517-0059 | 1 | Plug, Expansion (1-7/16" OD) | | | |
| 130-0813 | 1 | Line, Water - City Water | | | |
| | | Cooled With Expansion Tank | | | |
| 502-0257 | 1 | Tee, Pipe - Brass (3/8") | | | |
| 307-1077 | 1 | Relay, Time Delay - 3 | | | |
| | | Seconds | | | |
| 323-0052 | 1 | Socket, 8 Contact - Octal | | | |
| | | Type | | | |

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4R SPEC 11134AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 3
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2718-01(AC) 612-4816-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|------------------------------------|----------|------|-------------|
| | | City Water Cooled | | | |
| | | Gas - Gasoline Carburetor | | | |
| | | Water Cooled Manifold | | | |
| | | Heat Exchanger | | | |
| | | Overspeed Cut Off | | | |
| | | Low Oil Pressure Cut Off | | | |
| | | High Water Temperature Cut Off | | | |
| | | Overcrank Cut Off | | | |
| 517-0059 | 1 | Plug, Expansion (1-7/16" OD) | | | |
| 503-0478 | 1 | Hose, Water Inlet, 9" Lg. | | | |
| 130-0813 | 1 | Line, Water | | | |
| 502-0257 | 1 | Tee, Brass (3/8") - Manifold | | | |
| 504-0007 | 1 | Cock, Shut Off - Fuel Pump | | | |
| 502-0020 | 1 | Elbow, Street Pipe - Fuel Pump | | | |
| 332-0941 | 1 | Tie, Cable - Solenoid | | | |
| 301-2204 | 1 | Panel, Control - Upper | | | |
| 307-0655 | 3 | Relay, Emergency Latching | | | |
| 320-0259 | 1 | Relay, Cranking Limiter | | | |
| 301-2125 | 1 | Panel, Control - Lower | | | |
| 322-0004 | 4 | Lamp, Plant, Low Oil Pressure | | | |
| | | High Water Temperature, | | | |
| | | Overspeed | | | |
| 322-0069 | 4 | Holder, Lamp | | | |
| 332-0795 | 1 | Block, Terminal (16 Place) | | | |
| 332-0862 | 1 | Strip, Marker - For 16 Place Block | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0RJG-4R **SPEC** 11134AA
FOR STANDARD PARTS REFER TO CATALOG 974-0220 **KEY NO.** 4
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-2718-01 (AC) 612-4816-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|--------------------------------|----------|------|-------------|
| | | City Water Cooled | | | |
| | | Water Cooled Manifold | | | |
| | | Heat Exchanger | | | |
| | | Gas - Gasoline Carburetor | | | |
| | | Overspeed Cut Off | | | |
| | | Low Oil Pressure Cut Off | | | |
| | | High Water Temperature Cut Off | | | |
| | | Overcrank Cut Off | | | |
| 502-0257 | 1 | Tee - Brass (3/8" Pipe) | | | |
| | | Drain Cock | | | |
| 517-0059 | 1 | Plug, Expansion - Exhaust | | | |
| | | Manifold (1-7/16" OD) | | | |
| 332-0941 | 1 | Tie, Cable - Solenoid Coil | | | |
| 503-0478 | 1 | Hose, Water Inlet - 9" Lg. | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2204 | 1 | Panel, Control - Upper | | | |
| 307-0655 | 3 | Latch, Relay - Emergency | | | |
| | | Stop & Alarm, Low Oil | | | |
| | | Pressure, High Water | | | |
| | | Temperature, & Overspeed | | | |
| 301-2125 | 1 | Panel, Control - Lower | | | |
| 322-0004 | 4 | Lamp, Plant, Low Oil Pressure, | | | |
| | | High Water Temperature, | | | |
| | | Overspeed | | | |
| 322-0069 | 4 | Holder, Lamp | | | |
| 332-0795 | 1 | Block, Terminal - Engine | | | |
| 332-0862 | 1 | Strip, Marker | | | |

WIRING DIAGRAM NO. (ENG)612-5487-01(AC)612-5501-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|---------------------------------|------|-------------------------|----------|------|-------------|
| LPG Vapor & Gasoline Carburetor | | | | | |
| 332-0941 | 1 | Cable, Tie - Solenoid | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2308 | 1 | Panel, Control - Upper | | | |

SPECIAL PARTS LIST FOR MODEL 12.5RJC-3R SPEC 11192AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 3
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4815-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|---------------------------|------|-------------------------------------|----------|------|-------------|
| Gas - Gasoline Carburetor | | | | | |
| Overspeed Cut Off | | | | | |
| City Water Cooled | | | | | |
| Heat Exchanger | | | | | |
| 130-0813 | 1 | Line, Water | | | |
| 502-0257 | 1 | Tee, Brass (3/8" Pipe) | | | |
| 517-0059 | 1 | Plug, Expansion (1-7/16" OD) | | | |
| 504-0007 | 1 | Cock, Shutoff | | | |
| 502-0020 | 1 | Elbow, Street Pipe | | | |
| 332-0941 | 1 | Tie, Cable - Solenoid Coil Assembly | | | |
| 503-0478 | 1 | Hose, Water Inlet, 9" Lg. | | | |
| 301-2288 | 1 | Panel, Control - Upper | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 11216AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4989-01 (AC) 612-4815-07

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--|------|---|----------|------|-------------|
| Housed Model Muffler Mounted On Housing Overspeed Cut Off Low Oil Pressure Cut Off High Water Temperature Cut Off Overcrank Cut Off | | | | | |
| 301-2288 | 1 | Panel, Control - Upper | | | |
| 307-0655 | 3 | Relay, Emergency Latching | | | |
| 320-0259 | 1 | Relay, Cranking Limiter | | | |
| 301-2125 | 1 | Panel, Control - Lower | | | |
| 322-0004 | 4 | Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed | | | |
| 322-0069 | 4 | Holder, Lamp | | | |
| 301-3241 | 1 | Bracket, Relay Mounting | | | |
| 301-2393 | 1 | Bracket, Relay Mounting | | | |
| 323-0052 | 3 | Socket, 8 Contact - Octal Type | | | |
| 307-1157 | 1 | Spring, Relay Hold Down | | | |
| 307-0819 | 3 | Relay, Low Oil Pressure, High Water Temperature, Low Engine Temperature | | | |
| 307-0848 | 1 | Relay, Oil Pressure - To 15 Seconds | | | |
| 307-1143 | 1 | Relay, Generating | | | |
| 323-0760 | 1 | Socket, Relay | | | |
| 332-0943 | 2 | Spacer, Relay Socket (3/8" OD) | | | |
| 307-0778 | 3 | Spring, Hold Down | | | |
| 332-1005 | 1 | Block, Terminal (20 Place) | | | |
| 332-1006 | 1 | Strip, Marker - For 20 Place Block | | | |
| 332-0612 | 1 | Strip, Marker | | | |
| 155-0360 | 1 | Muffler, Critical Type | | | |
| 155-0927 | 1 | Tube, Exhaust | | | |
| 140-0078 | 2 | Bands, Muffler - Mounted On Housing | | | |
| 405-1889 | 1 | Shield, Rain | | | |
| 505-0043 | 2 | Elbow, 90° (1½") | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 11216AB
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5509-01 (AC) 612-5486-07

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|---|----------|------|-------------|
| | | Housed Unit | | | |
| | | Muffler Mounted On Housing | | | |
| | | Overspeed Cut Off | | | |
| | | Low Oil Pressure Cut Off | | | |
| | | High Water Temperature Cut Off | | | |
| | | Overcrank Cut Off | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2288 | 1 | Panel, Control - Upper | | | |
| 301-2125 | 1 | Panel, Control - Lower | | | |
| 307-0655 | 3 | Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown | | | |
| 322-0004 | 4 | Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed | | | |
| 322-0069 | 4 | Holder, Lamp | | | |
| 332-1005 | 1 | Block, Terminal (20 Place) | | | |
| 332-1006 | 1 | Strip, Marker - For 20 Place Block | | | |
| 155-0360 | 1 | Muffler, Critical Type | | | |
| 155-0927 | 1 | Tube, Exhaust | | | |
| 140-0078 | 2 | Bands, Muffler - Mounted On Housing | | | |
| 405-1889 | 1 | Shield, Rain | | | |
| 505-0043 | 2 | Elbow, 90° (1½") | | | |

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4R SPEC 11271AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-2718-01 (AC) 612-4816-16

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|--------------------------------|----------|------|-------------|
| | | Housed Model | | | |
| | | Overspeed Cut Off | | | |
| | | Low Oil Pressure Cut Off | | | |
| | | High Water Temperature Cut Off | | | |
| | | Overcrank Cut Off | | | |
| 301-2204 | 1 | Panel, Control - Upper | | | |
| 307-0655 | 3 | Relay, Emergency Latching | | | |
| 320-0259 | 1 | Relay, Cranking Limiter | | | |
| 301-2125 | 1 | Panel, Control - Lower | | | |
| 322-0004 | 4 | Lamp, Plant, Low Oil Pressure | | | |
| | | High Water Temperature, | | | |
| | | Overspeed | | | |
| 322-0069 | 4 | Holder, Lamp | | | |
| 332-0795 | 1 | Block, Terminal (16 Place) | | | |
| 332-0862 | 1 | Strip, Marker (For 16 Place | | | |
| | | Block) | | | |
| 303-0201 | 1 | Rheostat Assembly - | | | |
| | | Adjustable | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 11335AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4815-07

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------------------------|------|-------------------------------------|----------|------|-------------|
| Housed Model | | | | | |
| Natural Gas Carburetor | | | | | |
| Muffler Mounted On Housing | | | | | |
| High Compression Pistons | | | | | |
| Water Jacket Heater | | | | | |
| Oil Base Heater | | | | | |
| 301-2288 | 1 | Panel, Control - Upper | | | |
| 155-0360 | 1 | Muffler, Critical Type | | | |
| 155-0927 | 1 | Tube, Exhaust | | | |
| 140-0078 | 2 | Bands, Muffler - Mounted On Housing | | | |
| 405-1889 | 1 | Shield, Rain | | | |
| 505-0043 | 2 | Elbow, 90° (1½") | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-4R **SPEC** 11335AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4816-07

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------------------------|------|-----------------------------|----------|------|-------------|
| Housed Unit | | | | | |
| Natural Gas Carburetor | | | | | |
| High Compression Pistons | | | | | |
| Muffler Mounted On Housing | | | | | |
| Water Jacket Heater | | | | | |
| Oil Base Heater | | | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2204 | 1 | Panel, Control - Upper | | | |
| 155-0360 | 1 | Muffler, Critical Type | | | |
| 155-0327 | 1 | Tube, Exhaust | | | |
| 140-0078 | 2 | Bands, Muffler - Mounted On | | | |
| | | Housing | | | |
| 405-1889 | 1 | Shield, Rain | | | |
| 505-0043 | 2 | Elbow, 90° (1½") | | | |

SPECIAL PARTS LIST FOR **MODEL** 12.5RJC-4R **SPEC** 11367AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2718-01 (AC) 612-4816-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------------|------|--|----------|------|-------------|
| Gas - Gasoline Carburetor | | | | | |
| Overspeed Cut Off | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Water Temperature Cut Off | | | | | |
| Overcrank Cut Off | | | | | |
| 332-0941 | 1 | Tie, Cable - Solenoid Coil Assembly | | | |
| 301-2204 | 1 | Panel, Control - Upper | | | |
| 301-2125 | 1 | Panel, Control - Lower | | | |
| 322-0004 | 4 | Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed | | | |
| 322-0069 | 4 | Holder, Lamp | | | |
| 307-0655 | 3 | Relay, Emergency Stop & Alarm | | | |
| 332-0795 | 1 | Block, Terminal - Engine | | | |
| 332-0862 | 1 | Strip, Marker | | | |

SPECIAL PARTS LIST FOR MODEL 12.5RJC-5DR SPEC 11484AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-2717-01(AC) 612-4818-06

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|---|------|-------------------------------------|----------|------|-------------|
| Housed Model Muffler Mounted On Housing Water Jacket Heater Oil Base Heater Overspeed Cut Off | | | | | |
| 301-2204 | 1 | Panel, Control - Upper | | | |
| 155-0360 | 1 | Muffler, Critical Type | | | |
| 155-0927 | 1 | Tube, Exhaust | | | |
| 140-0078 | 2 | Bands, Muffler - Mounted On Housing | | | |
| 405-1889 | 1 | Shield, Rain | | | |
| 505-0043 | 2 | Elbow, 90° (1½") | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-5DR SPEC 11484AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4818-07

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|--|----------|------|-------------|
| | | Housed Unit | | | |
| | | Water Jacket Heater | | | |
| | | Oil Base Heater | | | |
| | | Muffler Mounted On Housing | | | |
| | | Overspeed Cut Off | | | |
| 332-1924 | 1 | Cable, Tie - Spark Plug Leads | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2204 | 1 | Panel, Control - Upper | | | |
| 155-0360 | 1 | Muffler, Critical Type | | | |
| 155-0927 | 1 | Tube, Exhaust | | | |
| 140-0078 | 2 | Bands, Muffler - Mounted On Housing | | | |
| 405-1889 | 1 | Shield, Rain | | | |
| 505-0043 | 2 | Elbow, 90° (1½") | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 11531AB
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5509-01 (AC) 612-5500-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------------|------|---|----------|------|-------------|
| Overspeed Cut Off | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Water Temperature Cut Off | | | | | |
| Overcrank Cut Off | | | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2204 | 1 | Panel, Control - Upper | | | |
| 301-2125 | 1 | Panel, Control - Lower | | | |
| 307-0655 | 3 | Relay, Low Oil Pressure, High Water Temperature, Overspeed Shutdown | | | |
| 322-0004 | 4 | Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed | | | |
| 322-0069 | 4 | Holder, Lamp | | | |
| 332-1005 | 1 | Block, Terminal (20 Place) | | | |
| 332-1006 | 1 | Strip, Marker - For 20 Place Block | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 11685AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4815-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|---|----------|------|-------------|
| | | City Water Cooled Water Cooled Manifold Combination Natural Gas - Gasoline Carburetor Water Jacket Heater Oil Base Heater | | | |
| 517-0059 | 1 | Plug, Expansion - Exhaust Manifold | | | |
| 332-0941 | 1 | Tie Cable - Self Locking | | | |
| 338-0297 | 1 | Harness, Wiring - Engine To Control | | | |
| 503-0478 | 1 | Hose, Water Jacket Heater - 9" Lg. | | | |
| 301-2288 | 1 | Panel, Control -- Upper | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-4R **SPEC** 11685AB
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-5487-01 (AC) 612-5500-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|--|----------|------|-------------|
| | | City Water Cooled | | | |
| | | Water Cooled Manifold | | | |
| | | Water Jacket Heater | | | |
| | | Oil Base Heater | | | |
| | | Natural Gas & Gasoline Carburetor | | | |
| 193-0633 | 1 | Line, Water | | | |
| 517-0059 | 1 | Plug, Expansion - Exhaust Manifold (1-7/16" OD) | | | |
| 503-0478 | 1 | Hose, Water Inlet - 9" Lg. | | | |
| 332-0941 | 1 | Tie, Cable - Coil Assembly | | | |
| 338-0297 | 1 | Harness, Wiring - Engine To Control | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2204 | 1 | Panel, Control - Upper | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 11782AB
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5509-01 (AC) 612-5501-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|---|----------|------|-------------|
| | | Natural Gas Carburetor | | | |
| | | High Compression Pistons | | | |
| | | Overspeed Cut Off | | | |
| | | Low Oil Pressure Cut Off | | | |
| | | High Water Temperature Cut Off | | | |
| | | Overcrank Cut Off | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2308 | 1 | Panel, Control - Upper | | | |
| 301-2125 | 1 | Panel, Control - Lower | | | |
| 307-0655 | 3 | Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown | | | |
| 322-0004 | 4 | Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed | | | |
| 322-0069 | 4 | Holder, Lamp | | | |
| 332-1005 | 1 | Block, Terminal (20 Place) | | | |
| 332-1006 | 1 | Strip, Marker - For 20 Place Block | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 11824AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG)612-4857-01(AC)612-4815-07

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--|------|---|----------|------|-------------|
| Housed Model Overspeed Cut Off Low Oil Pressure Cut Off High Water Temperature Cut Off Overcrank Cut Off | | | | | |
| 301-2288 | 1 | Panel, Control - Upper | | | |
| 301-2125 | 1 | Panel, Control - Lower | | | |
| 307-0655 | 3 | Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown | | | |
| 322-0004 | 4 | Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed | | | |
| 322-0069 | 4 | Holder, Lamp | | | |
| 307-0819 | 1 | Relay, Low Engine Temperature | | | |
| 307-1157 | 1 | Spring, Relay Hold Down | | | |
| 307-1143 | 1 | Relay, Generating | | | |
| 323-0760 | 1 | Socket, Relay | | | |
| 332-0943 | 2 | Spacer, Relay Socket (3/8" OD) | | | |
| 307-0778 | 3 | Spring, Hold Down | | | |
| 332-1005 | 1 | Block, Terminal (20 Place) | | | |
| 332-1006 | 1 | Strip, Marker - For 20 Place Block | | | |
| 323-0052 | 1 | Socket, 8 Contact - Octal Type | | | |
| 301-3241 | 1 | Bracket, Relay Mounting | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 11824AB
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5540-01 (AC) 612-5501-05

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|---|----------|------|-------------|
| | | Housed Unit | | | |
| | | Overspeed Cut Off | | | |
| | | Low Oil Pressure Cut Off | | | |
| | | High Water Temperature Cut Off | | | |
| | | Overcrank Cut Off | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2308 | 1 | Panel, Control - Upper | | | |
| 301-2125 | 1 | Panel, Control - Lower | | | |
| 322-0004 | 4 | Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed | | | |
| 322-0069 | 4 | Holder, Lamp | | | |
| 307-0655 | 3 | Relay, Low Oil Pressure, High Water Temperature, Overspeed | | | |
| 307-0819 | 1 | Relay, Low Engine Temperature | | | |
| 323-0052 | 1 | Socket, 8 Contact - Octal Type | | | |
| 332-0943 | 2 | Spacer, Relay Socket (3/8" OD) | | | |
| 307-0778 | 1 | Spring, Hold-Down | | | |
| 332-1005 | 1 | Block, Terminal (20 Place) | | | |
| 332-1006 | 1 | Strip, Marker - For 20 Place Block | | | |
| 323-0760 | 1 | Socket, Relay | | | |
| 307-1143 | 1 | Relay, Generating | | | |
| 301-3241 | 1 | Bracket, Relay Mounting | | | |
| 307-1157 | 1 | Spring, Hold-Down | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-18R **SPEC** 11832AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-2717-01(AC) 612-4814-04

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|-----------------------|------|-------------------------|----------|------|-------------|
| Housed Unit | | | | | |
| LPG Liquid Carburetor | | | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2019 | 1 | Panel, Control - Upper | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-18R **SPEC** 11891AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4814-04

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------------------------|------|-----------------------------|----------|------|-------------|
| Housed Unit | | | | | |
| Natural Gas Carburetor | | | | | |
| High Compression Pistons | | | | | |
| Muffler Mounted On Housing | | | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2019 | 1 | Panel, Control - Upper | | | |
| 155-0360 | 1 | Muffler, Critical Type | | | |
| 155-0927 | 1 | Tube, Exhaust | | | |
| 140-0078 | 2 | Bands, Muffler - Mounted On | | | |
| | | Housing | | | |
| 405-1889 | 1 | Shield, Rain | | | |
| 505-0043 | 2 | Elbow, 90° (1½") | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 11913AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4815-07

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--|------|---|----------|------|-------------|
| Housed Model LPG Vapor Carburetor Water Jacket Heater Overspeed Cut Off Low Oil Pressure Cut Off High Water Temperature Cut Off Overcrank Cut Off Oil Base Heater | | | | | |
| 307-0655 | 3 | Relay, Emergency Latching | | | |
| 320-0259 | 1 | Relay, Cranking Limiter | | | |
| 301-2125 | 1 | Panel, Control - Lower | | | |
| 322-0004 | 4 | Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed | | | |
| 322-0069 | 4 | Holder, Lamp | | | |
| 332-0795 | 1 | Block, Terminal (16 Place) | | | |
| 332-0862 | 1 | Strip, Marker - For 16 Place Block | | | |
| 301-2288 | 1 | Panel, Control - Upper | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 11913AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4817-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|--------------------------------|----------|------|-------------|
| | | Housed Unit | | | |
| | | LPG Vapor Carburetor | | | |
| | | Water Jacket Heater | | | |
| | | Oil Base Heater | | | |
| | | Overspeed Cut Off | | | |
| | | Low Oil Pressure Cut Off | | | |
| | | High Water Temperature Cut Off | | | |
| | | Overcrank Cut Off | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2308 | 1 | Panel, Control - Upper | | | |
| 301-2125 | 1 | Panel, Control - Lower | | | |
| 322-0004 | 4 | Lamp, Plant, Low Oil Pressure | | | |
| | | High Water Temperature, | | | |
| | | Overspeed | | | |
| 322-0069 | 4 | Holder, Lamp | | | |
| 307-0655 | 3 | Relay, Low Oil Pressure, High | | | |
| | | Water Temperature, Overspeed | | | |
| 332-0795 | 1 | Block, Terminal - Engine | | | |
| 332-0862 | 1 | Strip, Marker | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-3CR **SPEC** 11976AB
FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5487-01 (AC) 612-5485-03

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|--------------------------|----------|------|-------------|
| | | Housed Model | | | |
| | | Natural Gas Carburetor | | | |
| | | High Compression Pistons | | | |
| | | Water Jacket Heater | | | |
| | | Oil Base Heater | | | |
| 301-2019 | 1 | Panel, Control - Upper | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 11994AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4815-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|--------------------------------|----------|------|-------------|
| | | LPG Vapor Carburetor | | | |
| | | Overspeed Cut Off | | | |
| | | Low Oil Pressure Cut Off | | | |
| | | High Water Temperature Cut Off | | | |
| | | Overcrank Cut Off | | | |
| 307-0655 | 3 | Relay, Emergency Latching | | | |
| 320-0259 | 1 | Relay, Cranking Limiter | | | |
| 301-2125 | 1 | Panel, Control - Lower | | | |
| 322-0004 | 4 | Lamp, Plant, Low Oil Pressure | | | |
| | | High Water Temperature, | | | |
| | | Overspeed | | | |
| 322-0069 | 4 | Holder, Lamp | | | |
| 332-0795 | 1 | Block, Terminal - 16 Place | | | |
| 332-0862 | 1 | Strip, Marker (For 16 Place | | | |
| | | Block) | | | |
| 301-2288 | 1 | Panel, Control - Upper | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-4XR **SPEC** 11994AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2718-01 (AC) 612-4817-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------------|------|---|----------|------|-------------|
| LPG Vapor Carburetor | | | | | |
| Overspeed Cut Off | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Water Temperature Cut Off | | | | | |
| Overcrank Cut Off | | | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2308 | 1 | Panel, Control - Upper | | | |
| 301-2125 | 1 | Panel, Control - Lower | | | |
| 307-0655 | 3 | Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown | | | |
| 322-0004 | 4 | Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed | | | |
| 322-0069 | 4 | Holder, Lamp | | | |
| 332-0795 | 1 | Block, Terminal - Engine | | | |
| 332-0862 | 1 | Strip, Marker | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 12072AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4134-01 (AC) 612-4815-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------------------|------|-----------------------------------|----------|------|-------------|
| LPG Vapor Carburetor | | | | | |
| Water Jacket Heater | | | | | |
| Oil Base Heater | | | | | |
| 301-2288 | 1 | Panel, Control - Upper | | | |
| 307-1077 | 1 | Relay, Time Delay - 3 Second | | | |
| 323-0052 | 1 | Socket, 8 Contact - Octal Type | | | |
| 501-0005 | 1 | Line, Flex - Fuel, 18½" Lg. | | | |

SPECIAL PARTS LIST FOR **MODEL** 12.5RJC-18R **SPEC** 12104AA
FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2717-01(AC) 612-4814-04

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|------------------------|----------|------|-------------|
| | | Housed Model | | | |
| | | Day Tank | | | |
| | | Water Jacket Heater | | | |
| | | Oil Base Heater | | | |
| 301-2019 | 1 | Panel, Control - Upper | | | |

SPECIAL PARTS LIST FOR MODEL 12.5RJC-3R31 SPEC 12173AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 3
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4912-01(AC) 612-4815-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|---|------|---|----------|------|---|
| Note: Pennsylvania Approved Natural Gas Carburetor Overspeed Cut Off City Water Cooled Water Cooled Manifold Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off High Compression Pistons | | | 308-0005 | 1 | Switch, Selector - Toggle |
| | | | 307-0848 | 1 | Relay, Oil Pressure - To 15 Seconds |
| | | | 307-1143 | 1 | Relay, Generating |
| | | | 323-0760 | 1 | Socket, Relay |
| | | | 332-0612 | 1 | Strip, Marker |
| | | | 301-3252 | 1 | Bracket, Relay Mounting |
| | | | 149-0558 | 1 | Strainer |
| | | | 307-0829 | 1 | Kit, Coil Replacement |
| | | | 416-0325 | 1 | Hydrometer, 3 Color Scale Battery Tester |
| 309-0179 | 1 | Thermostat | 504-0019 | 1 | Valve, Lock Shield - Manua |
| 502-0257 | 1 | Tee, Pipe - Brass (3/8") - Exhaust Manifold | 307-0833 | 1 | Valve, Solenoid - Electric |
| 502-0258 | 3 | Nipple, Half - Brass (3/8") | | | |
| 502-0085 | 2 | Nipple, Close (3/8") | | | |
| 502-0263 | 1 | Elbow, 90° - Brass (3/8") | | | |
| 502-0058 | 1 | Tee, Restricted - Front Cylinder Head | | | |
| 517-0059 | 1 | Plug, Expansion (1-7/16" OD) | | | |
| 503-0478 | 1 | Hose, Water Inlet, 9" Lg. | | | |
| 320-0259 | 1 | Relay, Cranking Limiter | | | |
| 301-2125 | 1 | Panel, Control - Lower | | | |
| 322-0004 | 4 | Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed | | | |
| 322-0069 | 4 | Holder, Lamp | | | |
| 323-0052 | 3 | Socket, 8 Contact - Octal Type | | | |
| 301-2288 | 1 | Panel, Control - Upper | | | |
| 307-0655 | 3 | Relay, Emergency Latching | | | |
| 332-0943 | 4 | Spacer, Relay Sockets (3/8" OD X 3/16" ID) | | | |
| 307-0819 | 3 | Relay, Low Oil Pressure, High Water Temperature, Low Engine Temperature | | | |
| 307-0778 | 3 | Spring, Hold Down | | | |
| 332-1005 | 1 | Block, Terminal (20 Place) | | | |
| 332-1006 | 1 | Strip, Marker - For 20 Place Block | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R31 SPEC 12173AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4912-01(AC) 612-4815-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|---|------|--|----------|------|--|
| Note: Pennsylvania Approved Natural Gas Carburetor High Compression Pistons City Water Cooled Water Cooled Manifold Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off | | | 301-3252 | 1 | Bracket, Relay Mounting |
| | | | 307-1143 | 1 | Relay, Generating |
| | | | 323-0760 | 1 | Socket, Relay |
| | | | 332-0612 | 1 | Strip, Marker (Use With 3 Place Terminal Block) |
| | | | 149-0558 | 1 | Strainer, Regulator |
| | | | 307-0829 | 1 | Kit, Coil Replacement |
| | | | 416-0325 | 1 | Hydrometer, 3 Color Scale Battery Tester |
| | | | 307-0833 | 1 | Valve, Solenoid - Electric |
| | | | 504-0019 | 1 | Valve, Lock Shield - Manua |
| 309-0179 | 1 | Thermostat - Open 190° F, Close 215° F | | | |
| 517-0059 | 1 | Plug, Expansion (1-7/16" OD) Exhaust Manifold | | | |
| 502-0258 | 3 | Nipple, Half (3/8") - Brass, Exhaust Manifold | | | |
| 502-0257 | 1 | Tee, Brass - Exhaust Manifold (3/8" Pipe) | | | |
| 503-0478 | 1 | Hose, Water Inlet - 9" Lg. | | | |
| 502-0263 | 1 | Elbow, 90° - Brass (3/8") | | | |
| 502-0085 | 2 | Nipple (3/8") | | | |
| 301-2288 | 1 | Panel, Control - Upper | | | |
| 301-2125 | 1 | Panel, Control - Lower | | | |
| 307-0848 | 1 | Relay, Oil Pressure - To 15 Seconds | | | |
| 322-0004 | 4 | Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed | | | |
| 322-0069 | 4 | Holder, Lamp | | | |
| 307-0655 | 3 | Relay, Low Oil Pressure, High Water Temperature, Overspeed | | | |
| 332-0943 | 4 | Spacer, Relay Socket | | | |
| 307-0778 | 3 | Spring, Hold Down | | | |
| 332-1005 | 1 | Block, Terminal - 20 Place | | | |
| 332-1006 | 1 | Strip, Marker (For 20 Place Block) | | | |
| 307-0819 | 3 | Relay, Low Engine Temperature, Low Oil Pressure & High Water Temperature | | | |
| 323-0052 | 3 | Socket, 8 Contact - Octal Type | | | |
| 308-0005 | 1 | Switch, Selector | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-18R SPEC 12250AA
FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4814-04

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|--------------------------|----------|------|-------------|
| | | Housed Unit | | | |
| | | Natural Gas Carburetor | | | |
| | | High Compression Pistons | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2019 | 1 | Panel, Control - Upper | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-4R **SPEC** 12296AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4816-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--|------|-------------------------|----------|------|-------------|
| Natural Gas Carburetor High Compression Pistons Water Jacket Heater Oil Base Heater | | | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2204 | 1 | Panel, Control - Upper | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-4XR **SPEC** 12296AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4817-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------|------|-------------------------|----------|------|-------------|
| Natural Gas Carburetor | | | | | |
| High Compression Pistons | | | | | |
| Water Jacket Heater | | | | | |
| Oil Base Heater | | | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2308 | 1 | Panel, Control - Upper | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-9XR SPEC 12296AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4892-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--|------|---|----------|------|-------------|
| Natural Gas Carburetor High Compression Pistons Water Jacket Heater Oil Base Heater | | | | | |
| 320-0551 | 1 | Breaker, Circuit - 25 Amp, 3 Pole, 600 Vac | | | |
| 301-3736 | 1 | Panel, Control - Upper | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 12321AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4815-07

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------------------------|------|--|----------|------|-------------|
| Housed Model | | | | | |
| Natural Gas Carburetor | | | | | |
| High Compression Pistons | | | | | |
| Muffler Mounted On Housing | | | | | |
| 301-2288 | 1 | Panel, Control - Upper | | | |
| 155-0360 | 1 | Muffler, Critical Type | | | |
| 155-0927 | 1 | Tube, Exhaust | | | |
| 140-0078 | 2 | Bands, Muffler - Mounted On Housing | | | |
| 405-1889 | 1 | Shield, Rain | | | |
| 505-0043 | 2 | Elbow, 90° (1½") | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 12321AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4816-07

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------------------------|------|--|----------|------|-------------|
| Housed Unit | | | | | |
| Natural Gas Carburetor | | | | | |
| High Compression Pistons | | | | | |
| Muffler Mounted On Housing | | | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2204 | 1 | Panel, Control - Upper | | | |
| 155-0360 | 1 | Muffler, Critical Type | | | |
| 155-0927 | 1 | Tube, Exhaust | | | |
| 140-0078 | 2 | Bands, Muffler - Mounted On Housing | | | |
| 405-1889 | 1 | Shield, Rain | | | |
| 505-0043 | 2 | Elbow, 90° (1½") | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0RJJC-4XR **SPEC** 12321AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4817-05

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------------------------|------|--|----------|------|-------------|
| Housed Unit | | | | | |
| Natural Gas Carburetor | | | | | |
| High Compression Pistons | | | | | |
| Muffler Mounted On Housing | | | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2308 | 1 | Panel, Control - Upper | | | |
| 155-0360 | 1 | Muffler, Critical Type | | | |
| 155-0927 | 1 | Tube, Exhaust | | | |
| 140-0078 | 2 | Bands, Muffler - Mounted On Housing | | | |
| 405-1889 | 1 | Shield, Rain | | | |
| 505-0043 | 2 | Elbow, 90° (1½") | | | |

SPECIAL PARTS LIST FOR MODEL 12.5RJC-3R SPEC 12338AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-2718-01(AC) 612-4815-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|---|----------|------|-------------|
| | | Overspeed Cut Off | | | |
| | | Water Jacket Heater | | | |
| | | Low Oil Pressure Cut Off | | | |
| | | High Water Temperature Cut Off | | | |
| | | Overcrank Cut Off | | | |
| | | Oil Base Heater | | | |
| 167-1595 | 1 | Lead Assembly (Resistor Type) 24" | | | |
| 167-1596 | 3 | Lead Assembly (Resistor Type) 12" | | | |
| 332-1924 | 1 | Cable, Tie | | | |
| 301-2288 | 1 | Panel, Control - Upper | | | |
| 307-0655 | 3 | Relay, Emergency Latching | | | |
| 320-0259 | 1 | Relay, Cranking Limiter | | | |
| 301-2125 | 1 | Panel, Control - Lower | | | |
| 322-0004 | 4 | Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed | | | |
| 322-0069 | 4 | Holder, Lamp | | | |
| 332-0795 | 1 | Block, Terminal (16 Place) | | | |
| 332-0862 | 1 | Strip, Marker - For 16 Place Block | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJG-3R SPEC 12338AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-2718-01(AC) 612-4815-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|---|----------|------|-------------|
| | | Water Jacket Heater | | | |
| | | Oil Base Heater | | | |
| | | Overspeed Cut Off | | | |
| | | Low Oil Pressure Cut Off | | | |
| | | High Water Temperature Cut Off | | | |
| | | Overcrank Cut Off | | | |
| 167-1595 | 1 | Cable, Spark Plug, 24" Lg. (Resistor Type) | | | |
| 167-1596 | 3 | Cable, Spark Plug, 12" Lg. (Resistor Type) | | | |
| 332-1924 | 1 | Cable, Tie | | | |
| 301-2288 | 1 | Panel, Control - Upper | | | |
| 307-0655 | 3 | Relay, Emergency Latching | | | |
| 320-0259 | 1 | Relay, Cranking Limiter | | | |
| 301-2125 | 1 | Panel, Control - Lower | | | |
| 322-0004 | 4 | Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed | | | |
| 322-0069 | 4 | Holder, Lamp | | | |
| 332-0795 | 1 | Block, Terminal - 16 Place | | | |
| 332-0862 | 1 | Strip, Marker (For 16 Place Block) | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-3CR **SPEC** 12361AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4814-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--|------|------------------------------|----------|------|-------------|
| City Water Cooled Water Cooled Manifold Natural Gas Carburetor High Compression Pistons | | | | | |
| 517-0059 | 1 | Plug, Expansion (1-7/16" OD) | | | |
| 503-0478 | 1 | Hose, Water Inlet, 9" Lg. | | | |
| 505-0376 | 1 | Elbow, 45° (3/8") | | | |
| 301-2019 | 1 | Panel, Control - Upper | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-18R **SPEC** 12361AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4814-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|---|------|-------------|----------|------|-------------|
| City Water Cooled Water Cooled Manifold Natural Gas Carburetor High Compression Pistons 517-0059 1 Plug, Expansion (1-7/16" OD) 503-0478 1 Hose, Water Inlet - 9" Lg. 520-0798 4 Stud, Generator Through 520-0790 1 Stud, Rotor Through 301-2019 1 Panel, Control - Upper | | | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-18R **SPEC** 12361AB
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-5487-01 (AC) 612-5485-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------|------|------------------------------|----------|------|-------------|
| City Water Cooled | | | | | |
| Water Cooled Manifold | | | | | |
| Natural Gas Carburetor | | | | | |
| High Compression Pistons | | | | | |
| 517-0059 | 1 | Plug, Expansion (1-7/16" OD) | | | |
| 503-0478 | 1 | Hose, Water Inlet - 9" Lg. | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2019 | 1 | Panel, Control - Upper | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-3R **SPEC** 12368AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4815-07

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|---|------|-------------|----------|------|-------------|
| Housed Model Natural Gas Carburetor High Compression Pistons 301-2288 1 Panel, Control - Upper | | | | | |

SPECIAL PARTS LIST FOR **MODEL** 12.5RJC-18R **SPEC** 12417AA
FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4372-01 (AC) 612-4814-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|--|----------|------|-------------|
| | | I.P.G Vapor Carburetor (Vacuum Switch) | | | |
| 154-1224 | 1 | Manifold, Intake | | | |
| 148-0367 | 1 | Switch, Vacuum | | | |
| 502-0053 | 1 | Elbow, Street - Vacuum Switch | | | |
| 322-0004 | 1 | Lamp, Emergency | | | |
| 322-0069 | 1 | Holder, Lamp | | | |
| 301-2019 | 1 | Panel, Control - Upper | | | |

SPECIAL PARTS LIST FOR MODEL 15.ORJC-18R SPEC 12417AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4372-01 (AC) 612-4814-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------------------|------|-------------------------------|----------|------|-------------|
| LPG Vapor Carburetor | | | | | |
| 154-1224 | 1 | Manifold, Intake | | | |
| 148-0367 | 1 | Switch, Vacuum - Regulator | | | |
| 502-0053 | 1 | Elbow, Street - Vacuum Switch | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2019 | 1 | Panel, Control - Upper | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-4R **SPEC** 12426AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4816-07

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|--------------------------|----------|------|-------------|
| | | Housed Unit | | | |
| | | Natural Gas Carburetor | | | |
| | | High Compression Pistons | | | |
| | | Water Jacket Heater | | | |
| | | Oil Base Heater | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2204 | 1 | Panel, Control - Upper | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-4XR **SPEC** 12426AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4817-05

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--|------|-------------|----------|------|-------------|
| Housed Unit Natural Gas Carburetor High Compression Pistons Water Jacket Heater Oil Base Heater 520-0798 4 Stud, Generator Through 520-0790 1 Stud, Rotor Through 301-2308 1 Panel, Control - Upper | | | | | |

(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4134-01 (AC) 612-4815-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|-----------------------------------|----------|------|-------------|
| | | City Water Cooled | | | |
| | | Water Cooled Manifold | | | |
| | | Natural Gas Carburetor | | | |
| | | High Compression Pistons | | | |
| 517-0059 | 1 | Plug, Expansion (1-7/16" OD) | | | |
| 503-0478 | 1 | Hose, Water Inlet - 9" Lg. | | | |
| 505-0376 | 1 | Elbow, 45° (3/8") | | | |
| 301-2288 | 1 | Panel, Control - Upper | | | |
| 307-1077 | 1 | Relay, Time Delay - 3 Second | | | |
| 323-0052 | 1 | Socket, 8 Contact - Octal Type | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 12431AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4134-01(AC) 612-4816-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|--|----------|------|-------------|
| | | City Water Cooled | | | |
| | | Water Cooled Manifold | | | |
| | | Natural Gas Carburetor | | | |
| | | High Compression Pistons | | | |
| 517-0059 | 1 | Plug, Expansion - Exhaust Manifold (1-7/16" OD) | | | |
| 503-0478 | 1 | Hose, Water Inlet - 9" Lg. | | | |
| 505-0376 | 1 | Elbow, 45° (3/8") | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2204 | 1 | Panel, Control - Upper | | | |
| 307-1077 | 1 | Relay, Time Delay - 3 Second | | | |
| 323-0052 | 1 | Socket, 8 Contact - Octal Type | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-4XR **SPEC** 12431AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4134-01(AC) 612-4817-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------|------|-----------------------------------|----------|------|-------------|
| City Water Cooled | | | | | |
| Water Cooled Manifold | | | | | |
| Natural Gas Carburetor | | | | | |
| High Compression Pistons | | | | | |
| 517-0059 | 1 | Plug, Expansion (1-7/16" OD) | | | |
| 503-0478 | 1 | Hose, Water Inlet - 9" Lg. | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2308 | 1 | Panel, Control - Upper | | | |
| 307-1077 | 1 | Relay, Time Delay - 3 Second | | | |
| 323-0052 | 1 | Socket, 8 Contact - Octal Type | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 12457AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4134-01 (AC) 612-4815-07

| PART NO. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|--|----------|------|-------------|
| | Housed Model | | | |
| | Natural Gas Carburetor | | | |
| | High Compression Pistons | | | |
| | Muffler Mounted On Housing | | | |
| | Water Jacket Heater | | | |
| | Oil Base Heater | | | |
| 301-2288 | 1 Panel, Control - Upper | | | |
| 307-1077 | 1 Relay, Time Delay - 3 Second | | | |
| 323-0052 | 1 Socket, 8 Contact - Octal Type | | | |
| 155-0360 | 1 Muffler, Critical Type | | | |
| 155-0927 | 1 Tube, Exhaust | | | |
| 140-0078 | 2 Bands, Muffler - Mounted On Housing | | | |
| 405-1889 | 1 Shield, Rain | | | |
| 505-0043 | 2 Elbow, 90° (1½") | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-3R **SPEC** 12504T
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-2726-04

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------|------|---------------------------------|----------|------|-------------|
| Natural Gas Carburetor | | | | | |
| Water Jacket Heater | | | | | |
| High Compression Pistons | | | | | |
| Oil Base Heater | | | | | |
| 502-0043 | 1 | Elbow, Male - Inverted | | | |
| 120-0551 | 1 | Cup Assembly - Oil Pump Intake | | | |
| 167-0504 | 4 | Plug, Spark | | | |
| 515-0103 | 1 | Key, Fan | | | |
| 518-0015 | 1 | Ring, Retaining | | | |
| 517-0093 | 2 | Button, Dot ($\frac{1}{2}$ ") | | | |
| 301-2288 | 1 | Panel, Control - Upper | | | |
| 337-0044 | 1 | Strap, Ground | | | |
| 301-0648 | 1 | Plate, Ground | | | |

WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4815-02

City Water Cooled
Water Cooled Manifold
Natural Gas Carburetor
High Compression Pistons

| | | |
|----------|---|------------------------------|
| 517-0059 | 1 | Plug, Expansion (1-7/16" OD) |
| 503-0478 | 1 | Hose, Water Inlet - 9" Lg. |
| 505-0376 | 1 | Elbow, 45° (3/8") |
| 301-2288 | 1 | Panel, Control - Upper |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 12530AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4816-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------|------|--|----------|------|-------------|
| City Water Cooled | | | | | |
| Water Cooled Manifold | | | | | |
| Natural Gas Carburetor | | | | | |
| High Compression Pistons | | | | | |
| 517-0059 | 1 | Plug, Expansion - Exhaust Manifold (1-7/16" OD) | | | |
| 503-0478 | 1 | Hose, Water Inlet - 9" Lg. | | | |
| 505-0376 | 1 | Elbow, 45° (3/8") | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2204 | 1 | Panel, Control - Upper | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-4XR **SPEC** 12530AA
FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 4
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4817-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|------------------------------|----------|------|-------------|
| | | City Water Cooled | | | |
| | | Water Cooled Manifold | | | |
| | | Natural Gas Carburetor | | | |
| | | High Compression Pistons | | | |
| 517-0059 | 1 | Plug, Expansion (1-7/16" OD) | | | |
| 503-0478 | 1 | Hose, Water Inlet - 9" Lg. | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2019 | 1 | Panel, Control - Upper | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-3R **SPEC** 12579AA
FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4815-12

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|--|----------|------|-------------|
| | | Natural Gas Carburetor | | | |
| | | High Compression Pistons | | | |
| 301-2288 | 1 | Panel, Control - Upper | | | |
| 303-0201 | 1 | Rheostat Assembly - Adjustable Voltage, 2500 Ohm - 25 Watt | | | |

FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4817-08

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|--------------------------------|----------|------|-------------|
| | | Natural Gas Carburetor | | | |
| | | High Compression Pistons | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2308 | 1 | Panel, Control - Upper | | | |
| 303-0201 | 1 | Rheostat Assembly - Adjustable | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3CR SPEC 12582AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4814-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|-----------------------|------|------------------------------|----------|------|-------------|
| City Water Cooled | | | | | |
| Water Cooled Manifold | | | | | |
| LPG Vapor Carburetor | | | | | |
| 517-0059 | 1 | Plug, Expansion (1 7/16" OD) | | | |
| 503-0478 | 1 | Hose, Water Inlet, 9" Lg. | | | |
| 505-0376 | 1 | Elbow, 45° (3/8") | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2019 | 1 | Panel, Control - Upper | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3CR131 SPEC 12582AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4872-01 (AC) 612-5225-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|---|------|--|----------|------|-------------|
| Note: Pennsylvania Approved LPG Vapor Carburetor City Water Cooled Water Cooled Manifold | | | | | |
| 517-0059 | 1 | Plug, Expansion (1-7/16" OD) | | | |
| 503-0478 | 1 | Hose, Water Inlet - 9" Lg. | | | |
| 505-0376 | 1 | Elbow, 45° (3/8") | | | |
| 301-1788 | 1 | Panel, Control - Upper | | | |
| 308-0005 | 1 | Switch, Selector - Toggle | | | |
| 332-0795 | 1 | Block, Terminal - 16 Place | | | |
| 332-0862 | 1 | Strip, Marker (For 16 Place Block) | | | |
| 301-2895 | 1 | Panel, Control - Lower | | | |
| 149-0558 | 1 | Strainer, Regulator | | | |
| 307-0829 | 1 | Kit, Coil Replacement | | | |
| 416-0325 | 1 | Hydrometer, 3 Color Scale - Battery Tester | | | |
| 307-0833 | 1 | Valve, Solenoid - Electric | | | |
| 504-0019 | 1 | Valve, Lock Shield - Manual | | | |

SPECIAL PARTS LIST FOR **MODEL** 12.5RJC-18R **SPEC** 12582AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 3
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4814-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|-----------------------|------|------------------------------|----------|------|-------------|
| LPG Vapor Carburetor | | | | | |
| City Water Cooled | | | | | |
| Water Cooled Manifold | | | | | |
| 517-0059 | 1 | Plug, Expansion (1-7/16" OD) | | | |
| 503-0478 | 1 | Hose, Water Inlet, 9" Lg. | | | |
| 505-0376 | 1 | Elbow (3/8" X 45°) | | | |
| 301-2019 | 1 | Panel, Control - Upper | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-18R **SPEC** 12582AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2717-01(AC) 612-4814-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--|------|---------------------------------------|----------|------|-------------|
| City Water Cooled Water Cooled Manifold LPG Vapor Carburetor | | | | | |
| 517-0059 | 1 | Plug, Expansion - Exhaust Manifold | | | |
| 503-0478 | 1 | Hose, Water Inlet - 9" Lg. | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2019 | 1 | Panel, Control - Upper | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 12644AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4816-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|--|----------|------|-------------|
| | | City Water Cooled | | | |
| | | Water Cooled Manifold | | | |
| | | Heat Exchanger | | | |
| | | Natural Gas Carburetor | | | |
| | | High Compression Pistons | | | |
| 502-0257 | 1 | Tee, Brass - Exhaust Manifold (3/8" Pipe) | | | |
| 517-0059 | 1 | Plug, Expansion - Exhaust Manifold (1-7/16" OD) | | | |
| 503-0478 | 1 | Hose, Water Inlet - 9" Lg. | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2204 | 1 | Panel, Control - Upper | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 12644AB
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-5487-01 (AC) 612-5500-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|--|----------|------|-------------|
| | | City Water Cooled | | | |
| | | Water Cooled Manifold | | | |
| | | Heat Exchanger | | | |
| | | Natural Gas Carburetor | | | |
| | | High Compression Pistons | | | |
| 502-0257 | 1 | Tee, Brass - Exhaust Manifold (3/8" Pipe) | | | |
| 517-0059 | 1 | Plug, Expansion - Exhaust Manifold (1-7/16" OD) | | | |
| 503-0478 | 1 | Hose, Water Inlet - 9" Lg. | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2204 | 1 | Panel, Control - Upper | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 12644AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4817-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|--|----------|------|-------------|
| | | City Water Cooled | | | |
| | | Water Cooled Manifold | | | |
| | | Natural Gas Carburetor | | | |
| | | Heat Exchanger | | | |
| | | High Compression Pistons | | | |
| 502-0257 | 1 | Tee, Brass - Exhaust Manifold (3/8" Pipe) | | | |
| 517-0059 | 1 | Plug, Expansion (1-7/16" OD) | | | |
| 503-0478 | 1 | Hose, Water Inlet - 9" Lg. | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2308 | 1 | Panel, Control - Upper | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-9XR **SPEC** 12644AB
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5487-01(AC) 612-5511-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|--|----------|------|-------------|
| | | City Water Cooled | | | |
| | | Water Cooled Manifold | | | |
| | | Heat Exchanger | | | |
| | | Natural Gas Carburetor | | | |
| | | High Compression Pistons | | | |
| 502-0257 | 1 | Tee, Brass - Exhaust Manifold (3/8" Pipe) | | | |
| 517-0059 | 1 | Plug, Expansion (1-7/16" OD) | | | |
| 503-0478 | 1 | Hose, Water Inlet - 9" Lg. | | | |
| 301-3736 | 1 | Panel, Control - Upper | | | |
| 320-0551 | 1 | Breaker, Circuit - 25 Amp, 17.5 Kw | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-18R **SPEC** 12682AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4707-01(AC) 612-4814-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------|------|--------------------------------|----------|------|-------------|
| Natural Gas Carburetor | | | | | |
| High Compression Pistons | | | | | |
| 154-1224 | 1 | Manifold, Intake | | | |
| 148-0367 | 1 | Switch, Vacuum | | | |
| 502-0053 | 1 | Elbow, Street - Vacuum | | | |
| | | Switch (45°) | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2019 | 1 | Panel, Control - Upper | | | |
| 301-2124 | 1 | Panel, Control - Lower | | | |
| 323-0052 | 1 | Socket, 8 Contact - Octal | | | |
| | | Type | | | |
| 332-0943 | 2 | Spacer, Relay Socket (3/8" OD) | | | |
| 307-1077 | 1 | Relay, Time Delay Starting - | | | |
| | | Time Delay 3 Seconds On | | | |
| | | Energization | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 12686AA
FOR STANDARD PARTS REFER TO CAT LOG 974-0220 KEY NO. 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4134-01 (AC) 612-4817-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------|------|-----------------------------------|----------|------|-------------|
| Natural Gas Carburetor | | | | | |
| High Compression Pistons | | | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2308 | 1 | Panel, Control - Upper | | | |
| 307-1077 | 1 | Relay, Time Delay - 3 Second | | | |
| 323-0052 | 1 | Socket, 8 Contact - Octal Type | | | |

SPECIAL PARTS LIST FOR MODEL 12.5RJC-3R SPEC 12699AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4775-01(AC)612-4815-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--|------|--|----------|------|-------------|
| Natural Gas Carburetor Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off | | | | | |
| 301-2288 | 1 | Panel, Control - Upper | | | |
| 502-0058 | 1 | Tee, Restricted - Front Cylinder Head | | | |
| 307-0848 | 1 | Relay, Oil Pressure, To 15 Seconds | | | |
| 307-0655 | 3 | Relay, Low Oil Pressure, High Water Temperature, Overspeed | | | |
| 332-0943 | 4 | Spacer, Relay Sockets (3/8" OD X 3/16" ID) | | | |
| 307-0819 | 2 | Relay, Low Oil Pressure And High Water Temperature Alarm | | | |
| 323-0052 | 2 | Socket, 8 Contact - Octal Type | | | |
| 301-3252 | 1 | Bracket, Relay Mounting | | | |
| 320-0259 | 1 | Relay, Cranking Limiter | | | |
| 301-2125 | 1 | Panel, Control - Lower | | | |
| 322-0004 | 4 | Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed | | | |
| 322-0069 | 4 | Holder, Lamp | | | |
| 307-0778 | 2 | Spring, Hold Down | | | |
| 332-1905 | 1 | Block, Terminal - 20 Place | | | |
| 332-1006 | 1 | Strip, Marker (For 20 Place Block) | | | |
| 332-0612 | 1 | Strip, Marker (Use With 3 Place Block) | | | |
| 307-1143 | 1 | Relay, Generating | | | |
| 323-0760 | 1 | Socket, Relay | | | |
| 307-1157 | 1 | Spring, Relay Hold Down | | | |

WIRING DIAGRAM NO. (ENG)612-4372-01(AC)612-4815-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------|------|-------------------------------|----------|------|-------------|
| Natural Gas Carburetor | | | | | |
| High Compression Pistons | | | | | |
| 154-1224 | 1 | Manifold, Intake | | | |
| 148-0367 | 1 | Switch, Vacuum - Gas Solenoid | | | |
| 502-0053 | 1 | Elbow, Street - Vacuum Switch | | | |
| 301-2288 | 1 | Panel, Control - Upper | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-3CR31 **SPEC** 12781AA
FOR STANDARD PARTS REFER TO CATALOG 974-0220 **KEY NO.** 4
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4912-01 (AC) 612-5225-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|---|------|--|----------|------|--|
| Note: Pennsylvania Approved Natural Gas Carburetor High Compression Pistons City Water Cooled Water Cooled Manifold Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off | | | 307-1143 | 1 | Relay, Generating |
| | | | 323-0760 | 1 | Socket, Relay |
| | | | 332-0612 | 1 | Strip, Marker (Use With 3 Place Terminal Block) |
| | | | 149-0558 | 1 | Strainer, Regulator |
| | | | 307-0829 | 1 | Kit, Coil Replacement |
| | | | 416-0325 | 1 | Hydrometer, 3 Color Scale Battery Tester |
| | | | 504-0019 | 1 | Valve, Lock Shield - Manu |
| | | | 307-0833 | 1 | Valve, Solenoid - Electri |
| 309-0179 | 1 | Thermostat - Open 190° F, Close 215° F - Adapter Assembly | | | |
| 517-0059 | 1 | Plug, Expansion (1-7/16" OD) | | | |
| 503-0478 | 1 | Hose, Water Inlet - 9" Lg. | | | |
| 502-0258 | 3 | Nipple, Half (3/8") | | | |
| 502-0257 | 1 | Tee, Brass - Exhaust Manifold (3/8" Pipe) | | | |
| 502-0263 | 1 | Elbow, Brass - 90°, 3/8" | | | |
| 502-0085 | 2 | Nipple (3/8") | | | |
| 301-1788 | 1 | Panel, Control - Upper | | | |
| 301-2125 | 1 | Panel, Control - Lower | | | |
| 322-0004 | 4 | Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed | | | |
| 322-0069 | 4 | Holder, Lamp | | | |
| 307-0655 | 3 | Relay, Low Oil Pressure, High Water Temperature, Overspeed | | | |
| 332-0943 | 4 | Spacer, Relay Socket | | | |
| 307-0778 | 3 | Spring, Hold Down | | | |
| 323-0052 | 3 | Socket, 8 Contact - Octal Type | | | |
| 307-0848 | 1 | Relay, Oil Pressure - To 15 Seconds | | | |
| 307-0819 | 3 | Relay, Low Engine Temperature Low Oil Pressure, High Water Temperature - Pre Alarm | | | |
| 308-0005 | 1 | Switch, Selector | | | |
| 301-3252 | 1 | Bracket, Relay Mounting | | | |
| 332-1005 | 1 | Block, Terminal - 20 Place | | | |
| 332-1006 | 1 | Strip, Marker (For 20 Place Block) | | | |

SPECIAL PARTS LIST FOR MODEL 12.5RJC-18R31 SPEC 12781AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 3
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4912-01(AC)612-5226-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|---|------|--|----------|------|---|
| Note: Pennsylvania Approved Natural Gas Carburetor High Compression Pistons City Water Cooled Water Cooled Manifold Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off | | | 323-0052 | 3 | Socket, 8 Contact - Octal Type |
| | | | 332-0943 | 4 | Spacers |
| | | | 307-0778 | 3 | Spring, Hold Down |
| | | | 332-1005 | 1 | Block, Terminal - 20 Place |
| | | | 332-1006 | 1 | Strip, Marker (For 20 Place Block) |
| | | | 332-0612 | 1 | Strip, Marker (Use With 3 Place Terminal Block) |
| | | | 301-3252 | 1 | Bracket, Relay Mounting |
| | | | 307-1143 | 1 | Relay, Generating |
| | | | 323-0760 | 1 | Socket, Relay |
| | | | 308-0005 | 1 | Switch, Selector |
| | | | 307-0819 | 1 | Relay, Low Engine Temperature |
| | | | 149-0558 | 1 | Strainer |
| | | | 307-0829 | 1 | Kit, Coil Replacement |
| | | | 416-0325 | 1 | Hydrometer, 3 Color Scale Battery Tester |
| 309-0179 | 1 | Thermostat | 307-0833 | 1 | Valve, Solenoid - Electrical |
| 502-0257 | 1 | Tee, Brass - Exhaust Manifold (3/8" Pipe) | 504-0019 | 1 | Valve, Lock Shield - Manual |
| 517-0059 | 1 | Plug, Expansion (1-7/16" OD) | | | |
| 502-0058 | 1 | Tee, Restricted Front - Cylinder Head | | | |
| 503-0478 | 1 | Hose, Water Inlet, (9" Lg.) | | | |
| 502-0258 | 3 | Nipple, Half (3/8") | | | |
| 502-0263 | 1 | Elbow, 90° - Brass (3/8") | | | |
| 502-0085 | 2 | Nipple (3/8") | | | |
| 301-1788 | 1 | Panel, Control - Upper | | | |
| 301-2125 | 1 | Panel, Control - Lower | | | |
| 322-0004 | 4 | Lamp, Low Oil Pressure, High Water Temperature, Overspeed, Plant | | | |
| 322-0069 | 4 | Holder, Lamp | | | |
| 320-0259 | 1 | Relay, Cranking Limiter | | | |
| 307-0655 | 3 | Relay, Low Oil Pressure, High Water Temperature, Overspeed | | | |
| 307-0848 | 1 | Relay, Oil Pressure - To 15 Seconds | | | |
| 307-0819 | 2 | Relay, Low Oil Pressure & High Water Temperature | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-18R31 SPEC 12781AB
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG)612-5497-02(AC)612-5498-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|---|------|-------------------------------|----------|------|---------------------------|
| Note: Pennsylvania Approved | | | 307-0778 | 3 | Spring, Hold-Down |
| Natural Gas Carburetor | | | 332-1005 | 1 | Block, Terminal (20 Place |
| City Water Cooled | | | 332-1006 | 1 | Strip, Marker - For 20 Pl |
| Water Cooled Manifold | | | | | Block |
| Overspeed Cut Off | | | 307-0914 | 1 | Relay, Starter Pilot |
| Low Oil Pressure Cut Off - Dual Senders | | | 301-3241 | 1 | Bracket, Relay Mounting |
| High Water Temperature Cut Off - Dual Senders | | | 301-2393 | 1 | Bracket, Relay Mounting |
| Overcrank Cut Off | | | 149-0558 | 1 | Strainer, Regulator |
| 517-0059 | 1 | Plug, Expansion (1-7/16" OD) | 307-0829 | 1 | Kit, Coil Replacement |
| 503-0478 | 1 | Hose, Water Inlet - 9" Lg. | 416-0325 | 1 | Hydrometer, 3 Color Scale |
| 505-0075 | 1 | Nipple, Pipe - Adapter | | | Battery Tester |
| | | Assembly (3/8" X 2 1/2") | | | |
| 309-0179 | 1 | Thermostat - Adapter Assembly | | | |
| | | Open 190°, Close 215° | | | |
| 502-0258 | 3 | Nipple, Half (3/8") - Exhaust | | | |
| | | Manifold | | | |
| 502-0257 | 1 | Tee - Exhaust Manifold | | | |
| 502-0263 | 1 | Elbow - Brass (3/8") - | | | |
| | | Exhaust Manifold | | | |
| 502-0085 | 2 | Nipple (3/8") - Exhaust | | | |
| | | Manifold | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-1788 | 1 | Panel, Control - Upper | | | |
| 301-2125 | 1 | Panel, Control - Lower | | | |
| 307-0655 | 3 | Relay, Low Oil Pressure, | | | |
| | | High Water Temperature, & | | | |
| | | Overspeed Shutdown | | | |
| 322-0004 | 4 | Lamp, Panel, Plant, Low Oil | | | |
| | | Pressure, High Water | | | |
| | | Temperature, & Overspeed | | | |
| 322-0069 | 4 | Holder, Lamp | | | |
| 307-0819 | 3 | Relay, Low Oil Pressure, | | | |
| | | High Water Temperature, & | | | |
| | | Low Engine Temperature | | | |
| 307-0848 | 1 | Relay, Oil Pressure - To 15 | | | |
| | | Seconds | | | |
| 323-0052 | 3 | Socket, 8 Contact - Octal | | | |
| | | Type | | | |
| 308-0005 | 1 | Switch, Selector | | | |
| 307-1157 | 1 | Spring, Relay Hold-Down | | | |
| 307-1143 | 1 | Relay, Generating | | | |
| 323-0760 | 1 | Socket, Relay | | | |
| 332-0943 | 2 | Spacer, Relay Socket | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 12908AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-2717-01(AC) 612-4817-08

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------------------|------|--------------------------------|----------|------|-------------|
| LPG Vapor Carburetor | | | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2308 | 1 | Panel, Control - Upper | | | |
| 303-0201 | 1 | Rheostat Assembly - Adjustable | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-3R **SPEC** 12932AA
FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2717-01(AC) 612-4815-12

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|--|----------|------|-------------|
| | | Water Jacket Heater | | | |
| | | Oil Base Heater | | | |
| 167-1595 | 1 | Lead Assembly (Resistor Type) 24" Lg. | | | |
| 167-1596 | 3 | Lead Assembly (Resistor Type) 12" Lg. | | | |
| 332-1924 | 1 | Cable, Tie | | | |
| 301-2288 | 1 | Panel, Control - Upper | | | |
| 303-0201 | 1 | Rheostat Assembly - Adjustable | | | |

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4R SPEC 13049S
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4375-01 (AC) 612-2720-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|---|------|--|----------|------|---------------------------|
| Gas - Gasoline Carburetor | | | | | |
| Overspeed Cut Off | | | 332-0795 | 1 | Block, Terminal - 16 Plac |
| Low Oil Pressure Cut Off - Dual Senders | | | 332-0862 | 1 | Strip, Marker (For 16 |
| High Water Temperature Cut Off - Dual Senders | | | | | Place Block) |
| Overcrank Cut Off | | | | | |
| 502-0043 | 1 | Elbow, Male - Inverted | | | |
| 504-0007 | 1 | Cock, Shut Off - Fuel Pump | | | |
| 502-0020 | 1 | Elbow, Street Pipe - Fuel Pump | | | |
| 332-0941 | 1 | Tie, Cable - Solenoid Coil Assembly | | | |
| 120-0551 | 1 | Cup Assembly - Oil Pump Intake | | | |
| 502-0058 | 1 | Tee, Restricted - Front Cylinder Head | | | |
| 167-0504 | 4 | Plug, Spark | | | |
| 515-0103 | 1 | Key, Fan | | | |
| 518-0015 | 1 | Ring, Retaining | | | |
| 517-0093 | 2 | Plug, Dot Button 1/2" | | | |
| 211-0152 | 1 | Bell, End - Alternator To Exciter | | | |
| 220-0818 | 1 | Stator Assembly, Wound | | | |
| 301-2138 | 1 | Panel, Control - Upper | | | |
| 337-0044 | 1 | Strap, Ground | | | |
| 301-0648 | 1 | Plate, Ground | | | |
| 508-0063 | 2 | Grommet (3-3/8" OD) | | | |
| 307-0778 | 2 | Spring, Hold Down | | | |
| 307-0848 | 1 | Relay, Oil Pressure - To 15 Seconds | | | |
| 320-0259 | 1 | Relay, Cranking Limiter | | | |
| 301-2125 | 1 | Panel, Control - Lower | | | |
| 322-0004 | 4 | Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed | | | |
| 322-0069 | 4 | Holder, Lamp | | | |
| 307-0655 | 3 | Relay, Lop, Hwt, Overspeed Shutdown | | | |
| 307-0819 | 2 | Relay, Lop, Hwt Pre-Alarm | | | |
| 323-0052 | 2 | Socket, 8 Contact - Octal Type | | | |
| 332-0943 | 4 | Spacer, Relay Socket (3/8" OD X 3/16" ID) | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-18R **SPEC** 13163AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4814-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|---|------|-------------|----------|------|-------------|
| Natural Gas Carburetor High Compression Pistons Water Jacket Heater Oil Base Heater 520-0798 4 Stud, Generator Through 520-0790 1 Stud, Rotor Through 301-2019 1 Panel, Control - Upper | | | | | |

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|--------------------------|----------|------|-------------|
| | | Natural Gas Carburetor | | | |
| | | High Compression Pistons | | | |
| | | Water Jacket Heater | | | |
| | | Oil Base Heater | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2019 | 1 | Panel, Control - Upper | | | |

SPECIAL PARTS LIST FOR MODEL 12.5RJC-18R SPEC 13172AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 3
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4433-01 (AC) 612-4814-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------------|------|--|----------|------|-------------|
| City Water Cooled | | | | | |
| Water Cooled Manifold | | | | | |
| Heat Exchanger | | | | | |
| Natural Gas Carburetor | | | | | |
| High Compression Pistons | | | | | |
| Overspeed Cut Off | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Water Temperature Cut Off | | | | | |
| Overcrank Cut Off | | | | | |
| 517-0059 | 1 | Plug, Expansion (1-7/16" OD) | | | |
| 130-0813 | 1 | Line, Water | | | |
| 154-1224 | 1 | Manifold, Intake | | | |
| 502-0257 | 1 | Tee, Brass - Exhaust Manifold (3/8" Pipe) | | | |
| 503-0478 | 1 | Hose - Water Inlet, 9" Lg. | | | |
| 148-0367 | 1 | Switch, Vacuum | | | |
| 502-0053 | 1 | Elbow, Street - Vacuum Switch | | | |
| 301-2125 | 1 | Panel, Control - Lower | | | |
| 322-0004 | 4 | Lamp, Low Oil Pressure, High Water Temperature, Overspeed, Plant | | | |
| 322-0069 | 4 | Holder, Lamp | | | |
| 320-0259 | 1 | Relay, Cranking Limiter | | | |
| 307-0655 | 3 | Relay, Low Oil Pressure, High Water Temperature, Overspeed | | | |
| 332-0795 | 1 | Block, Terminal - 16 Place | | | |
| 332-0862 | 1 | Strip, Marker - For 16 Place Block | | | |
| 301-2019 | 1 | Panel, Control - Upper | | | |

WIRING DIAGRAM NO. (ENG)612-5487-01(AC)612-5501-05

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|-------------------|------|-------------------------|----------|------|-------------|
| Housed Unit | | | | | |
| Overspeed Cut Off | | | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2308 | 1 | Panel, Control - Upper | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-3CR31 **SPEC** 13216AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4874-01 (AC) 612-5225-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|---|------|---|----------|------|-------------|
| Note: Pennsylvania Approved Natural Gas Carburetor Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off | | | | | |
| 301-2125 | 1 | Panel, Control - Lower | | | |
| 307-0655 | 3 | Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown | | | |
| 322-0004 | 4 | Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed | | | |
| 322-0069 | 4 | Holder, Lamp | | | |
| 307-0819 | 2 | Relay, Low Oil Pressure, High Water Temperature - Pre Alarm | | | |
| 307-0848 | 1 | Relay, Oil Pressure - To 15 Seconds | | | |
| 323-0052 | 2 | Socket, 8 Contact - Octal Type | | | |
| 332-0943 | 4 | Spacer, Relay Socket (3/8" OD) | | | |
| 307-0778 | 2 | Spring, Hold Down | | | |
| 332-1005 | 1 | Block, Terminal (20 Place) | | | |
| 332-1006 | 1 | Strip, Marker - For 20 Place Block | | | |
| 308-0005 | 1 | Switch, Selector | | | |
| 301-3252 | 1 | Bracket, Relay Mounting | | | |
| 301-1788 | 1 | Panel, Control - Upper | | | |
| 149-0558 | 1 | Strainer, Natural Gas | | | |
| 307-0829 | 1 | Kit, Coil - Fuel Valve | | | |
| 416-0325 | 1 | Hydrometer, Battery - 3 Color Scale | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-3R **SPEC** 13257AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4134-01 (AC) 612-4815-12

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------|------|---|----------|------|-------------|
| Natural Gas Carburetor | | | | | |
| High Compression Pistons | | | | | |
| 301-2288 | 1 | Panel, Control - Upper | | | |
| 303-0201 | 1 | Rheostat Assembly - Voltage Adjustable, 25 Watt | | | |
| 307-1077 | 1 | Relay, Time Delay - 3 Second | | | |
| 323-0052 | 1 | Socket, 8 Contact - Octal Type | | | |

SPECIAL PARTS LIST FOR MODEL 12.5RJC-3R SPEC 13273AB
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-5509-01 (AC) 612-5436-06

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------------|------|-------------------------------|----------|------|-------------|
| Housed Model | | | | | |
| Muffler Mounted On Housing | | | | | |
| Overspeed Cut Off | | | | | |
| Water Jacket Heater | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Water Temperature Cut Off | | | | | |
| Overcrank Cut Off | | | | | |
| Oil Base Heater | | | | | |
| 301-2288 | 1 | Panel, Control - Upper | | | |
| 407-0655 | 3 | Relay, Emergency Latching | | | |
| 301-2125 | 1 | Panel, Control - Lower | | | |
| 322-0004 | 4 | Lamp, Plant, Low Oil Pressure | | | |
| | | High Water Temperature, | | | |
| | | Overspeed | | | |
| 322-0069 | 4 | Holder, Lamp | | | |
| 332-1005 | 1 | Block, Terminal (20 Place) | | | |
| 332-1006 | 1 | Strip, Marker - For 20 Place | | | |
| | | Block | | | |
| 320-0259 | 1 | Relay, Cranking Limiter | | | |
| 155-0360 | 1 | Muffler, Critical Type | | | |
| 155-0927 | 1 | Tube, Exhaust | | | |
| 140-0078 | 2 | Bands, Muffler - Mounted On | | | |
| | | Housing | | | |
| 405-1889 | 1 | Shield, Rain | | | |
| 505-0043 | 2 | Elbow, 90° (1½") | | | |

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4R SPEC 13339AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 3
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2717-01(AC) 612-4816-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------|------|------------------------------|----------|------|-------------|
| City Water Cooled | | | | | |
| Water Cooled Manifold | | | | | |
| Natural Gas Carburetor | | | | | |
| High Compression Pistons | | | | | |
| Overspeed Cut Off | | | | | |
| Heat Exchanger | | | | | |
| 517-0059 | 1 | Plug, Expansion (1-7/16" OD) | | | |
| 503-0478 | 1 | Hose, Water Inlet, 9" Lg. | | | |
| 502-0257 | 1 | Tee, Pipe - Brass (3/8") | | | |
| | | Exhaust Manifold | | | |
| 130-0813 | 1 | Line, Water | | | |
| 301-2204 | 1 | Panel, Control - Upper | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-4R **SPEC** 13366AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4816-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------|------|--|----------|------|-------------|
| City Water Cooled | | | | | |
| Water Cooled Manifold | | | | | |
| Natural Gas Carburetor | | | | | |
| High Compression Pistons | | | | | |
| Overspeed Cut Off | | | | | |
| 517-0059 | 1 | Plug, Expansion - Exhaust Manifold (1-7/16" OD) | | | |
| 503-0478 | 1 | Hose, Water Inlet - 9" Lg. | | | |
| 505-0376 | 1 | Elbow, 45° (3/8") | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2204 | 1 | Panel, Control - Upper | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 13374T
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-2718-01(AC) 612-3196-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|---|----------|------|-------------|
| | | Natural Gas Carburetor | | | |
| | | High Compression Pistons | | | |
| | | Overspeed Cut Off | | | |
| | | Low Oil Pressure Cut Off | | | |
| | | High Water Temperature Cut Off | | | |
| | | Overcrank Cut Off | | | |
| 502-0043 | 1 | Elbow, Male - Inverted | | | |
| 120-0551 | 1 | Cup Assembly - Oil Pump Intake | | | |
| 167-0504 | 4 | Plug, Spark | | | |
| 515-0103 | 1 | Key, Fan | | | |
| 518-0015 | 1 | Ring, Retaining | | | |
| 517-0093 | 2 | Button, Dot ($\frac{1}{2}$ ") | | | |
| 209-0009 | 1 | Exciter, Complete (Less Cover) | | | |
| 220-1197 | 1 | Stator Assembly, Wound | | | |
| 211-0152 | 1 | Bell, End - Alternator To Exciter | | | |
| 304-0479 | 1 | Resistor, Fixed - 425 Ohm, 50 Watt | | | |
| 301-2308 | 1 | Panel, Control - Upper | | | |
| 304-0305 | 1 | Resistor - 45,000 Ohm, 10 Watt | | | |
| 312-0145 | 3 | Capacitor, 500 Volt - .1 Mfd. | | | |
| 332-0609 | 1 | Block, Terminal | | | |
| 332-0610 | 1 | Strip, Marker | | | |
| 337-0044 | 1 | Strap, Ground | | | |
| 303-0097 | 1 | Rheostat, Voltage Regulator - 75 Ohm, 25 Watt | | | |
| 301-2125 | 1 | Panel, Control - Lower | | | |
| 307-0655 | 3 | Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown | | | |
| 322-0004 | 4 | Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed | | | |
| 322-0069 | 4 | Holder, Lamp | | | |
| 332-0795 | 1 | Block, Terminal - Engine | | | |
| 332-0862 | 1 | Strip, Marker | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-4XR **SPEC** 13388T
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4862-01 (AC) 612-3196-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|---|------|--|----------|------|--------------------------------|
| Natural Gas Carburetor | | | 323-0052 | 4 | Socket, 8 Contact - Octal Type |
| Oil Bath Air Cleaner | | | 332-0943 | 4 | Spacer, Relay Socket (3/8" |
| Overspeed Cut Off | | | 307-0778 | 4 | Spring, Hold-Down |
| Low Oil Pressure Cut Off - Dual Senders | | | 332-1005 | 1 | Block, Terminal (20 Place) |
| High Water Temperature Cut Off - Dual Senders | | | 332-1007 | 1 | Strip, Marker - For 20 Plac |
| Overcrank Cut Off | | | | | Block |
| 502-0036 | 1 | Connector, Male - Inverted | 301-2393 | 1 | Bracket, Relay Mounting |
| 502-0043 | 1 | Elbow, Male - Inverted | 332-0612 | 2 | Strip, Marker |
| 505-0019 | 1 | Bushing, Reducer (1/2" X 3/8") | 323-0760 | 1 | Socket, Relay |
| 120-0551 | 1 | Cup Assembly - Oil Pump Intake | 307-1143 | 1 | Relay, Generating |
| 167-0504 | 4 | Plug, Spark | 307-1157 | 1 | Spring, Hold-Down |
| 515-0103 | 1 | Key, Fan | 301-3244 | 1 | Bracket, Relay Mounting |
| 518-0015 | 1 | Ring, Retaining | 140-0679 | 1 | Cleaner, Air - Package |
| 517-0093 | 2 | Button, Dot (1/2") | 140-0798 | 1 | Bracket, Air Cleaner |
| 211-0152 | 1 | Bell, End - Alternator To Exciter | | | |
| 209-0009 | 1 | Exciter, Complete - Less Cover | | | |
| 220-1958 | 1 | Stator Assembly - Wound | | | |
| 201-1122 | 1 | Rotor Assembly - Wound | | | |
| 304-0479 | 1 | Resistor, Fixed - 425 Ohm, 50 Watt (3/4" X 4") | | | |
| 301-2308 | 1 | Panel, Control - Upper | | | |
| 337-0044 | 1 | Strap, Ground | | | |
| 303-0097 | 1 | Rheostat, Voltage Regulator - 75 Ohm, 25 Watt | | | |
| 304-0305 | 1 | Resistor, 45,000 Ohm - 10 Watt | | | |
| 332-0610 | 1 | Strip, Marker | | | |
| 332-0609 | 1 | Block, Terminal | | | |
| 312-0145 | 3 | Capacitor, 500 AC/DC, .1 Mfd. | | | |
| 301-2125 | 1 | Panel, Control - Lower | | | |
| 307-0848 | 1 | Relay, Oil Pressure - To 15 Seconds | | | |
| 322-0004 | 4 | Lamp, Plant, Low Oil Pressure, High Water Temperature, & Overspeed | | | |
| 322-0069 | 4 | Holder, Lamp | | | |
| 307-0655 | 3 | Relay, Low Oil Pressure, High Water Temperature, Overspeed | | | |
| 307-0819 | 4 | Relay, Low Oil Pressure, High Water Temperature, & Low Engine Temperature, Fail To Start | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-18R SPEC 13615AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2717-01(AC) 612-4814-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|--|----------|------|-------------|
| | | City Water Cooled | | | |
| | | Water Cooled Manifold | | | |
| | | Heat Exchanger | | | |
| | | Natural Gas Carburetor | | | |
| | | High Compression Pistons | | | |
| 502-0257 | 1 | Tee, Brass - Exhaust Manifold (3/8" Pipe) | | | |
| 517-0059 | 1 | Plug, Expansion (1-7/16" OD) | | | |
| 503-0478 | 1 | Hose, Water Inlet - 9" Lg. | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2019 | 1 | Panel, Control - Upper | | | |
| 307-1077 | 1 | Relay, Time Delay - 3 Second | | | |
| 323-0052 | 1 | Socket, 8 Contact - Octal Type | | | |

SPECIAL PARTS LIST FOR **MODEL** 12.5RJC-18R **SPEC** 13615AB
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 3
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-5487-01 (AC) 612-5485-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|--|----------|------|-------------|
| | | City Water Cooled | | | |
| | | Water Cooled Manifold | | | |
| | | Heat Exchanger | | | |
| | | Natural Gas Carburetor | | | |
| | | High Compression Pistons | | | |
| 130-0813 | 1 | Line, Water | | | |
| 502-0257 | 1 | Tee, Brass - Exhaust Manifold (3/8" Pipe) | | | |
| 517-0059 | 1 | Plug, Expansion (1-7/16" OD) | | | |
| 503-0478 | 1 | Hose, Water Inlet, 9" Lg. | | | |
| 301-2019 | 1 | Panel, Control - Upper | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 13668AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4775-01 (AC) 612-4815-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|--|----------|------|-------------|
| | | LPG Vapor Carburetor | | | |
| | | High Compression Pistons | | | |
| | | Overspeed Cut Off | | | |
| | | Low Oil Pressure Cut Off - Dual Senders | | | |
| | | High Water Temperature Cut Off - Dual Senders | | | |
| | | Overcrank Cut Off | | | |
| 301-2288 | 1 | Panel, Control - Upper | | | |
| 307-0848 | 1 | Relay, Oil Pressure, To 15 Seconds | | | |
| 307-0655 | 3 | Relay, Low Oil Pressure, High Water Temperature, Overspeed | | | |
| 332-0943 | 4 | Spacer, Relay Sockets (3/8" OD X 3/16" ID) | | | |
| 307-0819 | 2 | Relay, Low Oil Pressure & High Water Temperature Alarm | | | |
| 323-0052 | 2 | Socket, 8 Contact - Octal Type | | | |
| 301-3252 | 1 | Bracket, Relay Mounting | | | |
| 301-2125 | 1 | Panel, Control - Lower | | | |
| 322-0004 | 4 | Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed | | | |
| 322-0069 | 4 | Holder, Lamp | | | |
| 307-0778 | 2 | Spring, Hold Down | | | |
| 332-1005 | 1 | Block, Terminal - 20 Place | | | |
| 332-1006 | 1 | Strip, Marker (For 20 Place Block) | | | |
| 332-0612 | 1 | Strip, Marker (Use With 3 Place Block) | | | |
| 307-1143 | 1 | Relay, Generating | | | |
| 323-0760 | 1 | Socket, Relay | | | |
| 307-1157 | 1 | Spring, Relay Hold Down | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R131 SPEC 13668AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4874-01 (AC) 612-4816-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|---|------|---|----------|------|-------------|
| Note: Pennsylvania Approved LPG Vapor Carburetor Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off | | | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2204 | 1 | Panel, Control - Upper | | | |
| 301-2125 | 1 | Panel, Control - Lower | | | |
| 307-0848 | 1 | Relay, Oil Pressure - To 15 Seconds | | | |
| 322-0004 | 4 | Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed | | | |
| 322-0069 | 4 | Holder, Lamp | | | |
| 307-0655 | 3 | Relay, Low Oil Pressure, High Water Temperature, Overspeed | | | |
| 307-0819 | 2 | Relay, Low Oil Pressure & High Water Temperature | | | |
| 323-0052 | 2 | Socket, 8 Contact - Octal Type | | | |
| 308-0005 | 1 | Switch, Selector | | | |
| 301-3252 | 1 | Bracket, Relay Mounting | | | |
| 332-0943 | 4 | Spacer, Relay Socket (3/8" OD) | | | |
| 307-0778 | 2 | Spring, Hold-Down | | | |
| 332-1005 | 1 | Block, Terminal (20 Place) | | | |
| 332-1006 | 1 | Strip, Marker - For 20 Place Block | | | |
| 149-0558 | 1 | Strainer, Regulator | | | |
| 307-0829 | 1 | Kit, Coil Replacement | | | |
| 416-0325 | 1 | Hydrometer, 3 Color Scale - Battery Tester | | | |

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 13668AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4775-01 (AC) 612-4817-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|---|----------|------|-------------|
| | | LPG Vapor Carburetor | | | |
| | | High Compression Pistons | | | |
| | | Overspeed Cut Off | | | |
| | | Low Oil Pressure Cut Off - Dual Senders | | | |
| | | High Water Temperature Cut Off - Dual Senders | | | |
| | | Overcrank Cut Off | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2308 | 1 | Panel, Control - Upper | | | |
| 301-2125 | 1 | Panel, Control - Lower | | | |
| 307-0655 | 3 | Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown | | | |
| 322-0004 | 4 | Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed | | | |
| 322-0069 | 4 | Holder, Lamp | | | |
| 307-0819 | 2 | Relay, Low Oil Pressure, High Water Temperature | | | |
| 307-0848 | 1 | Relay, Oil Pressure - To 15 Seconds | | | |
| 323-0052 | 2 | Socket, 8 Contact - Octal Type | | | |
| 307-1157 | 1 | Spring, Relay Hold-Down | | | |
| 307-1143 | 1 | Relay, Generating | | | |
| 323-0760 | 1 | Socket, Relay | | | |
| 332-0943 | 4 | Spacer, Relay Socket | | | |
| 307-0778 | 2 | Spring, Hold-Down | | | |
| 332-1005 | 1 | Block, Terminal (20 Place) | | | |
| 332-1006 | 1 | Strip, Marker - For 20 Place Block | | | |
| 301-3252 | 1 | Bracket, Relay Mounting | | | |
| 332-0612 | 1 | Strip, Marker (Use With 3 Place Terminal Block) | | | |

SPECIAL PARTS LIST FOR **MODEL** 12.5RJJC-4R131 **SPEC** 13668T
FOR STANDARD PARTS REFER TO CATALOG 974-0220 **KEY NO.** 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4766-01 (AC) 612-2140-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|---|------|--|----------|------|--|
| Note: Pennsylvania Approved LPG Vapor Carburetor Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off | | | 332-0612 | 1 | Strip, Marker (Use With 3 Place Terminal Block) |
| 502-0043 | 1 | Elbow, Inverted Male | 301-3252 | 1 | Bracket, Relay Mounting |
| 120-0551 | 1 | Cup Assembly, Oil Pump Intake | 307-1143 | 1 | Relay, Generating |
| 502-0058 | 1 | Tee, Restricted Front - Cylinder Head | 323-0760 | 1 | Socket, Relay |
| 103-0228 | 1 | Backplate, Gear Cover | 307-1157 | 1 | Spring, Hold Down |
| 166-0307 | 1 | Distributor Assembly, Includes Gear | 308-0005 | 1 | Switch, Selector |
| 167-0504 | 4 | Plug, Spark | 301-2125 | 1 | Panel, Control - Lower |
| 515-0103 | 1 | Key, Fan | 301-3244 | 1 | Bracket, Relay Mounting |
| 518-0015 | 1 | Ring, Retaining | 307-0860 | 1 | Relay, Field Buildup |
| 517-0093 | 2 | Plug, Dot Button 1/2" | 332-0609 | 1 | Block, Terminal |
| 220-2085 | 1 | Stator Assembly, Wound | 332-0610 | 1 | Strip, Marker |
| 211-0152 | 1 | Bell, End - Alternator To Exciter | 149-0558 | 1 | Strainer |
| 301-2453 | 1 | Panel, Control - Upper | 307-0829 | 1 | Kit, Coil Replacement |
| 337-0044 | 1 | Strap, Ground | 416-0325 | 1 | Hydrometer, 3 Color Scal Battery Tester |
| 508-0063 | 2 | Grommet | | | |
| 301-0648 | 1 | Plate, Ground | | | |
| 322-0004 | 4 | Lamp, Low Oil Pressure, High Water Temperature, Overspeed, & Plant | | | |
| 322-0069 | 4 | Holder, Lamp | | | |
| 320-0259 | 1 | Relay, Cranking Limiter | | | |
| 307-0655 | 3 | Relay, Low Oil Pressure, High Water Temperature, Overspeed | | | |
| 307-0848 | 1 | Relay, Oil Pressure - To 15 Seconds | | | |
| 307-0819 | 2 | Relay, Low Oil Pressure & High Water Temperature | | | |
| 323-0052 | 2 | Socket, 8 Contact - Octal Type | | | |
| 307-0778 | 2 | Spring, Hold Down | | | |
| 332-1005 | 1 | Block, Terminal - 20 Place | | | |
| 332-1006 | 1 | Strip, Marker (For 20 Place Block) | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-4R **SPEC** 13684AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4816-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--|------|-------------|----------|------|-------------|
| Natural Gas Carburetor High Compression Pistons Overspeed Cut Off 520-0798 4 Stud, Generator Through 520-0790 1 Stud, Rotor Through 301-2204 1 Panel, Control - Upper | | | | | |

SPECIAL PARTS LIST FOR **MODEL** 15.0RJJC-4XR **SPEC** 13684AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4817-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|---|------|-------------------------|----------|------|-------------|
| Natural Gas Carburetor High Compression Pistons Overspeed Cut Off | | | | | |
| 520-0798 | 4 | Stud, Generator Through | | | |
| 520-0790 | 1 | Stud, Rotor Through | | | |
| 301-2308 | 1 | Panel, Control - Upper | | | |