

The following catalog
has gaps in its page
numbers, or doesn't
have any numbers.
We have chosen to
leave the page
numbering in the
order that Acrobat
assigns it.

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 16404AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4775-01(AC)612-4816-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit Natural Gas Carburetor High Compression Pistons Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
307-0848	1	Relay, Oil Pressure, To 15 Seconds			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-0943	4	Spacer, Relay Sockets (3/8" OD X 3/16" ID)			
307-0819	2	Relay, Low Oil Pressure & High Water Temperature Alarm			
323-0052	2	Socket, 8 Contact - Octal Type			
301-3252	1	Bracket, Relay Mounting			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0778	2	Spring, Hold Down			
332-1005	1	Block, Terminal - 20 Place			
332-1006	1	Strip, Marker (For 20 Place Block)			
332-0612	1	Strip, Marker (Use With 3 Place Block)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
307-1157	1	Spring, Relay Hold Down			

SPECIAL PARTS LIST FOR MODEL 12.5RIC-4R SPEC 16424AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 3
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4775-01(AC)612-4816-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
City Water Cooled					
Water Cooled Manifold					
Heat Exchanger					
Natural Gas Carburetor					
Overspeed Cut Off					
Low Oil Pressure Cut Off - Dual Senders					
High Water Temperature Cut Off - Dual Senders					
Overcrank Cut Off					
309-0179	1	Thermostat			
502-0257	1	Tee, Pipe - Brass (3/8") - Exhaust Manifold			
517-0059	1	Plug, Expansion (1-7/16" OD)			
130-0813	1	Line, Water			
502-0058	1	Tee, Restricted - Front Cylinder Head			
503-0478	1	Hose, Water Inlet, - 9" Lg.			
301-2204	1	Panel, Control - Upper			
307-0655	3	Relay, Emergency Latching			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
323-0052	2	Socket, 8 Contact - Octal Type			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	4	Spacer, Relay Socket			
307-0819	2	Relay, Low Engine Temperature			
307-0778	2	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block)			
307-1157	1	Spring, Hold Down			
332-0612	1	Strip, Marker (For 3 Place Block)			
301-3252	1	Bracket, Relay Mounting			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4XR SPEC 16426AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2865-01 (AC) 612-4817-10

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Model					
Muffler Mounted On Housing					
Water Jacket Heater					
307-0655	1	Relay, Emergency Latching			
307-0696	1	Relay, 10 Second			
323-0052	2	Socket, 8 Contact - Octal Type			
307-0734	1	Relay, Cycle Cranker - 5 Second			
353-0015	1	Resistor, 3.5 Ohm - 10 Watt			
303-0201	1	Rheostat Assembly - Adjustable			
301-2308	1	Panel, Control - Upper			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 16426AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-2865-01(AC) 612-4817-11

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit					
Muffler Mounted On Housing					
Water Jacket Heater					
Oil Base Heater					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
307-0734	1	Relay, Cycle Cranker - 5 Second			
307-0696	1	Relay, 10 Second			
323-0052	2	Socket, 8 Contact - Octal Type			
353-0015	1	Resistor, 3.5 Ohm - 10 Watt			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-3R **SPEC** 16439AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4775-01(AC)612-4815-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Vapor Carburetor					
Water Jacket Heater					
Oil Base Heater					
Overspeed Cut Off					
Low Oil Pressure Cut Off - Dual Senders					
High Water Temperature Cut Off - Dual Senders					
Overcrank Cut Off					
301-2288	1	Panel, Control - Upper			
307-0848	1	Relay, Oil Pressure, To 15 Seconds			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-0943	4	Spacer, Relay Sockets (3/8" OD X 3/16" ID)			
307-0819	2	Relay, Low Oil Pressure & High Water Temperature Alarm			
323-0052	2	Socket, 8 Contact - Octal Type			
301-3252	1	Bracket, Relay Mounting			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0778	2	Spring, Hold Down			
332-1005	1	Block, Terminal - 20 Place			
332-1006	1	Strip, Marker (For 20 Place Block)			
332-0612	1	Strip, Marker (Use With 3 Place Block)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
307-1157	1	Spring, Relay Hold Down			

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-4XR **SPEC** 16492AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-3160-01 (AC) 612-4817-11

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Natural Gas Carburetor			
		High Compression Pistons			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
332-1005	1	Block, Terminal (20 Place)			
332-1007	1	Strip, Marker			

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-4R **SPEC** 16539AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2718-01(AC) 612-4816-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit Natural Gas Carburetor High Compression Pistons Overspeed Cut Off Low Oil Pressure Cut Off High Water Temperature Cut Off Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
307-0655	3	Latch, Relay - Emergency Stop & Alarm, Low Oil Pressure, High Water Temperature, & Overspeed			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - Engine			
332-0862	1	Strip, Marker			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4R SPEC 16542AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4989-01 (AC) 612-4816-16

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Model					
Gas - Gasoline Carburetor			301-3241	1	Bracket, Relay Mounting
Muffler Mounted On Housing			307-1157	1	Spring, Hold Down
Space Heater - Generator Heater Installation			332-0612	1	Strip, Marker (For 3 Place Block)
Water Jacket Heater			301-2393	1	Bracket, Relay Mounting
Overspeed Cut Off			307-0819	2	Relay, Low Oil Pressure & High Water Temperature
Low Oil Pressure Cut Off - Dual Senders			155-0360	1	Muffler, Critical Type
High Water Temperature Cut Off - Dual Senders			155-0927	1	Tube, Exhaust
Overcrank Cut Off			140-0078	2	Bands, Muffler - Mounted Or Housing
Oil Base Heater			405-1889	1	Shield, Rain
			505-0043	2	Elbow, 90° (1½")
504-0007	1	Cock, Shut Off - Fuel Pump			
502-0020	1	Elbow, Street Pipe - Fuel Pump			
332-0941	1	Tie, Cable - Solenoid Coil Assembly			
502-0058	1	Tee, Restricted-Front Cylinder Head			
301-2204	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
307-0655	3	Relay, Emergency Latching			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
323-0052	3	Socket, 8 Contact - Octal Type			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-0819	1	Relay, Low Engine Temperature			
308-0778	3	Spring, Hold Down			
332-1005	1	Block, Terminal - 20 Place			
332-1006	1	Strip, Marker (For 20 Place Block)			

SPECIAL PARTS LIST FOR **MODEL** 12.5RJC-18R31 **SPEC** 16547AA
FOR STANDARD PARTS REFER TO CATALOG 974-0220 **KEY NO.** 3
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4912-01(AC) 612-5226-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved			332-0943	4	Spacers
Natural Gas Carburetor			307-0778	3	Spring, Hold Down
High Compression Pistons			332-1005	1	Block, Terminal - 20 Place
City Water Cooled			332-1006	1	Strip, Marker (For 20
Water Cooled Manifold					Place Block)
Heat Exchanger			332-0612	1	Strip, Marker (Use With 3
Overspeed Cut Off					Place Terminal Block)
Low Oil Pressure Cut Off - Dual Senders			301-3252	1	Bracket, Relay Mounting
High Water Temperature Cut Off - Dual Senders			307-1143	1	Relay, Generating
Overcrank Cut Off			323-0760	1	Socket, Relay
			308-0005	1	Switch, Selector
			307-0819	1	Relay, Low Engine Temperat
			149-0558	1	Strainer
			307-0829	1	Kit, Coil Replacement
			416-0325	1	Hydrometer, 3 Color Scale
			504-0019	1	Valve, Lock Shield - Manu
			307-0833	1	Valve, Solenoid - Electric
309-0179	1	Thermostat			
130-0813	1	Line, Water			
502-0257	1	Tee, Brass - Exhaust Manifold (3/8" Pipe)			
503-0478	1	Hose, Water Inlet, (9" Lg.)			
502-0058	1	Tee, Restricted-Front Cylinder Head			
301-1788	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Low Oil Pressure, High Water Temperature, Overspeed, Plant			
322-0069	4	Holder, Lamp			
320-0259	1	Relay, Cranking Limiter			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
307-0819	2	Relay, Low Oil Pressure & High Water Temperature			
323-0052	3	Socket, 8 Contact - Octal Type			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 16550AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2718-01(AC) 612-4816-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Carburetor					
Water Jacket Heater					
Oil Base Heater					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
332-0941	1	Tie, Cable - Solenoid Coil			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
307-0655	3	Latch, Relay - Emergency Stop & Alarm, Low Oil Pressure, High Water Temperature, & Overspeed			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - Engine			
332-0862	1	Strip, Marker			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4R SPEC 16605AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG)612-2865-01(AC)612-4816-16

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Model					
Day Tank					
Muffler Mounted On Housing					
Water Jacket Heater					
Oil Base Heater					
504-0007	1	Cock, Shut Off - Fuel Pump			
502-0020	1	Elbow, Street - Fuel Pump			
303-0201	1	Rheostat Assembly - Adjustable			
307-0696	1	Relay, 10 Second			
323-0052	2	Socket, 8 Contact - Octal Type			
307-0734	1	Relay, Cycle Cranker - 5 Second			
353-0015	1	Resistor, 3.5 Ohm - 10 Watt			
301-2204	1	Panel, Control - Upper			
307-0655	1	Relay, Emergency Latching			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-18R131 SPEC 16609AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4874-01 (AC) 612-5226-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved LPG Vapor Carburetor Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off					
502-0058	1	Tee, Restricted Front - Cylinder Head			
301-1788	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Low Oil Pressure, High Water Temperature, Overspeed, Plant			
322-0069	4	Holder, Lamp			
320-0259	1	Relay, Cranking Limiter			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
307-0819	2	Relay, Low Oil Pressure & High Water Temperature			
323-0052	2	Socket, 8 Contact - Octal Type			
332-0943	4	Spacers			
307-0778	2	Spring, Hold Down			
332-1005	1	Block, Terminal - 20 Place			
332-1006	1	Strip, Marker (For 20 Place Block)			
301-3252	1	Bracket, Relay Mounting			
308-0005	1	Switch, Selector			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			

SPECIAL PARTS LIST FOR MODEL 15.0BJC-3R SPEC 16615AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4815-12

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Gas - Gasoline Carburetor			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
504-0007	1	Cock, Shut Off - Fuel Pump			
502-0020	1	Elbow, Street - Fuel Pump			
332-0941	1	Tie, Cable - Solenoid Coil Assembly			
307-0655	3	Relay, Emergency Latching			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - 16 Place			
332-0862	1	Strip, Marker (For 16 Place Block)			
301-2288	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Voltage Adjustable			

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-3CR **SPEC** 16677AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4134-01 (AC) 612-4814-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled			
		Water Cooled Manifold			
		Heat Exchanger			
		LPG Vapor Carburetor			
130-0813	1	Line, Water			
502-0257	1	Tee, Brass - Exhaust			
		Manifold (3/8" Pipe)			
517-0059	1	Plug, Expansion (1-7/16" OD)			
503-0478	1	Hose, Water Inlet, 9" Lg.			
307-1077	1	Relay, Time Delay -			
		3 Second			
323-0052	1	Socket, 8 Contact - Octal			
		Type			
301-2019	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR **MODEL** 12.5RJC-5DR **SPEC** 16678AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-2717-01(AC) 612-4818-06

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Model Combination LPG Liquid & Gasoline Carburetor					
504-0007	1	Cock, Shut Off - Fuel Pump			
502-0020	1	Elbow, Street Pipe - Fuel Pump			
332-0941	1	Tie, Cable - Coil Assembly			
220-2043	1	Stator, Wound			
201-2158	1	Rotor Assembly, Wound			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-3R131 SPEC 16684AA
FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4872-01(AC) 612-4815-11

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved LPG Vapor Carburetor					
301-2288	1	Panel, Control - Upper			
332-0795	1	Block, Terminal (16 Place)			
332-0862	1	Strip, Marker - For 16 Place Block			
308-0005	1	Switch, Selector, Toggle			
303-0201	1	Rheostat Assembly - Adjustable			
301-2895	1	Panel, Control - Lower			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4XR131 SPEC 16684AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4872-01 (AC) 612-4817-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved LPG Vapor Carburetor					
303-0201	1	Rheostat Assembly - Adjustable			
301-2308	1	Panel, Control - Upper			
308-0005	1	Switch, Selector - Toggle			
332-0795	1	Block, Terminal - 16 Place			
332-0862	1	Strip, Marker (For 16 Place Block)			
301-2895	1	Panel, Control - Lower			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 16723AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4775-01 (AC) 612-4816-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled			
		Water Cooled Manifold			
		Heat Exchanger			
		LPG Vapor Carburetor			
		Skid & Battery Rack			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off - Dual Senders			
		High Water Temperature Cut Off - Dual Senders			
		Overcrank Cut Off			
309-0179	1	Thermostat - Open 190° F, Close 215° F			
502-0257	1	Tee, Brass - Exhaust Manifold (3/8" Pipe)			
517-0059	1	Plug, Expansion - Exhaust Manifold (1-7/16" OD)			
503-0478	1	Hose, Water Inlet - 9" Lg.			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
307-0848	1	Relay, Oil Pressure, To 15 Seconds			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-0943	4	Spacer, Relay Sockets (3/8" OD X 3/16" ID)			
307-0819	2	Relay, Low Oil Pressure & High Water Temperature Alarm			
323-0052	2	Socket, 8 Contact - Octal Type			
301-3252	1	Bracket, Relay Mounting			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0778	2	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
332-0612	1	Strip, Marker (Use With 3 Place Block)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
307-1157	1	Spring, Relay Hold Down			

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-3R **SPEC** 16755AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-4989-01(AC)612-4815-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Model Muffler Mounted On Housing Natural Gas Carburetor High Compression Pistons Water Jacket Heater Oil Base Heater Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off					
301-2288	1	Panel, Control - Upper			
307-0655	3	Relay, Lop, Hwt, Overspeed Shutdown			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
301-3241	1	Bracket, Relay Mounting			
301-2393	1	Bracket, Relay Mounting			
323-0052	3	Socket, 8 Contact - Octal Type			
307-0819	3	Relay, Low Engine Temperature, Lop, High Water Temperature			
307-1157	1	Spring, Relay Hold Down			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	3	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
332-0612	1	Strip, Marker			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 16760AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4857-01(AC) 612-4816-12

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Natural Gas Carburetor					
High Compression Pistons					
Water Jacket Heater					
Oil Base Heater					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
307-0819	1	Relay, Low Engine Temperature			
307-1157	1	Spring, Relay Hold Down			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	1	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
323-0052	1	Socket, 8 Contact - Octal Type			
301-3241	1	Bracket, Relay Mounting			

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-4R31 **SPEC** 16787AA
FOR STANDARD PARTS REFER TO CATALOG 974-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5182-01(AC)612-4816-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved Natural Gas Carburetor Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
301-2574	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp (Used On Plant, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown)			
307-0819	3	Relay, Low Oil Pressure, High Water Temperature, & Low Engine Temperature			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
323-0052	5	Socket, 8 Contact - Octal Type			
308-0005	1	Switch, Selector			
307-1157	1	Spring, Relay Hold Down			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	3	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
301-3241	1	Bracket, Relay Mounting			
301-2393	2	Bracket, Relay Mounting			
332-0612	2	Strip, Marker			
307-1186	1	Relay, Time Delay - Total Crank 1 To 300 Seconds On Pickup			
307-0696	1	Relay, Cycle Cranker - Time Delay 10 Seconds			
307-0734	1	Relay, Cycle Cranker - Time Delay 5 Seconds			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			

Dated 3/1/79

Revised

Page 1 of 1

SPECIAL PARTS LIST FOR MODEL 15.0RJC-18R131 SPEC 16791AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG)612-4912-01(AC)612-5226-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved LPG Vapor Carburetor City Water Cooled Water Cooled Manifold Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off					
309-0179	1	Thermostat - Open 190°, Close 215°			
502-0258	3	Nipple, Half (3/8")			
502-0263	1	Elbow, Brass (90° - 3/8")			
502-0085	2	Nipple, Close			
502-0257	1	Tee, Brass - Exhaust Manifold (3/8" Pipe)			
517-0059	1	Plug, Expansion (1-7/16" OD)			
503-0478	1	Hose, Water Inlet - 9" Lg.			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-1788	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
307-0819	3	Relay, Low Oil Pressure, High Water Temperature, & Low Engine Temperature			
323-0052	3	Socket, 8 Contact - Octal Type			
308-0005	1	Switch, Selector			
301-3252	1	Bracket, Relay Mounting			
332-0943	4	Spacer, Relay Socket (3/8" OD)			
307-0778	3	Spring, Hold-Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
332-0612	1	Strip, Marker			
323-0760	1	Socket, Relay			
307-1143	1	Relay, Generating			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 color Scale - Battery Tester			

SPECIAL PARTS LIST FOR MODEL 15.ORJC-4XR131 SPEC 16801AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-5086-01 (AC) 612-4817-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved LPG Vapor Carburetor Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
301-3252	1	Bracket, Relay Mounting			
332-0943	4	Spacer, Relay Socket (3/8" OD)			
307-0778	3	Spring, Hold-Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
307-0819	3	Relay, Low Engine Temperature Low Oil Pressure, & High Water Temperature			
323-0052	4	Socket, 8 Contact - Octal Type			
308-0005	1	Switch, Selector			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0612	1	Strip, Marker (Use With 3 Place Terminal Block)			
307-1077	1	Relay, Time Delay Start - 3 Second			
301-3241	1	Bracket, Relay - Time Delay			
307-0848	1	Relay, Oil Pressure - Time Delay, 15 Second			
320-0259	1	Relay, Cranking Limiter			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R30 SPEC 16802AB
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-5497-02 (AC) 612-5500-17

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved Housed Unit Muffler Mounted On Housing Water Jacket Heater Oil Base Heater Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
301-2125	1	Panel, Control - Lower			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-0943	2	Spacer, Relay Socket			
307-0778	2	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
307-0819	3	Relay, Low Engine Temperature, Low Oil Pressure & High Water Temperature			
323-0052	3	Socket, 8 Contact - Octal Type			
308-0005	1	Switch, Selector			
323-0760	1	Socket, Relay			
307-1143	1	Relay, Generating			
301-3241	1	Bracket, Relay Mounting			
301-2393	1	Bracket, Relay Mounting			
307-1157	1	Spring, Hold Down			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4R SPEC 16824AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4816-11

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Vapor Carburetor					
Overspeed Cut Off					
Water Jacket Heater					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
Oil Base Heater					
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil			
		Pressure, High Water			
		Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure,			
		High Water Temperature,			
		Overspeed			
332-0795	1	Block, Terminal - 16 Place			
332-0862	1	Strip, Marker (For 16 Place			
		Block)			
303-0201	1	Rheostat Assembly - Adjustable			
301-2204	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-4R **SPEC** 16824AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-2718-01 (AC) 612-4816-12

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Vapor Carburetor					
Water Jacket Heater					
Oil Base Heater					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed Shutdown			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - 16 Place			
332-0862	1	Strip, Marker (For 16 Place Block)			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 16841AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-2718-01 (AC) 612-4817-08

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled			
		Water Cooled Manifold			
		Natural Gas Carburetor			
		High Compression Pistons			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
517-0059	1	Plug, Expansion (1-7/16" OD)			
503-0478	1	Hose, Water Inlet - 9" Lg.			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure			
		High Water Temperature,			
		Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure,			
		High Water Temperature,			
		Overspeed			
332-0862	1	Strip, Marker			
332-0795	1	Block, Terminal - Engine			

SPECIAL PARTS LIST FOR **MODEL** 12.5RJC-3R31 **SPEC** 16871AA
FOR STANDARD PARTS REFER TO CATALOG 974-0220 **KEY NO.** 3
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-4912-01(AC)612-4815-11

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved Natural Gas Carburetor Overspeed Cut Off City Water Cooled Water Cooled Manifold Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off High Compression Pistons			332-1005	1	Block, Terminal (20 Place)
			332-1006	1	Strip, Marker - For 20 Place Block
			308-0005	1	Switch, Selector - Toggle
			307-0848	1	Relay, Oil Pressure - To 15 Seconds
			307-1143	1	Relay, Generating
			323-0760	1	Socket, Relay
			332-0612	1	Strip, Marker
			301-3252	1	Bracket, Relay Mounting
309-0179	1	Thermostat	149-0558	1	Strainer
502-0257	1	Tee, Pipe - Brass (3/8") - Exhaust Manifold	307-0829	1	Kit, Coil Replacement
502-0258	3	Nipple, Half - Brass (3/8")	416-0325	1	Hydrometer, 3 Color Scale
502-0085	2	Nipple, Close (3/8")	504-0019	1	Valve, Lock Shield - Manual
502-0263	1	Elbow, 90° - Brass (3/8")	307-0833	1	Valve, Solenoid - Electrical
502-0058	1	Tee, Restricted - Front Cylinder Head			
517-0059	1	Plug, Expansion (1-7/16" OD)			
503-0478	1	Hose, Water Inlet, 9" Lg.			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
303-0201	1	Rheostat Assembly - Adjustable			
323-0052	3	Socket, 8 Contact - Octal Type			
301-2288	1	Panel, Control - Upper			
307-0655	3	Relay, Emergency Latching			
332-0943	4	Spacer, Relay Sockets (3/8" OD X 3/16" ID)			
307-0819	3	Relay, Low Oil Pressure, High Water Temperature, Low Engine Temperature			
307-0778	3	Spring, Hold Down			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4XR131 SPEC 16875AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4912-01(AC) 612-4817-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved Housed Model LPG Vapor Carburetor Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off			149-0558	1	Strainer, Regulator
			307-0829	1	Kit, Coil Replacement
			416-0325	1	Hydrometer, 3 Color Scal
					Battery Tester
			179-0008	1	Drawing, Fuel Installati
			179-0016	1	Drawing, Fuel Installati
502-0058	1	Tee, Oil Filter Adapter			
301-2308	1	Panel, Control - Upper			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
307-0848	1	Relay, Oil Pressure - To			
		15 Seconds			
322-0004	4	Lamp, Plant, Low Oil Pressure			
		High Water Temperature,			
		Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High			
		Water Temperature, Overspeed			
332-0943	4	Spacer, Relay Socket			
307-0778	2	Spring, Hold Down			
332-1005	1	Block, Terminal - 20 Place			
332-1006	1	Strip, Marker (For 20 Place			
		Block)			
307-0819	1	Relay, Low Engine Temperature			
307-0819	2	Relay, Low Oil Pressure &			
		High Water Temperature			
323-0052	3	Socket, 8 Contact - Octal			
		Type			
308-0005	1	Switch, Selector			
301-3252	1	Bracket, Relay Mounting			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0612	1	Strip, Marker (Use With 3			
		Place Terminal Block)			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4R SPEC 16878AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 3
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-2718-01 (AC) 612-4816-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled			
		Water Cooled Manifold			
		Natural Gas Carburetor			
		Skid And Battery Rack			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
517-0059	1	Plug, Expansion (1-7/16" OD)			
503-0478	1	Hose, Water Inlet, 9" Lg.			
505-0376	1	Elbow, 45° (3/8")			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil			
		Pressure, High Water			
		Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure,			
		High Water Temperature,			
		Overspeed			
332-0795	1	Block, Terminal - 16 Place			
332-0862	1	Strip, Marker (For 16 Place			
		Block)			
301-2204	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 16888AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-5201-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Model Mounted Fuel Tank					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2449	1	Panel, Control - Upper			
501-0005	1	Line, Flex - Fuel (18½" Lg.)			

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-4R **SPEC** 16908AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4857-01 (AC) 612-4816-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		LPG Vapor Carburetor			
		Muffler Mounted On Housing			
		Water Jacket Heater			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
307-0819	1	Relay, Low Engine Temperature			
307-1157	1	Spring, Relay Hold Down			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	1	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
323-0052	1	Socket, 8 Contact - Octal Type			
301-3241	1	Bracket, Relay Mounting			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R131 SPEC 16921AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-5182-01 (AC) 612-4816-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved LPG Vapor Carburetor Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
301-2574	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature & Overspeed			
322-0069	4	Holder, Lamp			
307-0819	3	Relay, Low Oil Pressure, High Water Temperature, & Low Engine Temperature			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
323-0052	5	Socket, 8 Contact - Octal Type			
308-0005	1	Switch, Selector			
307-1157	1	Spring, Relay Hold Down			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	3	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
301-3241	1	Bracket, Relay Mounting			
301-2393	2	Bracket, Relay Mounting			
332-0612	2	Strip, Marker			
307-1186	1	Relay, Time Delay - Total Crank 1 To 300 Seconds On Pickup			
307-0696	1	Relay, Cycle Cranker - Time Delay 10 Seconds			
307-0734	1	Relay, Cycle Cranker - Time Delay 5 Seconds			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-4XR **SPEC** 16925AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4817-08

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
		Water Jacket Heater			
		Oil Base Heater			
		Overspeed Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			

FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4817-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - Engine			
332-0862	1	Strip, Marker			

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-4R **SPEC** 16963AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-2717-01(AC) 612-4816-12

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Natural Gas Carburetor High Compression Pistons Water Jacket Heater Oil Base Heater					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			

SPECIAL PARTS LIST FOR MODEL 15.0RJG-5DR SPEC 16968AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-2718-01 (AC) 612-4818-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
City Water Cooled					
Water Cooled Manifold					
Heat Exchanger					
Day Tank					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
504-0007	1	Cock, Shut Off - Fuel Pump			
502-0020	1	Elbow, Street - Fuel Pump			
502-0257	1	Tee, Brass - Exhaust Manifold (3/8" Pipe)			
517-0059	1	Plug, Expansion (1-7/16" OD)			
503-0478	1	Hose, Water Inlet - 9" Lg.			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-0862	1	Strip, Marker			
332-0795	1	Block, Terminal - Engine			

SPECIAL PARTS LIST FOR MODEL 15.0RJG-4R SPEC 16981AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4990-01 (AC) 612-4816-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Mounted Fuel Tank			
		Water Jacket Heater			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
307-0819	1	Relay, Low Engine Temperature			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	4	Spacer, Relay Socket (3/8" OD)			
307-0778	1	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
332-0612	1	Strip, Marker			
323-0052	3	Socket, 8 Contact - Octal Type			
301-3252	1	Bracket, Relay Mounting			
307-0696	1	Relay, Cycle Cranker - Time Delay 10 Seconds			
307-0734	1	Relay, Cycle Cranker - Time Delay 5 Seconds			
353-0015	1	Resistor, 3.5 Ohm, 10 Watt			
501-0005	1	Line, Fuel - Flex (18½" Lg.)			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 16996AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2865-01(AC)612-4816-12

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
City Water Cooled Water Cooled Manifold Heat Exchanger Day Tank					
502-0257	1	Tee, Brass - Exhaust Manifold (3/8" Pipe)			
517-0059	1	Plug, Expansion - Exhaust Manifold (1-7/16" OD)			
504-0007	1	Cock, Shut Off - Fuel Pump			
502-0020	1	Elbow, Street Pipe - Fuel Pump			
503-0478	1	Hose, Water Inlet - 9" Lg.			
505-0376	1	Elbow, 45° (3/8")			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
307-0734	1	Relay, Cycle Cranker - 5 Seconds			
307-0696	1	Relay - 10 Seconds			
323-0052	2	Socket, 8 Contact - Octal Type			
353-0015	1	Resistor - 3.5 Ohm, 10 Watt			

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-4R **SPEC** 16998AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-2718-01 (AC) 612-4816-12

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Vapor & Gasoline Carburetor					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
332-0941	1	Tie, Cable - Solenoid Coil			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
307-0655	3	Latch, Relay - Emergency			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - Engine			
332-0862	1	Strip, Marker			

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-4R **SPEC** 17001AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4816-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
City Water Cooled Water Cooled Manifold Heat Exchanger Gas - Gasoline Carburetor Skid Base Assembly					
502-0257	1	Tee - Brass (3/8" Pipe) Drain Cock			
517-0059	1	Plug, Expansion - Exhaust Manifold (1-7/16" OD)			
332-0941	1	Tie, Cable - Solenoid Coil			
503-0478	1	Hose, Water Inlet - 9" Lg.			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 17002AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-2718-01(AC) 612-4817-08

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit					
Muffler Mounted On Housing					
Water Jacket Heater					
Oil Base Heater					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp (Used On Plant, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown)			
332-0795	1	Block, Terminal - Engine			
332-0862	1	Strip, Marker			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 15.0RJJC-3R SPEC 17002AB
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG)612-5509-01(AC)612-5486-17

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Model					
Muffler Mounted On Housing					
Water Jacket Heater					
Oil Base Heater					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
301-2288	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, Overspeed Cut Off			
332-1005	1	Block, Terminal - 20 Place			
332-1006	1	Strip, Marker (Use With 20 Place Block)			
322-0069	4	Holder, Lamp			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-18R **SPEC** 17008AB
FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5487-01 (AC) 612-5485-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit					
Muffler Mounted On Housing					
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			
220-2044	1	Stator Assembly, Wound			
201-2159	1	Rotor Assembly, Wound			
301-2019	1	Panel, Control - Upper			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4R SPEC 17010AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 3
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-2718-01(AC) 612-4816-11

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled			
		Water Cooled Manifold			
		Heat Exchanger			
		Natural Gas Carburetor			
		Skid & Battery Rack			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
503-0478	1	Hose, Water Inlet, - 9" Lg.			
130-0813	1	Line, Water			
502-0257	1	Tee, Brass - 3/8" Pipe			
517-0059	1	Plug, Expansion (1-7/16" OD)			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-0795	1	Block, Terminal - 16 Place			
332-0862	1	Strip, Marker (For 16 Place Block)			
303-0201	1	Rheostat Assembly-Adjustable			
301-2204	1	Panel, Control - Upper			
416-0522	1	Plate, Battery Mounting			

SPECIAL PARTS LIST FOR **MODEL** 12.5RJC-3CR **SPEC** 17028AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4814-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Vapor & Gasoline Carburetor Regulator Filter Assembly					
504-0007	1	Cock, Shut Off - Fuel Pump			
502-0020	1	Elbow, Fuel Pump Inlet			
332-0941	1	Tie, Cable - Solenoid Coil Assembly			
301-2019	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-3CR **SPEC** 17028AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4814-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Combination Carburetor - LPG Vapor & Gasoline Regulator Filter Package			
504-0007	1	Cock, Shut Off - Fuel Pump			
502-0020	1	Elbow, Street - Fuel Pump			
332-0941	1	Tie, Cable - Solenoid Coil Assembly			
301-2019	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 17043AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG)612-4857-01(AC)612-4816-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Vapor Carburetor					
Water Jacket Heater					
Oil Base Heater					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
307-0819	1	Relay, Low Engine Temperature			
307-1157	1	Spring, Relay Hold Down			
307-1143	1	Relay, Generating			
323-076J	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	1	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
323-0052	1	Socket, 8 Contact - Octal Type			
301-3241	1	Bracket, Relay Mounting			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR31 SPEC 17060AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4912-01(AC) 612-4817-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved Natural Gas Carburetor High Compression Pistons Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
307-0819	3	Relay, Low Oil Pressure, High Water Temperature, & Low Engine Temperature			
323-0052	3	Socket, 8 Contact - Octal Type			
308-0005	1	Switch, Selector			
301-3252	1	Bracket, Relay Mounting			
332-0943	4	Spacer, Relay Socket (3/8" OD)			
307-0778	3	Spring Hold-Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
332-0612	1	Strip, Marker			
323-0760	1	Socket, Relay			
307-1143	1	Relay, Generating			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			

SPECIAL PARTS LIST FOR **MODEL** 12.5RJC-3R31 **SPEC** 17060AB
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-5497-02(AC) 612-5486-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved Natural Gas Carburetor Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off High Compression Pistons					
502-0058	1	Tee, Restricted-Front Cylinder Head			
301-2288	1	Panel, Control - Upper			
307-0655	3	Relay, Emergency Latching			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
301-3241	1	Bracket, Relay Mounting			
323-0052	3	Socket, 8 Contact - Octal Type			
307-1157	1	Spring, Relay Hold-Down			
307-0819	3	Relay, Low Oil Pressure, High Water Temperature, Low Engine Temperature			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0819	2	Relay, Low Oil Pressure, High Water Temperature			
307-0778	3	Spring, Hold-Down			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
308-0005	1	Switch, Selector - Toggle			
301-2393	1	Bracket, Relay Mounting			
149-0558	1	Strainer			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 Color Scale			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R31 SPEC 17060AB
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5497-02 (AC) 612-5500-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved Natural Gas Carburetor High Compression Pistons Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-0943	2	Spacer, Relay Socket			
307-0778	2	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
307-0819	3	Relay, Low Engine Temperature Low Oil Pressure & High Water Temperature			
323-0052	3	Socket, 8 Contact - Octal Type			
308-0005	1	Switch, Selector			
323-0760	1	Socket, Relay			
307-1143	1	Relay, Generating			
301-3241	1	Bracket, Relay Mounting			
301-2393	1	Bracket, Relay Mounting			
307-1157	1	Spring, Hold Down			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 17065AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4857-01 (AC) 612-4816-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit					
Natural Gas Carburetor					
Muffler Mounted On Housing					
High Compression Pistons					
Water Jacket Heater					
Oil Base Heater					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
Overspeed Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
307-0819	1	Relay, Low Engine Temperature			
307-1157	1	Spring, Relay Hold Down			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	1	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
323-0052	1	Socket, 8 Contact - Octal Type			
301-3241	1	Bracket, Relay Mounting			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 17065AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4857-01 (AC) 612-4817-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit					
Muffler Mounted On Housing					
Natural Gas Carburetor					
Water Jacket Heater					
Oil Base Heater					
High Compression Pistons					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure			
		High Water Temperature,			
		Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure,			
		High Water Temperature,			
		Overspeed			
307-0819	1	Relay, Low Engine Temperature			
323-0052	1	Socket, 8 Contact - Octal			
		Type			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	1	Spring, Hold-Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place			
		Block			
323-0760	1	Socket, Relay			
307-1143	1	Relay, Generating			
301-3241	1	Bracket, Relay Mounting			
307-1157	1	Spring, Hold-Down			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On			
		Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-5DR SPEC 17065AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG)612-4857-01(AC)612-4818-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit					
Natural Gas Carburetor					
High Compression Pistons					
Muffler Mounted On Housing					
Water Jacket Heater					
Oil Base Heater					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure			
		High Water Temperature,			
		Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure,			
		High Water Temperature,			
		Overspeed			
307-0819	1	Relay, Low Engine Temperature			
323-0052	1	Socket, 8 Contact - Octal			
		Type			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	1	Spring, Hold-Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place			
		Block			
323-0760	1	Socket, Relay			
307-1143	1	Relay, Generating			
301-3241	1	Bracket, Relay Mounting			
307-1157	1	Spring, Hold-Down			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On			
		Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 17087AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4857-01 (AC) 612-4815-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Model LPG Vapor Carburetor Overspeed Cut Off Low Oil Pressure Cut Off High Water Temperature Cut Off Overcrank Cut Off					
301-2288	1	Panel, Control - Upper			
307-0655	3	Relay, Lop, Hwt, Overspeed Shutdown			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
301-3241	1	Bracket, Relay Mounting			
323-0052	1	Socket, 8 Contact - Octal Type			
307-0819	1	Relay, Low Engine Temperature			
307-1157	1	Spring, Relay Hold Down			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	1	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			

SPECIAL PARTS LIST FOR **MODEL** 12.5RJC-3R **SPEC** 17093AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2940-01 (AC) 612-4815-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Natural Gas Carburetor Overspeed Cut Off Low Oil Pressure Cut Off High Water Temperature Cut Off Overcrank Cut Off					
301-2288	1	Panel, Control - Upper			
307-0655	3	Relay, Emergency Latching			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - 16 Place			
332-0862	1	Strip, Marker (For 16 Place Block)			
307-0734	1	Relay, Cycle Cranker - 5 Sec.			
307-0696	1	Relay, 10 Second			
323-0052	2	Socket, 8 Contact - Octal Type			
353-0015	1	Resistor, 3.5 Ohm, 10 Watt			

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-4R **SPEC** 17130AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-2718-01(AC) 612-4816-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
City Water Cooled					
Water Cooled Manifold					
Heat Exchanger					
Natural Gas Carburetor					
High Compression Pistons					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
502-0257	1	Tee, Brass - Exhaust Manifold (3/8" Pipe)			
517-0059	1	Plug, Expansion - Exhaust Manifold (1-7/16" OD)			
503-0478	1	Hose, Water Inlet - 9" Lg.			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
307-0655	3	Latch, Relay - Emergency Stop & Alarm, Low Oil Pressure, High Water Temperature, & Overspeed			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - Engine			
332-0862	1	Strip, Marker			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 17133AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG)612-4857-01(AC)612-4816-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit					
Muffler Mounted On Housing					
Water Jacket Heater					
Oil Base Heater					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
220-2044	1	Stator Assembly - Wound			
201-2159	1	Rotor Assembly - Wound			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
307-0819	1	Relay, Low Engine Temperature			
307-1157	1	Spring, Relay Hold Down			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	1	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
323-0052	1	Socket, 8 Contact - Octal Type			
301-3241	1	Bracket, Relay Mounting			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 17146AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-2940-01 (AC) 612-4816-12

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Natural Gas Carburetor					
High Compression Pistons					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
307-0655	3	Latch, Relay - Emergency Stop & Alarm, Low Oil Pressure, High Water Temperature, & Overspeed			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - Engine			
332-0862	1	Strip, Marker			
323-0052	2	Socket, 8 Contact - Octal Type			
307-0734	1	Cycle Cranker, 5 Second Relay			
307-0696	1	Relay, 10 Second			
353-0015	1	Resistor, 3.5 Ohm, 10 Watt			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 17147AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4989-01 (AC) 612-4816-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Model Gas - Gasoline Carburetor Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off					
332-1924	1	Tie, Cable - Spark Plug Leads			
332-0941	1	Tie, Cable - Solenoid Coil			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
307-0655	3	Relay, Lop, Hwt, Overspeed Shutdown			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
301-3241	1	Bracket, Relay Mounting			
301-2393	1	Bracket, Relay Mounting			
323-0052	3	Socket, 8 Contact - Octal Type			
307-0819	3	Relay, Low Engine Temperature, Lop, High Water Temperature Pre Alarm			
307-1157	1	Spring, Relay Hold Down			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	3	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
332-0612	1	Strip, Marker			

SPECIAL PARTS LIST FOR **MODEL** 12.5RJC-4R **SPEC** 17161AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 3
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2718-01(AC) 612-4816-11

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled			
		Water Cooled Manifold			
		Heat Exchanger			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
517-0059	1	Plug, Expansion (1-7/16" OD)			
503-0478	1	Hose, Water Inlet - 9" Lg.			
130-0813	1	Line, Water			
502-0257	1	Tee, Brass (3/8") - Manifold			
505-0376	1	Elbow, 45°			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-0795	1	Block, Terminal - 16 Place			
332-0862	1	Strip, Marker (For 16 Place Block)			
303-0201	1	Rheostat Assembly-Adjustable			
301-2204	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-5DR SPEC 17174AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-2717-01(AC) 612-4818-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit					
Muffler Mounted On Housing					
Water Jacket Heater					
Oil Base Heater					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 17213AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4372-01 (AC) 612-4816-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
City Water Cooled					
Water Cooled Manifold					
Natural Gas Carburetor					
High Compression Pistons					
Overspeed Cut Off					
154-1224	1	Manifold, Intake			
517-0059	1	Plug, Expansion - Exhaust Manifold (1-7/16" OD)			
503-0478	1	Hose, Water Inlet - 9" Lg.			
104-0594	1	Cover, Flywheel Guard			
148-0367	1	Switch, Vacuum - Regulator			
502-0053	1	Elbow, Vacuum Switch			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-18R SPEC 17218AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG)612-4857-01(AC)612-4814-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Water Jacket Heater					
Oil Base Heater					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2019	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure			
		High Water Temperature,			
		Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure,			
		High Water Temperature,			
		Overspeed			
307-0819	1	Relay, Low Engine Temperature			
323-0052	1	Socket, 8 Contact - Octal			
		Type			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	1	Spring, Hold-Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place			
		Block			
323-0760	1	Socket, Relay			
307-1143	1	Relay, Generating			
301-3241	1	Bracket, Relay Mounting			
307-1157	1	Spring, Hold-Down			

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-4R **SPEC** 17221AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-2717-01(AC) 612-4816-12

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Natural Gas Carburetor					
High Compression Pistons					
Water Jacket Heater					
Oil Base Heater					
Overspeed Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-4R **SPEC** 17235AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-2718-01(AC) 612-4816-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Carburetor					
Water Jacket Heater					
Oil Base Heater					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
332-0941	1	Tie, Cable - Solenoid Coil			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
307-0655	3	Latch, Relay - Emergency Stop & Alarm, Low Oil Pressure, High Water Temperature, & Overspeed			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - Engine			
332-0862	1	Strip, Marker			

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-4R **SPEC** 17248AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-4372-01(AC)612-4816-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Natural Gas Carburetor					
High Compression Pistons					
Overspeed Cut Off					
154-1224	1	Manifold, Intake			
148-0367	1	Switch, Vacuum - Regulator			
502-0053	1	Elbow, Vacuum Switch			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 17289AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4816-17

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Model Combination Carburetor Muffler Mounted On Housing Overspeed Cut Off					
332-0941	1	Tie, Cable - Solenoid Coil			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4R SPEC 17308AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 3
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-2718-01 (AC) 612-4816-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled			
		Water Cooled Manifold			
		Heat Exchanger			
		Skid & Battery Rack			
		Natural Gas Carburetor			
		Water Jacket Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
		Oil Base Heater			
517-0059	1	Plug, Expansion (1-7/16" OD)			
503-0478	1	Hose, Water Inlet, 9" Lg.			
130-0813	1	Line, Water			
502-0257	1	Tee, Brass (3/8") - Manifold			
503-0183	2	Clamp, Hose			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil			
		Pressure, High Water			
		Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure,			
		High Water Temperature,			
		Overspeed			
332-0795	1	Block, Terminal (16 Place)			
332-0862	1	Strip, Marker - For 16 Place			
		Block			
301-2204	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR **MODEL** 15.0RJJC-3R **SPEC** 17397AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4815-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
City Water Cooled					
Water Cooled Manifold					
LPG Vapor Carburetor					
Skid & Battery Rack					
517-0059	1	Plug, Expansion (1-7/16" OD)			
503-0478	1	Hose, Water Inlet, 9" Lg.			
505-0376	1	Elbow, 45° (3/8")			
301-2288	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4R SPEC 17412AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-2865-01(AC) 612-4816-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Carburetor Overspeed Cut Off					
504-0007	1	Cock, Shut Off - Fuel Pump			
502-0020	1	Elbow, Street Pipe - Fuel Pump			
332-0941	1	Tie, Cable - Solenoid Coil Assembly			
301-2204	1	Panel, Control - Upper			
307-0655	1	Relay, Emergency Latch			
307-0734	1	Relay, 5 Second			
307-0696	1	Relay, 10 Second			
323-0052	2	Socket, 8 Contact - Octal Type			
353-0015	1	Resistor, 3.5 Ohm, 10 Watt			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 17450AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4816-17

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Model					
Muffler Mounted On Housing					
Mounted Fuel Tank					
Water Jacket Heater					
Oil Base Heater					
Overspeed Cut Off					
332-1924	1	Cable, Tie - Spark Plug Leads			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly -			
		Adjustable			
501-0005	1	Line, Fuel - Flex, 18½" Lg.			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On			
		Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-5DR SPEC 17450AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4818-16

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Model Muffler Mounted On Housing Mounted Fuel Tank Water Jacket Heater Oil Base Heater Overspeed Cut Off					
303-0201	1	Rheostat Assembly - Adjustable			
301-2204	1	Panel, Control - Upper			
501-0005	1	Line, Flex - Fuel, 18½" Lg.			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR **MODEL** 12.5RJC-4XR **SPEC** 17453AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2718-01 (AC) 612-4817-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit					
Natural Gas Carburetor					
Overspeed Cut Off					
Water Jacket Heater					
Oil Base Heater					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
301-2308	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - Engine			
332-0862	1	Strip, Marker			

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-4R **SPEC** 17455AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4775-01(AC)612-4816-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Natural Gas Carburetor			
		High Compression Pistons			
		Water Jacket Heater			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off - Dual Senders			
		High Water Temperature Cut Off - Dual Senders			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
307-0848	1	Relay, Oil Pressure, To 15 Seconds			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed Shutdown			
332-0943	4	Spacer, Relay Sockets (3/8" OD X 3/16" ID)			
307-0819	2	Relay, Low Oil Pressure & High Water Temperature Alarm			
323-0052	2	Socket, 8 Contact - Octal Type			
301-3252	1	Bracket, Relay Mounting			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0778	2	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block)			
332-0612	1	Strip, Marker (Use With 3 Place Block)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
307-1157	1	Spring, Relay Hold Down			

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-3R **SPEC** 17460AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2718-01(AC) 612-4815-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Model					
LPG Vapor Carburetor					
Water Jacket Heater					
Oil Base Heater					
Regulator Filter Package					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
301-2288	1	Panel, Control - Upper			
307-0655	3	Relay, Emergency Latching			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal (16 Place)			
332-0862	1	Strip, Marker - For 16 Place Block			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-5DR SPEC 17460AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4818-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		LPG Vapor Carburetor			
		Water Jacket Heater			
		Oil Base Heater			
		Regulator Filter Assembly			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure			
		High Water Temperature,			
		Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Emergency Latching			
332-0862	1	Strip, Marker			
332-0795	1	Block, Terminal - Engine			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-18R SPEC 17495AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2717-01(AC) 612-4814-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled			
		Water Cooled Manifold			
		Heat Exchanger			
		Natural Gas Carburetor			
		High Compression Pistons			
		Overspeed Cut Off			
502-0257	1	Tee, Brass - Exhaust Manifold (3/8" Pipe)			
517-0059	1	Plug, Expansion (1-7/16" OD)			
503-0478	1	Hose, Water Inlet - 9" Lg.			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2019	1	Panel, Control - Upper			
307-1077	1	Relay, Time Delay - 3 Second			
323-0052	1	Socket, 8 Contact - Octal Type			

SPECIAL PARTS LIST FOR **MODEL** 12.5RJC-3R **SPEC** 17509AA
FOR STANDARD PARTS REFER TO CATALOG 974-0220 **KEY NO.** 3
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4857-01 (AC) 612-4815-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		City Water Cooled			
		Water Cooled Manifold			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
517-0059	1	Plug, Expansion (1-7/16" OD)			
505-0376	1	Elbow, 45° (3/8")			
503-0478	1	Hose, Water Inlet - 9" Lg.			
301-2288	1	Panel, Control - Upper			
307-0655	3	Relay, Emergency Latching			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
301-3241	1	Bracket, Relay Mounting			
323-0052	3	Socket, 8 Contact - Octal Type			
307-1157	1	Spring, Relay Hold Down			
307-0819	3	Relay, Low Oil Pressure, High Water Temperature, Low Engine Temperature			
307-1143	1	Relay, Generating			
307-0778	3	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket (3/8" OD)			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 17527AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4816-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit					
Natural Gas Carburetor					
High Compression Pistons					
Water Jacket Heater					
Oil Base Heater					
Overspeed Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-3R **SPEC** 17528AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4815-12

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		LPG Vapor Carburetor			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
307-0655	3	Relay, Emergency Latching			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - 16 Place			
332-0862	1	Strip, Marker (For 16 Place Block)			
301-2288	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Voltage Adjustable			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 17541AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2718-01 (AC) 612-4817-08

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Vapor Carburetor					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overspeed Cut Off					
Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - Engine			
332-0862	1	Strip, Marker			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3CF SPEC 17563AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4814-03

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Model					
LPG Vapor & Gasoline Carburetor					
Water Jacket Heater					
Oil Base Heater					
504-0007	1	Cock, Shut Off - Fuel Pump			
502-0020	1	Elbow, Street - Fuel Pump			
332-0941	1	Tie, Cable - Solenoid Coil Assembly			
301-2019	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4XR SPEC 17569AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4817-10

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Model			
		Natural Gas Carburetor			
		Muffler Mounted On Housing			
		Water Jacket Heater			
		Oil Base Heater			
301-2308	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 15.0RJG-4XR SPEC 17569AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4817-11

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Natural Gas Carburetor			
		Muffler Mounted On Housing			
		Water Jacket Heater			
		Oil Base Heater			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR **MODEL** 12.5RJG-18R31 **SPEC** 17575AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 3
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4874-01 (AC) 612-5226-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved Natural Gas Carburetor City Water Cooled Water Cooled Manifold Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off					
309-0179	1	Thermostat			
517-0059	1	Plug, Expansion (1-7/16" OD)			
502-0058	1	Tee, Restricted-Front Cylinder Head			
503-0478	1	Hose, Water Inlet, 9" Lg.			
505-0135	3	Nipple, Half (3/8")			
505-0376	1	Elbow, 45° (3/8")			
301-1788	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Low Oil Pressure, High Water Temperature, Overspeed, Plant			
322-0069	4	Holder, Lamp			
320-0259	1	Relay, Cranking Limiter			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
307-0819	2	Relay, Low Oil Pressure & High Water Temperature			
323-0052	2	Socket, 8 Contact - Octal Type			
332-0943	4	Spacers			
307-0778	2	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
301-3252	1	Bracket, Relay Mounting			
308-0005	1	Switch, Selector			
149-0558	1	Strainer			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			
307-0833	1	Valve, Solenoid - Electric			
504-0019	1	Valve, Lock Shield - Manual			
Dated	March 1, 1979		Revised		
			Page	1	of 1

SPECIAL PARTS LIST FOR MODEL 12.5RJC-5DR SPEC 17608AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2718-01(AC) 612-4818-06

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Model					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Low Oil Pressure, High Water Temperature, Overspeed, Plant			
322-0069	4	Holder, Lamp			
320-0259	1	Relay, Cranking Limiter			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-0795	1	Block, Terminal - 16 Place			
332-0862	1	Strip, Marker - For 16 Place Block			
301-2204	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 17615AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4989-01(AC)612-4817-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Natural Gas Carburetor High Compression Pistons Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
307-0819	3	Relay, Low Oil Pressure, High Water Temperature, & Low Engine Temperature			
323-0052	3	Socket, 8 Contact - Octal Type			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	3	Spring, Hold-Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker -- For 20 Place Block			
301-3241	1	Bracket, Relay Mounting			
301-2393	1	Bracket, Relay Mounting			
332-0612	1	Strip, Marker			
323-0760	1	Socket, Relay			
307-1143	1	Relay, Generating			
307-1157	1	Spring, Hold-Down			

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-3R **SPEC** 17653AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-3024-01 (AC) 612-4815-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Liquid Carburetor					
Overspeed Cut Off					
301-2288	1	Panel, Control - Upper			
307-0655	1	Latch Relay - Emergency			
332-0762	1	Strip, Marker			
332-0612	1	Switch, Remote			
307-1149	2	Relay, Time Delay - 1 To 300 Seconds On Pickup			
307-1151	1	Relay, Time Delay - Rest Period 1 To 300 Seconds On Drop Out			
332-0699	1	Block, Terminal, 12 Place			
332-0730	1	Strip, Marker - Use With 12 Place Terminal Block			
301-1756	1	Box, Control			
301-1757	1	Bracket, Relay Mounting			
517-0019	3	Button, Dot ($\frac{1}{2}$ ")			
332-0050	1	Clip, Tinnerman #3			
160-0144	2	Jumper			

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-4R **SPEC** 17653AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-3024-01(AC)612-4816-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Liquid Carburetor					
Overspeed Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
332-0762	1	Strip, Marker			
332-0612	1	Switch, Remote - Close To			
		Run - Open To Start			

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-3R **SPEC** 17668AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4815-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
City Water Cooled					
Water Cooled Manifold					
Gas - Gasoline Carburetor					
Skid & Battery Rack					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
517-0059	1	Plug, Expansion (1-7/16" OD)			
332-0941	1	Tie, Cable - Solenoid Coil Assembly			
503-0478	1	Hose, Water Inlet, 9" Lg.			
505-0376	1	Elbow, 45° (3/8")			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Air Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
320-0259	1	Relay, Cranking Limiter			
332-0795	1	Block, Terminal - Engine			
332-0862	1	Strip, Marker			
301-2288	1	Panel, Control - Upper			
416-0522	1	Plate, Battery Mounting			

SPECIAL PARTS LIST FOR **MODEL** 15.ORJC-4R **SPEC** 17778AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4816-17

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit					
Natural Gas Carburetor					
High Compression Pistons					
Muffler Mounted On Housing					
Overspeed Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-5DR131 SPEC 17812AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4912-01 (AC) 612-4818-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved Housed Unit LPG Vapor Carburetor Muffler Mounted On Housing Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
307-0819	3	Relay, Low Oil Pressure, & Low Engine Temperature, High Water Temperature			
323-0052	3	Socket, 8 Contact - Octal Type			
308-0005	1	Switch, Selector			
301-3252	1	Bracket, Relay Mounting			
332-0943	4	Spacer, Relay Socket (3/8" OD)			
307-0778	3	Spring, Hold-Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
332-0612	1	Strip, Marker			
323-0760	1	Socket, Relay			
307-1143	1	Relay, Generating			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R31 SPEC 17828AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4912-01(AC)612-4816-12

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved Natural Gas Carburetor Water Jacket Heater Oil Base Heater Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-0943	4	Spacer, Relay Socket			
307-0778	3	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
307-0819	3	Relay, Low Engine Temperature, Low Oil Pressure & High Water Temperature			
323-0052	3	Socket, 8 Contact - Octal Type			
308-0005	1	Switch, Selector			
301-3252	1	Bracket, Relay Mounting			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0612	1	Strip, Marker (Use With 3 Place Terminal Block)			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-18R **SPEC** 17857AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-4372-01(AC)612-4814-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Vapor Carburetor					
154-1224	1	Manifold, Intake			
148-0367	1	Switch, Vacuum - Regulator			
502-0053	1	Elbow, Street - Vacuum Switch			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			
220-2044	1	Stator Assembly, Wound			
201-2159	1	Rotor Assembly, Wound			
301-2019	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-3R **SPEC** 17878AA
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-2865-01 (AC)612-4815-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
		Water Jacket Heater			
		Oil Base Heater			
301-2288	1	Panel, Control - Upper			
307-0734	1	Relay, Cycle Cranker - 5 Second			
307-0696	1	Relay, Cycle Cranker - 10 Second			
323-0052	2	Socket, 8 Contact - Octal Type			
353-0015	1	Resistor, 3.5 Ohm - 10 Watt			

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-3R **SPEC** 17919AA
FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4372-01(AC)612-4815-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Vapor Carburetor					
154-1224	1	Manifold, Intake			
148-0367	1	Switch, Vacuum - Gas Solenoid			
502-0053	1	Elbow, Street - Vacuum Switch			
301-2288	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 17920AA
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4815-12

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled			
		Water Cooled Manifold			
		Heat Exchanger			
		LPG Vapor Carburetor			
130-0813	1	Line, Water - Heat Exchanger To Cylinder Head			
502-0257	1	Tee, Brass - Exhaust Manifold (3/8" Pipe)			
517-0059	1	Plug, Expansion (1-7/16" OD)			
503-0478	1	Hose, Water Inlet - 9" Lg.			
301-2288	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Voltage Adjustable			