The following catalog has gaps in its page numbers, or doesn't have any numbers. We have chosen to leave the page numbering in the order that Acrobat assigns it.



McGRAW-EDISON

Onon

MAJOR SERVICE MANUAL AND PARTS CATALOG

DONOT PENOUE
-FILE COPY.
TECHNICAL LITERATURE

FOR
ONAN
16.5 HP
CCKA ENGINE

BASIC MODEL CCKA-MS/2026G

4or Tractor Service


GENERAL INFORMATION

For parts or service, contact the dealer from whom you purchased this equipment or refer to your Nearest Authorized Organ Parts and Service Center.

To avoid errors or delay in filling your parts order, please furnish all information requested.

Always refer to the nameplate on your unit.

1. Always give the MODEL, SPEC NO. and SERIAL NO.



- 2. Do not order by reference number, always use part number and description.
- 3. Give the part number, description and quantity needed of each item. If an older part cannot be identified, return the part prepaid to your dealer or nearest Onan Parts and Service Center. Print your name and address plainly on the package. Write a letter to the same address stating the reason for returning the part.
- 4. State definite shipping instructions. Any claim for loss or damage to your unit in transit should be filed promptly against the transportation company making the delivery. Shipments are complete unless the packing list indicates items are back ordered



Std. #36 b

PARTS CATALOG

This catalog applies to tractor application CCKA Engines. Parts are arranged in groups of related items. Each illustrated part is identified by a reference number corresponding to the same reference number following the illustration. Parts illustrations are typical. Unless otherwise mentioned in the description, parts are interchangeable between models. Right and left plant sides are determined by facing the blower end (front) of the engine.


INSTRUCTIONS FOR ORDERING REPAIR PARTS

For parts or service, contact the dealer from whom you purchased this equipment or refer to your Nearest Authorized Onan Parts and Service Center.

To avoid errors or delay in filling your parts order, please furnish all information requested.

Always refer to the nameplate on your unit:

1. Always give the MODEL and SPEC NO. and SERIAL NO.




For handy reference, insert YOUR engine nameplate information in the spaces above.

- 2. Do not order by reference number or group number, always use part number and description.
- 3. Give the part number, description and quantity needed of each item. If an older part cannot be identified, return the part prepaid to your dealer or nearest AUTHORIZED SERVICE STATION. Print your name and address plainly on the package. Write a letter to the same address stating the reason for returning the part.
- 4. State definite shipping instructions. Any claim for loss or damage to your unit in transit should be filed promptly against the transportation company making the delivery. Shipments are complete unless the packing list indicates items are back ordered.

Prices are purposely omitted from this Parts Catalog due to the confusion resulting from fluctuating costs, import duties, sales taxes, exchange rates, etc.

For current parts prices, consult your Onan Dealer, Distributor or Parts and Service Center.








REF.	PART	атү.	PART
NO.	NO.	USED	DESCRIPTION
1	110A1885	1	Block Assy., Cylinder
			(Includes Parts Marked *)
2	123A954	1	Cap, Breather Tube
3	123A953		Tube, Breather
4	123P865	1	Baffle, Breather Tube
5	509-117	1	Seal, "O" Ring - Breather Tube
6	110A666	2	Cover, Valve Compartment
7	110A667	2	Gasket, Valve Cover
8	517-48	1	*Plug, Camshaft Expansion
9	520A114	5	*Stud, Rear Bearing Plate Mtg.
10	509A134	2	Seal, Intake Valve Stem
H	110A892	2	Gasket, Cylinder Head
·12	HEAD, CYLIN	IDER - R	IGHT (#2 Cylinder)
	110D1894	1	Prior to Serial #292517
	110D884	ł	Begin Serial #292517
13	HEAD, CYLIN	IDER - L	EFT (#1 Cylinder)
	H0D1895	1	Prior to Serial #292517
	110D883	i .	Begin Spec #292517
14	123A958	1	Screen, Breather Tube
15	BEARING, CF	(ANKSHA	
	101K420	2	*Standard
	101K420-02	2	.002 (Undersize
	101K420-10	2	.010Undersize
	101K420-20	2	.020 ~Undersize
	101K420-30	2	.030 "Undersize
. 16	104A575	2	*Washer, Crankshaft Bearing
			Thrust
17	101K115	1	*Gasket Kit, Bearing Plate
18	101A422	}	*Plate, Bearing (Excludes Bearing)
19	101A367	2	*Bearing, Camshaft Front or Rear
			(Precision)
20	509A41	1	*Seal, Bearing Plate
21	516A72	4	*Pin, Main Bearing Stop
22	110A445	5	*Nut, Bearing Plate Stud
23	I 10 A 904	4	Rotocap, Valve
24	526-63	2	Washer, Copper - Valve
•			Compartment Cover

REF NO.		QTY. USED	PART DESCRIPTION
25	850-45	. 5	*Washer, Lock - Rear Bearing
26	120A386	Į	*Tube, Crankcase Oil
27	VALVE		,
	110B1037	2	Intake (Stellite)
	110B880	2	Exhaust (Stellite)
28	INSERT, VAL	VE SEA	T (STELLITE)
	110A872	2	*Exhaust, Standard
	110A872-02	2	.002 ''Oversize
	110A872-05	2	.005 "Oversize
	110A872-10	2	.010 "Oversize
	110A872-25	2	.025 ~ Oversize
	110A1000	2	*Intake, Standard
	110A1000-02	2	.002 '' Oversize
	110A1000-05	2	.002 "Oversize .005 "Oversize .010 "Oversize .025 "Oversize
	110A1000-10	2	.010 "Oversize
	Li0A1000-25	2	.025 ''Oversize
29	*GUIDE, VALV	'E	
	110A902	2	Exhaust
	110A1827	2	Intake
30	110A539	4	Spring, Valve
3 I	123A951	- 1	Clamp, Breather Cap
32	110A639	-8	Lock, Valve & Spring Retaining
33	TAPPET, VAL	_VE	- 1 3
	115A6	4	Standard
	115A6-05	4	.005 '' Oversize
34	SCREW, HEX	HEAD C	
	10A879	8	Cylinder Head (5/16-28 x 1-1/4 ^^)
	114A22	10	Cylinder Head (5/16-18 x 1-3/4")
	800-12	2 .	Valve Compartment Cover
35	526A122	18	Washer (Flat), Cylinder Head Screws

^{* -} Included in Cylinder Block Assembly.






REF.	PART NO.	QTY. USED	PART DESCRIPTION		REF.	PART NO.	QTY. USED	PART DESCRIPTION
	150A78		Ring, Camshaft Center Pin		15	RING SET, P	ISTON	
2	150A612	i	Cup, Governor		•	113A153	2	Standard
3	510-15	5	Ball, Fly - Governor			113A153-05	2	.005 "Oversize
4	134C673	ſ	Gear, Ring - Flywhee!			113A153-10	2	.010 "Oversize
5	134B2283	1	Flywheel (Includes Ring Gear)			113A153-20	2	.020 ´´ Oversize
6	105A353	i	Gear Set, Timing (Includes Cam-			113A153-30	2	.030 ´´Oversize
			shaft & Crankshaft Gears)	· .		113A153-40	2	.040 "Oversize
7	105A4	1	Washer, Camshaft Gear Thrust		16	805-10	4	Bolt, Place - Connecting
8	515-1	I	Key, Camshaft Gear Mounting					Rods (Special)
9	105A238	L *	Camshaft (Includes Center Pin)		17	BEARING, C	ONNECT	
10	150A75	l	Pin, Camshaft Center			114-145	4	Standard
1.1	PISTON & F	IN (INCL	JDES RETAINING RINGS)	ļ		114-145-02	4	.002 "Undersize
	112-71	`2	Standard	[-	114-145-10	4	.010 "Undersize
	112-71-05	2	.005 Oversize	·		114-145-20	4	.020 "Undersize
	112-71-10	2 ·	.010 "Oversize			114-145-30	4	.030 "Undersize
	112-71-20	2	.020 'Oversize		1.8	114A36	2	Bushing, Piston Pin -
	112-71-30	2	.030 "Oversize			1		Connecting Rod
	112-71-40	2	.040 "Oversize	-	19	526 A 128	ı	Washer, Flywheel Mounting
12	PIN, PISTO	N -			20	515-2	ı	Key, Flywheel Mounting
. –	112A69	` 2	Standard		21	104A170	1	Screw, Flywheel Mtg. (Special)
	112A69-02	$\bar{2}$.002 "Oversize		22	515-1	I	Key, Crankshaft Gear Mtg.
13	112A3	4	Ring, Piston Pin Retaining		23	518-14	1	Lock, Crankshaft Gear Washer
14	114B144	2	Rod Assembly Connecting (Forged) Includes Bushing	,	24	i04A43	I	Washer, Crankshaft Gear Retaining
			& Place Bolts	•	25	104B744	I.	Crank shaft T




CARBURETOR PARTS GROUP



REF.	PART	QTY.	PART
NO.	NO.	USED	DESCRIPTION
	42B490		Carburetor
	142K 494	Ĺ	Repair Kit, Carburetor -
			Includes Parts Marked *
	142-33	1	Gasket Kit, Carburetor -
			Includes Parts Marked **
ı	815-103	3	Screw, Bowl Cover
2	815-91	2	*Screw, Choke Fly(4-40 × 3/16")
3	142-55	ļ .	Fly, Choke
4	142-205	ļ	Sleeve Assy., Choke (Cover)
5	142A420	ļ.	Shaft Assembly, Choke
6	142-39	ļ	*Shaft, Float
7	142-31	ļ	**Gasket, Body to Bowl
8	148-17	2	**Gasket (I) Float Valve Seat
			(I) Main Adjusting Needle
9	1 42-49		*Valve and Seat Assembly
10	142-32	ļ.	**Gasket, Nozzle
11	l 42-285	Į.	Nozzle Assembly
12	142-361	l'	Float and Lever Assembly
13	145A8	!	Lever, Idle Stop
14	142-40	!	*Needle, Idle Adjusting
15	142-282	l l	Spring, Idle Needle Adjusting
16	142A35	ľ	Spring, Throttle Stop Adjusting Screw
17	B12-63	1	Screw, Throttle Stop Adjusting (6-32 x 1/2")
18	815-72	2	*Screw, Throttle Fly
		_	_(4-40 × 1/4")
19	142-369		Fly, Throttle
20	42-368	!	*Shaft Assembly, Throttle
21	142-493	! .	*Nut and Jet Nozzle
22	142A15	1	Plug, Nozzie
23			Body Assembly (Not Sold Separately)
24	505-53	1	Plug, Gas Inlet
25	142-343	2	Bushing, Throttle Shaft
26	870-53	· 1	Nut, Throttle Stop
27	813-102	1	Screw, Throttle Stop Clamp
28	142-227	l l	Pin, Choke Stop


- * Parts contained in 142K494 Repair Kit.
 * Parts contained in 142-33 Gasket Kit.








REF.	PART NO.	QTY. USED	PART DESCRIPTION	REF.		QTY. USED	PART DESCRIPTION
1	509P8	i	*Seal, Oil - Governor Shaft	18	PLUG, OIL	DRAIN	
. 2	510P13	l	*Bearing, Governor Shaft - Upper		505-110	1	3/8 ′′
3	150-377.	1	*Shaft & Arm Assy., Governor		505-56	I	1/2 ~
4	150A620		*Yoke, Governor Shaft	19	509A40	1	*Seal, Gear Cover
5	518-129	- 1	*Ring, Yoke Retainer	20	516A11	2	Pin, Gear Cover (5/16 × 1-1/8 ")
6	516-130	Ţ	*Pin, Governor - Cup Stop	21	123B1149	I	Tube, Oil Fill
. 7	510A8 ·		*Bearing, Governor Shaft - Lower	22	141A78	1	Gasket, Oil Fill Tube Mounting
8	510PI4	ı	*Ball, Bearing - Governor Shaft	23	122D320	1	Adapter, Oil Fitt
9	103 B332	ı	Cover Assembly, - Gear (Includes Parts Marked *)	24	I 22D3 23	1 .	Filter, Oil (Spin-on) - Includes Gasket
10	103 B I I	ì	Gasket, Gear Cover	25	122A321	1	Gasket, Oil Filter Adapter
- 11	123A694	i	Cap & Indicator, Oil Fill	26	309P237	1	Switch, Oil Light
12	123A 191	ļ	Gasket, Oil Fill Cap	27	120A491	1	Pump, Oil Complete (NOTE:
13 14	102B158 526-65	ا 2	Gasket, Oil Base Mounting Washer, Copper - Oil Filter				Internal parts not sold separately)
			Adapter Mounting	28	120B648	I	Intake, Oil Pump (Includes:
15	102B668	1	Base, Oil	1			Cup and Screen and Pipe)
16	SCREW, HEX	CAP	=	29	801-48	ł	Screw (3/8-24 × 3/4 ⁻ ′) -
	102 A455	4	Oil Base to Block				Oil By-Pass
	800-28	2	Oil Filter Adapter Mounting	30	120A140	I	Spring, Oil By-Pass Valve
	114-22	4	Gear Cover Mounting	31	120A39B	1	Valve, Oil By-Pass
		_	(5/16-18 × 1-3/4 11)	32	120K 16 I	1	Gasket Kit, Oil Pump
	800-34	ı	Gear Cover Mounting (5/16-18 x 2-1/4)	33	526-66	ı	Washer, Oil Pressure Relief Valve
	800-4	2	Oil Fill Tube Mounting	34	502-58	i	Tee, Pressure Switch - Early Models
	800-7	2	Oil Pump Mounting	35	505-57	1	Plug, Pressure Switch Tee - Early
17 -	WASHER, LC	CK					Models
	850-50	4	Oil Base Mounting	36	122B347	, 1	Gasket, Oil Filter
	850-45	5	Gear Cover Mounting	1			•
	850-40	2	Oil Pump Mounting	* -	ncluded in G	ear Cover /	Assembly.







FUEL PUMP PARTS GROUP


REF.	PART	QTY. PART
NO.	NO.	USED DESCRIPTION
	149D693	l Pump, Fuel (Complete)
	149K526	I Repair Kit (Includes Parts
		Marked *)
1		 I Body (Not Sold Separately)
2	815-148	4 Screw, Machine (#8-32 × 7/8 ")
3	815-147	2 Screw, Phillips Self Tapping
		(#6-32 x 5/8 ⁻) - Retainer
4	149-96	2 *Valve and Cage
5	149 A95	2 *Gasket, Valve
6	149A582	*Diaphragm Assembly
7	149.A672 .	1 *Spring
8	I 40 A 539	I : Retainer, Valve Cage
9	I 49 A675	I *Spring ·
10	516A113	1 Pin, Rocker Arm
11		I Body (Not Sold Separately)
12	149-710	I Link and Arm, Rocker (Sold)
		only as a set)
. 13	149A858	I *Gasket, Diaphragm - Lower Side
14	149 A551	I Lever, Primer
15	509-65	2 Seal, "O" Ring
16	149A404	I Spring, Primer Lever
17	149A3	I *Gasket, Pump Mounting
18	518-12 9	I Ring, Retainer - Primer Lever














REF.	PART NO.	QTY. USED	PART DESCRIPTION	REF.	PART NO.	QTY. USED	PART DESCRIPTION
1	870-53	1	Nut, Locking - Governor Rod	20	321P170	1	*Holder, Fuse
2	150A639	ĺ	Joint, Ball	22	332-1408	2	*Terminal, Female
3	150A629	i	Link, Throttle	23	332-1409	î	*Housing, Terminal
4	518-6	1	Clip, Link End	24	142A35	i	*Spring, Screw Lock
5	HOUSING, C	YLINDER	AIR - LEFT	25	818P149	i	*Eyelet, Contact
	134K2498	1 .	Prior to Serial #292517	26	332P887	i	*Terminal, Faston
			(Includes Hardware)	27	323P503	4	Pin, Connecting (Regulator)
	134 D589	1	Begin Serial #292517	28	323P763	Ĺ	Housing, Connecting Pins
6	134D2 [7]	1	Housing, Blower			-	(Regulator)
7	HOUSING, C	YLINDER	AIR - RIGHT	29	870-131	1	Nut, Keps - Governor Ball Joint
	134K2497	1	Prior to Serial #292517	30	150-1320	1	Arm, Governor Pivot
			(Includes Hardware and	31	870-65	ł	Nut, Huglock - Governor Arm
			Drain Tube)	32	152-181	1	Bracket, Throttle Control
	134B2094	I	Begin Serial #292517	33	150A1319	I	Adapter, Governor Arm
8	321B169	I	Clip, Cylinder Air Housing	34	508-162	. 1	Grommet, Rubber (Blind)
9	191 C734	I	Motor, Starting (For Components	35	870-53	2	Nut, Governor
			See Separate Group)	36	150 A I 47	ì	Stud, Governor High Speed
10	191A864	2	Spacer, Starter Motor Mounting	37	150 A 132 I	1	Spring, Governor High Speed
11	191A793	I	Clip, Wiring Hamess	38	134C2131	I	Baffle, Air
12	191C854	i	Bracket, Starter Motor Mounting	39	SCREW, HÉ	X CAP	
13	191B859	1	Stator Assembly, Charging		800-51	2	Starter Motor to Bracket
			Aiternator (Includes Parts		102A455	. 3	Starter Bracket Mounting
			Marked *)	40	517-109	·	Plug, Blower Housing
14	191B400	i	Rotor, Charging Alternator	41	332A!358	I	Bracket, Connector Mounting
15	305C471	1	Regulator - Rectifier	42	191C724	I	Stator Only
16	SCREW, RO	UND HEAD) ·	43	526 A 15	2	Washer, Governor Arm Pivot
	812-156	6	Rotor Mounting	44	122B345	I	Tube, Oil Filter Drain -
	813-109	3	Stator Mounting				Begin Serial #292517
17	WASHER, LO	OCK		45	520 A75 !	4	Stud, Cylinder Air Housing
	850-40	6	Rotor Mounting				Mounting - Begin Serial
	850-30	3	Stator Mounting		÷ ,		#292517
	850-50	5	Starter Motor Mounting	46	870-232	4	Nut, Cylinder Air Housing
18	323C4B8	4	*Socket, Connecting				Mounting - Begin Spec .
19	323P759	I	*Housing, Connecting Sockets				#292517





REF.	PART NO.	QTY. USED	PART DESCRIPTION	REF.	PART NO.	QTY. USED	PART DESCRIPTION
	191D734	l	Motor Assy., Starting - Complete	13	191-754		Washer, Plain
I	191-742	F	Yoke Assy. (Frame) - Includes	14	191-755	ı	Washer, Plain
			Parts Marked *	1 15	191-756	1	Washer, Insulator
2	191-743	I	Armature	16	191-757	4	* Brush
3	191-744	I	Clutch, Starter	- 17	191-758	4	Spring, Brush
4	191-745	ľ	Stop, Piníon	18	191-759	2	Bolt, Through
5	191-746	I	Ring	19	191-760	3	Screw, Machine P.H.
6	191-747	ŀ,	Washer, Plain	20	191-761	i	Switch Assembly, Solenoid
7	191-748	. 1	Bracket Assembly, Front	21	191-762	1	*Coil Assembly, Field
8	191-749	1	Lever Assembly	22	191-763	ĺ	Bearing, Front
9	191-750	ŀ	Spring, Lever (A)	23	191-764	Í	Bearing, Rear
10	191-751	. I	Spring, Lever (B)	24	191-765	4	*Pole,Shoe
11	191-752	ŀ	Holder, Spring	25	191-766	4	*Screw, Pan Head
12	191-753	l l	Bracket Assembly, Rear				
				* {n	icluded in Y	oke Asser	mbly

SERVICE KITS AND MISCELLANEOUS

NOTE: For other kits, refer to the group for the part in question.

REF.	PART	QTY.	PART
	NO.	USED	DESCRIPTION
	168K 103		Gasket Kit, Complete Engine
	160K836		Ignition Tune-up Kit
	168K95		Carbon Removal Gasket Kit
	522K259		Kit, Qverhaul



ENGINE STARTER AND SOLENOID TO BATTERY TO OIL PRESSURE LIGHT TO IGNITION -FUSE **BATTERY 12V** VOLT CONNECTOR PRESS SW REG RECT RED-- BLUE IGNITION COIL BLACE WHITE FLYWEEL ALTERNATOR YELLOW YELLOW BRKER AND CAP ASSY.





NOTES




927-1109 (10 - 72)

SUPPLEMENTARY PARTS LIST

These parts apply to Onan CCKA-MS/2026G industrial engines for tractor application. Use these parts in place of/or in addition to those listed in the main parts catalog, 927-250. This will bring parts list up to date.

FUEL SYSTEM GROUP

REF.	PART	QTY.	PART
NO.	NO.	USED	DESCRIPTION
7	502-2	1	Elbow, Fuel Pump Outlet
17	502-313	1	Elbow, Fuel Pump Inlet
20	140B1071	1	Element, Air Cleaner




GOVERNOR, STARTER, CHARGING ALTERNATOR AND BLOWER HOUSING GROUP


REF.	PART	QTY.	PART
NO.	NO.	USED	DESCRIPTION
42	191C724	1	* Stator Only

* - Included in Stator Assembly










CHARGING ALTERNATOR GROUP

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	•	1	Flywheel and Ring Gear
2	191-0932	1	Stator & Harness Assembly (15 Amp Alternator) - Key 1
3	191-0886	1	Regulator - Rectifier Assembly - Key 1
4	813-0108	3	Screw (10-32 x 1-1/2"), Round Head - Stator Mounting
5	850-0030	3	Washer (#10), Lock - Stator Mounting
6	323-0853	1	Connector
7	323-0851	1	Connector
9	191-1016	1	Stator & Harness Assembly (20 Amp Alternator) - Key 2 & 3
10	191-0938	1	Rectifier Assembly - Key 2 & 3

REF.	PART NO.	QTY. USED	PART DESCRIPTION
11	191-0939	1	Regulator Assembly - Key 2 & 3
12	815-0181	4	Screw (10-32 x 1/2") - Regulator and Rectifier Mounting
15	167-0188	1	Clip, Stator Lead
16	323-0879	1	Connector, Stator Leads (2 Pins) - Key 2 & 3
17	323-0882	1	Connector, Stator Leads (3 Sockets) - Key 2 & 3
18	323-0881	1	Connector, Rectifier Leads (3 Pins) - Key 2 & 3
19	323-0880	1	Connector, Regulator Leads (2 Sockets) - Key 2 & 3
20	323-0496	5	Pin, Connector - Key 2 & 3
21	323-0488	5	Socket, Connector - Key 2 & 3


* - See Crankshaft and Flywheel Group for part number.





REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
	191-0734	1	Motor Assembly, Starting	16	191-0757	4	*Brush
1	191-0742	1	Yoke Assembly (Frame) -	17	191-0758	4	Spring, Brush
-			includes Parts Marked *	18	191-0759	2	Bolt, Through
2	191-0743	1	Armature	19	191-0760	3	Screw, Machine P.H.
3	191-0744	1	Clutch, Starter	j 2 0	191-0761	1	Switch Assembly, Solenoid
4	191-0745	1	Stop, Pinion	21	191-0762	1	*Coil Assembly, Field
5	191-0746	1	Ring	22	191-0763	1	Bearing, Front
6	191-0747	1	Washer, Plain	23	191-0764	1	Bearing, Rear
7	191-0748	1	Bracket Assembly, Front	24	191-0765	4	*Pole Shoe
B	191-0749	1	Lever Assembly	25	191-0766	4	*Screw, Pan Head
9	191-0750	1	Spring, Lever (A)	26	850-0050	2	Washer, Lock - Starter Motor
10	191-0751	1	Spring, Lever (B)				Mounting
11	191-0752	1	Holder, Spring	27	800-0051	2	Screw, Hex Cap - Starter
12	191-0753	i	Bracket Assembly, Rear			_	Motor Mounting
13	191-0754	i	Washer, Plain	- 1			3
14	191-0755	i	Washer, Plain	l + - i	* - Included in Yoke Assembly.		nblv.
15	191-0756	1	Washer, Insulator				·-· / ·






REF.	PART NO.	QTY. USED	PART DESCRIPTION
	191-0922	1	Motor, Starting - Complete
1	191-0983	1	Lever Assembly
2	191-0984	1	Spring Set
3	191-1010	1	Bearing, Rear Bracket Assembly
4	191-1011	1	Screw Set
5	191-0987	1	Switch Assembly
6	191-0988	2	Bolt, Through
7	191-0989	1	Bracket Assembly, Front (Includes Bearing)
8	191-0990	1	Bearing, Front Bracket
9	191-0991	1	Stopper Set, Pinion
10	191-1007	4	£Spring, Brush
11	191-1008	. 2	£Brush, Negative
12		† 1	Bracket Assembly, Rear (Includes Bearing)
13	191-0995	1	Clutch Assembly
14	191-0996	1	Armature
15	191-0997	1	Washer Set
16	191-1005	2	Brush, Positive
17	191-1006	1	Holder Assembly, Brush (Includes Parts Marked £)
18	191-1001	1	Field Coil Set (Includes Positive Brush)

£ - Parts included in 191-1006 Brush Holder Assembly.





REF. NO.			PART DESCRIPTION
	191-1052	1	Motor, Starting - Complete
1 1	191-0983	1	Lever Assembly
2	191-0984	1	Spring Set
3	191-1010	1	Bearing, Rear Bracket Assembly
4	191-1011	1	Screw Set
5	191-0987	1	Switch Assembly
6	191-0988	2	Bolt, Through
7	191-1086	1	Bracket Assembly, Front (Includes Bearing)
8	191-0971	1	Bearing, Front Bracket
9	191-0991	1	Stopper Set, Pinion
10	191-1007	4	*Spring, Brush
11	191-1008	2	*Brush, Negative
12	191-1009	1	Bracket Assembly, Rear (Includes Bearing)
13	191-1087	1	C'utch Assembly
14		i	Armature
	191-0997	1	Washer Set
	191-1005	2	Brush, Positive
17	191-1006	1	Holder Assembly, Brush (Includes Parts Marked *)
18	191-1089	1	Field Coil Set (Includes Positive Brushes)

^{* -} Parts Included in 191-1006 Brush Holder Assembly.

SERVICE KITS AND MISCELLANEOUS

NOTE: For other kits, refer to the group for the part in question.

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
	168-0103	1	Gasket Kit, Complete Engine
	160-0836	1	Ignition Tune-Up Kit
	168-0095	1	Carbon Removal Gasket Kit
	522-0267	1	Kit, Overhaul

